AUTHOR INDEX

VOLUME 79

British Journal of Anaesthesia

ARS = Anaesthetic Research Society Abstracts

EACTA = European Association of Cardiothoracic Anaesthesiologists Abstracts

C = Correspondence

E = Editorial

R = Book Review

e = Erratum

ABAY, G., ÇORUH, T., AYKAÇ, Z., AYDOÖAN, H., AYKUT, S., EREN, E. and CANIK, S. Intravenous clonidine administration during CPB: effects on haemodynamic parameters and extubation time, (*EACTA*) A.8

ABDULATIF, M. and EL-SANABARY, M. Blood flow and mivacurium-induced neuromuscular block at the orbicularis oculi and adductor pollicis muscles 24–28

ABSALOM, A. R., PLEDGER, D. R. and KONG, A. Effects of a single dose of etomidate on adreno-cortical function in the critically ill, (*ARS*) 679P

ADAMS, M. *see* DRESNER, M., (*C*) 813

ADDY, E. V. *see* BRAIN, A. I. J. 699–703; 704–709; KAPILA, A. 710–713

AKAZAWA, S. *see* NAKAIGAWA, Y. 363–368

AKPİR, K. *see* TUĞRUL, E. 306–310

ALBANESE, C. *see* BERTOLISSI, M., (*EACTA*) A.61

ALBANO, J. D. M. *see* MACLAREN, A. J., (*EACTA*) A.17

ALBIN, M. S., (editor) *Textbook of Neuroanesthesia with Neurosurgical and Neuroscience Perspectives*, (*R*) 412

ALBRECHT, S. *see* DINGEMANSE, J. 567–574

ALEXANDER, J. I. Pain after laparoscopy 369–378

ALI, P. *see* ELTON, C. D., (*E*) 551–554

ALLSOP, J. R. Prophylaxis against deep vein thrombosis, (*C*) 145

AL-RAWI, P. *see* GUPTA, S., (*ARS*) 680P

ALTHAUS, U. *see* WALPOTH, B. H., (*EACTA*) A.30; (*EACTA*) A.37

AMMAR, A. *see* NAGUIB, M. 450–455

AMMAR, T., SILVAY, G. and REICH, D. L. Platelet effects of aprotinin and tranexamic acid, (*EACTA*) A.68

ANDREWS, C. J. H. *see* SNEYD, J. R. 427–432

ANDREWS, P. J. D. *see* SOUTER, M. J. 97–102

ANTKOWIAK, B., HENTSCHKE, H. and KIRSCHFELD, K. Effects of volatile anaesthetics on spontaneous action potential firing of cerebellar Purkinje cells *in vitro* do not follow the Meyer–Overton rule 617–624

ANTONINI, M. *see* DELLA ROCCA, G., (*EACTA*) A.77

ANTZAKA, Ch. *see* PAPADIMITRIOU, L., (*EACTA*) A.51

AOKI, H., INOUE, M., MIZOBE, T., HARADA, M., IMAI, H. and KOBAYASHI, A. Platelet function is inhibited by nitric oxide liberation during nitroglycerin-induced hypotension anaesthesia 476–481

AOUIFI, A., FILLEY, S., NEIDECKER, J., HELAL, N., BOMPARD, D., VEDRINNE, C., BLANC, P., LAROUX, M. C., BOUVIER, H., GIRARD, C. and LEHOT, J. J. Methaemoglobin (MetHb) production during nitric oxide (NO) inhalation, (*EACTA*) A.93

AOUIFI, A., VEDRINNE, C., NEIDECKER, J., BOMPARD, D., CHERFA, A., BRULÉ, P., GRESSIER, M., LAROUX, M. C., TRONC, F., NINET, J., CHAMPSAUR, G. and LEHOT, J. J. Arterial switch for transposition of great arteries anaesthesia & postoperative care, (*EACTA*) A.91

AÞKAR, F. Z., ÇEVIK, A., DEMIRAÐ, K., SAKARYA, M. and DURMAZ, Y. Evaluation of the effects of diltiazem on myocardial protection with troponin T in coronary artery bypass graft surgery, (*EACTA*) A.28

AÞKAR, F. Z. *see* ERHAN, E., (*EACTA*) A.56

APPADU, B. L. *see* HIROTA, K., (*ARS*) 141P

ARCHER, D. P. and ROTH, S. H. Pharmacodynamics of thiopentone: nocifensive reflex threshold changes correlate with hippocampal electroencephalography 744–749

ARIFFIN, S. *see* MANJI, M., (*EACTA*) A.14; (*EACTA*) A.87

ARMELLIN, G. *see* PITTARELLO, D., (*EACTA*) A.42

ARNSTEIN, F. Catalogue of human error 645–656

ARTIGAS, A. *see* PINSKY, M. R., (*R*) 266

ASADA, A. *see* HASE, I. 740–743

ASAI, T., MAPLESON, W. W. and POWER, I. Effects of nalbuphine, pentazocine and U50488H on gastric emptying and gastrointestinal transit in the rat, (*ARS*) 676P; Interactive effects of morphine and dexmedetomidine on gastrointestinal transit and gastric emptying in the rat, (*ARS*) 133P; Naloxone inhibits gastric emptying but not gastrointestinal transit in the rat, (*ARS*) 133P

ASAI, T. *see* KOGA, K., (*ARS*) 681P

ASBURY, A. J. *see* HAWKSWORTH, C. R. E., (*ARS*) 139P

ATAR, D. *see* SEEBERGER, M. D., (*EACTA*) A.40

ATCHESON, R., BJORNSTROM, K., HIRST, R. A., ROWBOTHAM, D. J. and LAMBERT, D. G. Effect of halothane on K^+ and carbachol stimulated noradrenaline release and increased $_i$ in SH-SY5Y human neuroblastoma cells 78–83

ATCHESON, R. *see* JOYCE, P. I., (*ARS*) 677P

ATHERTON, A. M. J. *see* MOSTAFA, S. M. 392–393

AUF DER MAUR, P. *see* WALPOTH, B. H., (*EACTA*) A.37

AUPART, M. *see* LEMOINE, E., (*EACTA*) A.54

AUSSEUR, A., CHALONS, N., MARQUETTE, C. H., BELLO, N. and SCHERPEREEL, P. Cutaneous blood gas monitoring during rigid bronchoscopy with high frequency Jet ventilation (HFJV), (*EACTA*) A.74

AYALA, J. L. and COE, A. Thermal softening of tracheal tubes: an unrecognized hazard of the Bair Hugger active patient warming system 543–545

AYDOÖAN, H. *see* ABAY, G., (*EACTA*) A.8

AYKAÇ, Z. *see* ABAY, G., (*EACTA*) A.8; SÜZER, A., (*EACTA*) A.52; SÜZER, Ö., (*EACTA*) A.1; TAÇ, T., (*EACTA*) A.25

AYKUT, S. *see* ABAY, G., (*EACTA*) A.8

BABIC, M. *see* JOVIC, M., (*EACTA*) A.35

BAINES, P. *see* WHITEHEAD, C. F., (*C*) 813–814

BAKOLA, A. A., SKUBAS, N. J., MCCAWLEY, C., LAPPAS, D. G. and COX, J. L. Echocardiographic and haemodynamic differences among patients undergoing the MAZE procedure, (*EACTA*) A.44

BALLESTEROS, M., WELTERS, I., BOLDT, J., ZICKMANN, B., KNOTHE, C. and HEMPELMANN, G. Effect of intravascular volume load after induction of anaesthesia on oxygen consumption in cardiac surgery patients, (*EACTA*) A.19

BALOGH, D., MAIR, P., HÖRMANN, Ch., MAIR, J., MARGREITER, J., MÜLLER, L. and PUSCHENDORF, B. Crystalloid vs. blood cardioplegia: a comparison of myocardial markers, (*EACTA*) A.26

BAMIGBADE, T. A., DAVIDSON, C., LANGFORD, R. M. and STAMFORD, J. A. Actions of tramadol, its enantiomers and principal metabolite, O-desmethyltramadol, on serotonin (5-HT) efflux and uptake in the rat dorsal raphe nucleus 352–356

BANAS, S. *see* KNAPIK, P., (*EACTA*) A.94

BAPAT, P. and VERGHESE, C. Cuff deflation for easier weaning from ventilation, (*C*) 145

BAPAT, P. P. and VERGHESE, C. Weaning: is the work of breathing via a tracheostomy tube similar to that via a tracheal tube? (*C*) 815

BARANKAY, A., HOLPER, K., HAEHNEL, J. C., BRAUN, S., RICHTER, J. A. and MEISNER, H. Cardiac troponin I release

using different myocardial management strategies, (*EACTA*) A.27
Barrière, J. C. *see* Lemoine, E., (*EACTA*) A.54
Barson, J. *see* Plowman, A., (*C*) 143–144
Barthel, H. *see* Schlack, W. 88–96
Bartunek, A., Pernersdorfer, T., Parschalk, P. and Wenisch, C., Hiesmayr, M. Antibiotic prophylaxis with cefodizime in patients with CABG-operations, (*EACTA*) A.62
Baskett, P. J. F. and Strunin, L. Resuscitation, (*E*) 149–150
Baskett, P. J. F. *see* Gabbott, D. A. 159–171
Basler, M. *see* Makin, A., (*ARS*) 687P
Bassi, A. *see* Borghi, B. 662–664
Bassi, F. *see* Bertolissi, M., (*EACTA*) A.60; (*EACTA*) A.61
Baumgartner, I. *see* Walpoth, B. H., (*EACTA*) A.37
Baumgartner, R. *see* Walpoth, B. H., (*EACTA*) A.37
Bazin, J. E. and Schoeffler, P. Pigs are not humans, (*C*) 691
Beatty, P. C. W. Preliminary survey into clinical attitudes to computer based decision support systems, (*ARS*) 140–141P
Been, H. D. *see* Ubags, L. H. 590–594
Bellam, M. C. *see* Davey-Quinn, A., (*ARS*) 684–685P
Bellamy, M. C., Galley, H. F. and Webster, N. R. Changes in inflammatory mediators during orthotopic liver transplantation 338–341
Bellamy, M. C. *see* O'Beirne, H. A., (*ARS*) 132P; Srinivasa, R., (*ARS*) 686P
Bello, N. *see* Ausseur, A., (*EACTA*) A.74
Ben-David, B. and Stahl, S. Prognosis of intraoperative brachial plexus injury: a review of 22 cases 440–445
Bendixen, D. *see* Quane, K. A. 332–337
Bendyk, K. *see* Buhre, W., (*EACTA*) A.4
Bengtsson, M., Nettelblad, H. and Sjoberg, F. Extradural catheter-related infections in patients with infected cutaneous wounds 668–670
Benhamou, D. *see* Lentschener, C., (*C*) 691–692
Bennett, S. R., McKeown, A. J. P. and Griffin, S. C. Effects of antiotensin on renal function in cardiac surgical patients, (*EACTA*) A.18; Haemodynamic response to angiotensin in patients treated with angiotensin converting enzyme inhibitors, (*EACTA*) A.13
Ben-Shlomo, I. *see* Tverskoy, M. 798–800
Berg, K. *see* Quane, K. A. 332–337
Bergfeld, L. *see* Runsiö, M., (*EACTA*) A.20
Bernabei, R. *see* Zuccala, G. 776–781
Bertolissi, M., Bassi, F., Da Broi, U. and De Monte, A. Transport and surgical ischaemic times: Can they have a different influence on the cardiovascular function after orthotopic heart transplantation? (*EACTA*) A.60
Bertolissi, M., Di Bartolomeo, S., Albanese, C. and Bassi, F. Impact of preoperative pulmonary vascular resistance and ischaemic time on the cardiovascular function after orthotopic heart transplantation, (*EACTA*) A.61
Bito, H. *see* Katoh, T. 465–468; Moriwaki, G. 782–786
Bittner, R. E. *see* Mader, N. 125–127
Björkman, S., Rigemar, G. and Idvall, J. Pharmacokinetics of midazolam given as an intranasal spray to adult surgical patients 575–580
Bjornstrom, K. *see* Atcheson, R. 78–83
Blackl, A. *see* Caleb, P., (*ARS*) 682P
Blaicher, A. *see* Hartmann, T. 482–487
Blaise, G. *see* Troncy, E. 631–640
Blanc, P. *see* Aouifi, A., (*EACTA*) A.93
Bloomfield, S. *see* Morton, C. P. J. 3–8
Boen, P. *see* Sneyd, J. R. 433–439
Bojic, M. *see* Jovic, M., (*EACTA*) A.35; Vuk, Lj., (*EACTA*) A.96
Boldt, J., Papsdorf, D., Uphus, D., Müller, M. and Hempelmann, G. Changes in regulators of the circulation in patients undergoing lung surgery 733–739
Boldt, J. *see* Ballesteros, M., (*EACTA*) A.19; Welters, I., (*EACTA*) A.22
Bolsin, S. *see* Plowman, A., (*C*) 143–144
Bolton, P. *see* Makin, A., (*ARS*) 687P
Bombardini, T. *see* Borghi, B. 662–664
Bompard, D. *see* Aouifi, A., (*EACTA*) A.91; (*EACTA*) A.93
Bonnet, F. *see* Gentili, M. 660–661
Booij, L. H. D. J. *see* Vermeulen, P. M. 488–496
Booker, P. D., Davis, A. J. M. and Franks, R. Gut mucosal perfusion in infants undergoing cardiopulmonary bypass: effect of preoperative captopril 14–18
Booker, P. D. *see* Cheung, S. L. W. 9–13; Prosser, D. P. 293–296
Borgeat, A. and Kwiatkowski, D. Spontaneous movements associated with rocuronium: is pain on injection the cause? 382–383
Borghi, B., Pignotti, E., Montebugnoli, M., Bassi, A., Corbascio, M., de Simone, N., Elmar, K., Righi, U., Laguardia, A. M., Bugamelli, S., Cataldi, F., Ranocchi, R., Feoli, M. A., Bombardini, T., Gargioni, G., Franchini, A. G. and Caroli, G. C. Autotransfusion in major orthopaedic surgery: experience with 1785 patients 662–664
Borm, G. F. *see* Vermeulen, P. M. 488–496
Bornscheuer, A. *see* Leuwer, M., (*ARS*) 132P
Bortolotti, U. *see* Ruschi, S., (*EACTA*) A.67
Bossaert, L. L. Fibrillation and defibrillation of the heart 203–213
Bossard, A. E. *see* Camus, Y. 796–797
Bosson, J.-L. *see* Mezin, P. 327–331
Botanto, R. *see* Pittarello, D., (*EACTA*) A.42
Böttiger, R. H., Motsch, B. W., Müller, J., Fleischer, F. and Martin, E. Pulse contour cardiac output measurement corresponds better with standard dilution technique than continuous thermodilution technique after hypothermic bypass, (*EACTA*) A.32
Boudard, C. *see* Gressier, M., (*EACTA*) A.78
Boutel, D. *see* Lagonidis, D., (*EACTA*) A.46
Bouvier, H. *see* Aouifi, A., (*EACTA*) A.93
Bowey, C. J. *see* Fisher, M. McD 59–63
Boyett, M. R. *see* Davies, L. A., (*ARS*) 135P
Brain, A. I. J., Verghese, C., Addy, E. V. and Kapila, A. The intubating laryngeal mask. I: development of a new device for intubation of the trachea 699–703
Brain, A. I. J., Verghese, C., Addy, E. V., Kapila, A. and Brimacombe, J. The intubating laryngeal mask. II: a preliminary clinical report of a new means of intubating the trachea 704–709
Brain, A. I. J. *see* Kapila, A. 710–713
Brambilla, E. *see* Mezin, P. 327–331
Braun, S. *see* Barankay, A., (*EACTA*) A.27
Brennan, L. *see* Griffin, M. J., (*ARS*) 138P
Brennum, J. *see* Ilkjær, S. 600–605
Brett, W. *see* Seeberger, M. D., (*EACTA*) A.40
Brimacombe, J. *see* Brain, A. I. J. 704–709
Brimioulle, S. *see* Ewalenko, P. 625–630
Broka, S. *see* Collard, E., (*EACTA*) A.65; (*EACTA*) A.86
Brown, T. C. K. (Kester) *see* McKenzie, I., (*R*) 819
Brulé, P. *see* Aouifi, A., (*EACTA*) A.91
Brune, J. *see* Gressier, M., (*EACTA*) A.78
Brunner, M. D. *see* Sharpe, R. M., (*C*) 410–411
Brunner, M. D. *see* Shinner, G., (*ARS*) 137–138P
Bryant, D. J. *see* Lockwood, G. G. 581–585; 586–589
Buche, M. *see* Collard, E., (*EACTA*) A.86
Bugamelli, S. *see* Borghi, B. 662–664
Buhre, W., Hoeft, A., Schorn, B., Weyland, A., Scholz, M. and Sonntag, H. Acute effect of mitral valve replacement on extravascular lung water in patients receiving colloid or crystalloid priming of cardiopulmonary bypass 311–316
Buhre, W., Schmidt, M., Bendyk, K., Kazmaier, S., Spiegel, T.v., Weyland, A. and Sonntag, H. Effects of fentanyl-midazolam anaesthesia on intrathoracic and total blood volume, (*EACTA*) A.4
Buhre, W. *see* Giannaris, S., (*EACTA*) A.23; Kazmaier, S., (*EACTA*) A.33; (*EACTA*) A.88; Mielck, F., (*EACTA*) A.6; Spiegel, T.v., (*EACTA*) A.3; Weyland, A., (*EACTA*) A.53; Wietasch, G., (*EACTA*) A.59
Büket, S. *see* Erhan, E., (*EACTA*) A.56
Burden, R. J. and McQuillan, P. J. Converting pH and H^+: a "rule of thumb", (*e*) 413
Burm, A. G. L. *see* Veering, B. Th., (*C*) 144–145
Bürsch, J. *see* Wietasch, G., (*EACTA*) A.59
Butt, M. W. *see* Raphael, J. H. 473–475
Byrne, A. J. and Gareth Jones, J. The expanding role of simulators in risk management, (*C*) 411
Byrne, A. J. and Jones, J. G. Simulated anaesthetic emergencies, (*C*) 690–691

Cafferkey, M. *see* Paris, S. T. 280–284
Caillet, J. B. *see* Gressier, M., (*EACTA*) A.78
Caleb, P., Sharpe, P. K., Blackl, A. and Day, C. Artificial neural networks for distinguishing disturbed from undisturbed breathing, (*ARS*) 682P
Callingham, B. C. *see* Vuylsteke, A., (*EACTA*) A.11
Calvey, T. N. and Williams, N. E. *Principles and Practice of Pharmacology for Anaesthetists*, 3rd Edn, (*R*) 549
Çamci, E. *see* Tuğrul, E. 306–310
Çamcý, E., Tuðrul, M., Gençelli, J., Yavru, A. and Pembeci, K. Comparison of propofol and isoflurane ameliorating effects during rewarming period in paediatric cardiac surgery, (*EACTA*) A.58
Campbell, W. I. and Kendrick, R. W. Pre-emptive analgesia using local anaesthesia: a study in bilaterally symmetrical surgery 657–659
Camu, F. *see* Verborgh, C., (*EACTA*) A.10

CAMUS, Y., DELVA, E., BOSSARD, A. E., CHANDON, M. and LIENHART, A. Prevention of hypothermia by cutaneous warming with new electric blankets during abdominal surgery 796–797
CANDIANI, A. *see* LATRONICO, N., (*C*) 547–548
CANIK, S. *see* ABAY, G., (*EACTA*) A.8
CAROLI, G. C. *see* BORGHI, B. 662–664
CARREL, T. *see* WALPOTH, B. H., (*EACTA*) A.30
CARROLL, M. *see* MCCOURT, K. C., (*ARS*) 134P
CARROLL, M. T., LOWRY, D., MIRAKHUR, R. K. and MCCOURT, K. C. Comparison of neuromuscular blocking effects and train-of-four fade of cisatracurium with other blocking agents, (*ARS*) 683P
CARSON, D. *see* MAKIN, A., (*ARS*) 687P
CATALDI, F. *see* BORGHI, B. 662–664
CAVIEZEL, F. *see* RANUCCI, M., (*EACTA*) A.84
CAVILL, G. *see* GIRLING, K. J., (*ARS*) 131P; WRENCH, I. J. 541–542
CAZZANIGA, A. *see* RANUCCI, M., (*EACTA*) A.84; (*EACTA*) A.85
CELIK, B. *see* WALPOTH, B. H., (*EACTA*) A.30
ÇEVIK, A. *see* APKAR, F. Z., (*EACTA*) A.28
CHAKRABARTI, M. K. *see* MA, D., (*ARS*) 141–142P; 525–529; (*ARS*) 686–687P
CHALLIS, R. A. J., (editor) *Methods in Molecular Biology, volume 83: Receptor Signal Transduction Protocols*, (*R*) 818
CHALONS, N. *see* AUSSEUR, A., (*EACTA*) A.74
CHAMBERLAIN, D. Peri-arrest arrhythmias 198–202
CHAMPSAUR, G. *see* AOUIFI, A., (*EACTA*) A.91
CHAN, H.-L. *see* HUANG, H.-H. 754–758
CHANDON, M. *see* CAMUS, Y. 796–797
CHARBONNEAU, M. *see* TRONCY, E. 631–640
CHARTERS, P. *see* GROOM, P., (*ARS*) 136P; (*ARS*) 680–681P; HAWKINS, M., (*ARS*) 136–137P; MOLNAR, Z., (*ARS*) 679–680P
CHASSARD, D. *see* TOURNADRE, J. P. 514–516
CHEE, W. K. *Rapid Sequence Review of Anaesthesiology with Time-limited Pressure*, (*R*) 820
CHERFA, A. *see* AOUIFI, A., (*EACTA*) A.91
CHEUNG, S. L. W., BOOKER, P. D., FRANKS, R. and POZZI, M. Serum concentrations of bupivacaine during prolonged continuous paravertebral infusion in young infants 9–13
CHHIBBER, A. K. *see* NGUYEN, T. T. 801–803
CHONG, Z.-K., JAWAN, B., POON, Y.-Y. and LEE, J.-H. Unsuspected difficult intubation caused by a laryngeal web 396–397
CHRISTIANSEN, C. L., JAKOBSEN, C.-J. and NORENG, M. Hepatic venous blood flow measured with retrograde thermodilution technique, (*EACTA*) A.55
CIRRI, S. *see* RANUCCI, M., (*EACTA*) A.84; (*EACTA*) A.85
CITTADINI, A. *see* ZUCCALA, G. 776–781
CIVETTA, J. M., TAYLOR, R. W. and KIRBY, R. R., (editors) *Critical Care*, 3rd Edn, (*R*) 265
CIVETTA, J. M. *see* KIRBY, R. R., (*R*) 147
CLARKE, J. *see* PLOWMAN, A., (*C*) 143–144
CLARKE, R. S. J. *see* MCCAUGHEY, W., (*R*) 820
CLYTI, N. *see* DIEMUNSCH, P. 322–326
COCCHI, A. *see* ZUCCALA, G. 776–781
COCCIA, C. *see* DELLA ROCCA, G., (*EACTA*) A.77
COE, A. *see* AYALA, J. L. 543–545
COLLARD, E., DUCART, A., BUCHE, M., BROKA, S., GONZALEZ, M., JAMART, J. and JOUCKEN, K. Postoperative morbidity after coronary artery bypass graft surgery without cardiopulmonary bypass, (*EACTA*) A.86
COLLARD, E., DUCART, A., DURSIN, A., OSSELAER, J. C., BROKA, S., JAMART, J. and JOUCKEN, K. Effects of preoperative i.v. heparin in coronary artery bypass grafting, (*EACTA*) A.65
COLLINS, L. M., COONEY, C. M. and FITZPATRICK, G. Propofol induction characteristics after fentanyl or midazolam and fentanyl, (*ARS*) 676–677P
COMITE, C. *see* RUSCHI, S., (*EACTA*) A.67
COMUNALE, M. E. *see* KUSSMAN, B. 122–124
CONACHER, I. D. Anaesthesia for the surgery of emphysema 530–538
CONACHER, I. D. *see* MCMAHON, C. C., (*EACTA*) A.75
CONSEILLER, C. *see* DIEMUNSCH, P. 322–326
CONTI, D. *see* RANUCCI, M., (*EACTA*) A.85
CONZEN, P. *see* SZEKELY, A., (*EACTA*) A.15
COONEY, C. M. *see* COLLINS, L. M., (*ARS*) 676–677P
CORBASCIO, M. *see* BORGHI, B. 662–664
CORDIER, J. F. *see* GRESSIER, M., (*EACTA*) A.78
ÇORUH, T. *see* ABAY, G., (*EACTA*) A.8; TAÇ, T., (*EACTA*) A.25
COURSIN, D. *see* MURRAY, M., (*R*) 267
COUTO DA SILVA, J. M., MAPLESON, W. W. and VICKERS, M. D. Quantitative study of Lowe's square-root-of-time method of closed-system anaesthesia 103–112
COX, J. L. *see* BAKOLA, A. A., (*EACTA*) A.44
CROSS, M. *see* SNEYD, J. R. 427–432; 433–439
CROSS, M. H. *see* O'CONNOR, P. J., (*EACTA*) A.31
CROSSLEY, A. W. A. *see* WRENCH, I. J. 541–542
CUNNINGHAM, A. J. *see* MCKEAGUE, H., (*E*) 415–416
CURRAN, J. L., HALL, W. J., HALSALL, P. J., HOPKINS, P. M., ILES, D. E., MARKHAM, A. F., ROBINSON, R. L., WEST, S. P. and ELLIS, F. R. Genetic analysis reveals single recombinants in malignant hyperthermia, (*ARS*) 134P
CUTHBERTSON, B. H., STOTT, S. and WEBSTER, N. R. Use of inhaled nitric oxide in the critically ill, (*C*) 814

DA BROI, U. *see* BERTOLISSI, M., (*EACTA*) A.60
DAHL, J. B. *see* ILKJÆR, S. 600–605
DALE, H. *see* SNEYD, J. R. 433–439
DANIELL, C. J. *see* SNEYD, J. R. 427–432
DAUNDERER, M. *see* SCHWENDER, D. 53–58
DAVEY-QUINN, A. and BELLAM, M. C. Functional iron deficiency in orthotopic liver transplantation, (*ARS*) 684–685P
DAVIDSON, C. *see* BAMIGBADE, T. A. 352–356
DAVIES, L. A., HARRISON, S. M., BOYETT, M. R. and HOPKINS, P. M. Dose-dependent effects of halothane on contraction of rat ventricular myocytes, (*ARS*) 135P
DAVIS, A. *see* PROSSER, D. P. 293–296
DAVIS, A. J. M. *see* BOOKER, P. D. 14–18
DAY, C. *see* CALEB, P., (*ARS*) 682P
DEACOCK, S. and HOLDCROFT, A. Heat retention using passive systems during anaesthesia: comparison of two plastic wraps, one with reflective properties 766–769
DECOENE, C., JUDE, B., PRAT, A., DUPOND, J. and SHAABAN, M. Analysis of fibrinolysis during coronary artery surgery, (*EACTA*) A.66
DE LANGE, S. *see* LANGENBERG, C. J. M., (*EACTA*) A.50
DE LASSON, L., HANSEN, H. E., JUHL, B., PAASKE, W. P. and PEDERSEN, E. B. Effect of felodipine on renal function and vasoactive hormones in infrarenal aortic surgery 719–725
DELCROIX, M. *see* EWALENKO, P. 625–630
DELIGIANNI, M. *see* NICOLAIDES, A., (*EACTA*) A.45; PAPADIMITRIOU, L., (*EACTA*) A.51
DELLA ROCCA, G., COCCIA, C., PUGLIESE, F., ANTONINI, M., POMPEI, L., MARITTI, M. and RUBERTO, F. Inhaled nitric oxide during anaesthesia for lung transplant, (*EACTA*) A.77
DELVA, E. *see* CAMUS, Y. 796–797
DEMIRAÐ, K. *see* APKAR, F. Z., (*EACTA*) A.28
DE MONTE, A. *see* BERTOLISSI, M., (*EACTA*) A.60
DE PERROT, M. *see* VASSALLI, F., (*EACTA*) A.79
DERGELOO, O. *see* SEEBERGER, M. D., (*EACTA*) A.40
DE ROOVER, E. *see* VERBORGH, C., (*EACTA*) A.10
DESAI, J. *see* MILLS, G. H. 726–732
DE SCHRYVER, D. *see* FOUBERT, L., (*EACTA*) A.90
DE SIMONE, N. *see* BORGHI, B. 662–664
DE SOLE, P. *see* ZUCCALA, G. 776–781
DEUSCH, E. *see* GERMANN, R. 357–362
DEVI, L. A. *see* HIROTA, K., (*ARS*) 141P
DEVITT, J. H. *see* KURREK, M., (*C*) 689
DEWAN, D. M. and HOOD, D. D., (editors) *Practical Obstetric Anesthesia*, (*R*) 147
DEXTER, F. and HINDMAN, B. J. Effect of haemoglobin concentration on brain oxygenation in focal stoke: a mathematical modelling study 346–351
D'HAESE, J. *see* VERBORGH, C., (*EACTA*) A.10
DHAINAUT, J.-F. *see* PINSKY, M. R., (*R*) 266
DI BARTOLOMEO, S. *see* BERTOLISSI, M., (*EACTA*) A.61
DICK, W. F. Uniform reporting in resuscitation 241–252
DICKSON, M. A. S., MOORES, C. and MCCLURE, J. H. Comparison of single, end-holed and multi-orifice extradural catheters when used for continuous infusion of local anaesthetic during labour 297–300
DIEMUNSCH, P., CONSEILLER, C., CLYTI, N., MAMET, J. P. and FRENCH ONDANSETRON STUDY GROUP Ondansetron compared with metoclopramide in the treatment of established postoperative nausea and vomiting 322–326
DILLON, P. J. *see* NGUYEN, T. T. 801–803
DIMITRIOU, S. *see* NICOLAIDES, A., (*EACTA*) A.45
DIMITRIOU, ST. *see* PAPADIMITRIOU, L., (*EACTA*) A.51
DINGEMANSE, J., HÄUSSLER, J., HERING, W., IHMSEN, H., ALBRECHT, S., ZELL, M., SCHWILDEN, H. and SCHÜTTLER, J. Pharmacokinetic–pharmacodynamic modelling of the EEG effects of Ro 48-6791, a new short-acting benzodiazepine, in young and elderly subjects 567–574
DIRI, E. *see* SÜZER, Ö., (*EACTA*) A.1
DIRKS, J. *see* ILKJÆR, S. 600–605
DIRKSEN, R. *see* VERMEULEN, P. M. 488–496
DOB, D. P. *see* LOCKWOOD, G. G. 581–585; 586–589
DOENICKE, A., ROIZEN, M. F., HOERNECKE, R., MAYER, M., OSTWALD, P. and FOSS, J. Haemolysis after etomidate:

comparison of propylene glycol and lipid formulations 386–388
DORÉ, C. J. *see* SHARPE, R. M., (*C*) 410–411
DORÉ, C. J. *see* SHINNER, G., (*ARS*) 137–138P
DOYLE, E. and GOGGIN, P. *MCQs and OSCEs for the Primary FRCA*, (*R*) 818
DRESNER, M., ADAMS, M. and KLEIN, H. Ropivacaine test dose in extradural anaesthesia, (*C*) 813
DRUMMOND, G. B. *see* FOO, I. T. 41–46
DRUMMOND, J. C. *see* UBAGS, L. H. 590–594
DUCART, A. *see* COLLARD, E., (*EACTA*) A.65; (*EACTA*) A.86
DUPOND, J. *see* DECOENE, C., (*EACTA*) A.66
DUPONT, A. *see* VERBORGH, C., (*EACTA*) A.10
DURMAZ, Y. *see* APKAR, F. Z., (*EACTA*) A.28
DURSIN, A. *see* COLLARD, E., (*EACTA*) A.65
DURWARD, A. *see* HATHERILL, M. 665–667

EADIE, R. *see* RAMASAMY, D. 394–395
ECKERSALL, S. *see* ELLIOTT, S. 446–449
EDMONDSON, L. Intraocular pressure and suxamethonium, (*C*) 146
EGER, E. I. *see* GRIFFITHS, R. 389–391
EL-KABSH, M. Y. *see* KOTB, H. I. M. 804–806
ELLIOTT, S., ECKERSALL, S., FLIGELSTONE, L. and JOTHILINGAM, S. Does the addition of clonidine affect duration of analgesia of bupivacaine wound infiltration in inguinal hernia surgery? 446–449
ELLIS, F. R. *see* CURRAN, J. L., (*ARS*) 134P; ENRIGHT, S. M., (*ARS*) 685P
ELLIS, F. R. *see* HOPKINS, P. M., (*R*) 266
ELMAR, K. *see* BORGHI, B. 662–664
EL-SANABARY, M. *see* ABDULATIF, M. 24–28
ELTON, C. D., ALI, P. and MUSHAMBI, M. C. "Walking extradurals" in labour: a step forward? (*E*) 551–554
EMARA, S. E. S. *see* KOTB, H. I. M. 804–806
ENGELMANN, E. *see* RAUCH, H., (*EACTA*) A.2
ENRIGHT, S. M., ELLIS, F. R., HALSALL, P. J. and HOPKINS, P. M. Is there a difference in myofilament calcium sensitivity between malignant hyperthermia susceptible and normal skeletal muscle? (*ARS*) 685P
ENRIGHT, S. M. *see* SRINIVASA, R., (*ARS*) 686P
ENRINI, R. *see* RANUCCI, M., (*EACTA*) A.84
ERDOGAN, O. *see* SÜZER, Ö., (*EACTA*) A.1
EREN, E. *see* ABAY, G., (*EACTA*) A.8
ERHAN, E., APKAR, F. Z., BÜKET, S., ÖZBARAN, M., GÜNEL, Ö. and ERHAN, Y. Effects of ventilation during cardiopulmonary bypass on pulmonary shunt, compliance and structure, (*EACTA*) A.56
ERHAN, Y. *see* ERHAN, E., (*EACTA*) A.56
EVANS, R. *see* PIRIOU, V. 68–77
EWALENKO, P., BRIMIOULLE, S., DELCROIX, M., LEJEUNE, P. and NAEIJE, R. Comparison of the effects of isoflurane with those of propofol on pulmonary vascular impedance in experimental embolic pulmonary hypertension 625–630

FAGERLUND, T. *see* QUANE, K. A. 332–337
FALLEGGER, B. *see* WALPOTH, B. H., (*EACTA*) A.37
FANG, Z. *see* GRIFFITHS, R. 389–391
FAROQUI, M. *see* MANJI, M., (*EACTA*) A.14; (*EACTA*) A.87
FASSOULAKI, A. MAC values of mixtures, (*C*) 410
FEE, J. P. H. *see* MCCAUGHEY, W., (*R*) 820
FEIHL, F. *see* PERRET, C., (*R*) 266
FENECK, R. O. *see* TUPPER-CAREY, D. A., (*EACTA*) A.29; (*EACTA*) A.36
FEOLI, M. A. *see* BORGHI, B. 662–664
FILLEY, S. *see* AOUIFI, A., (*EACTA*) A.93
FINSTERER, U. *see* SCHWENDER, D. 53–58
FIRMIN, R. K. *see* PEEK, G. J., (*C*) 260
FISCHER, F. *see* ISETTA, C., (*EACTA*) A.69
FISHER, M. McD and BOWEY, C. J. Intradermal compared with prick testing in the diagnosis of anaesthetic allergy 59–63
FITZGERALD, M. *see* MARSH, D. F. 787–795
FITZPATRICK, G. *see* COLLINS, L. M., (*ARS*) 676–677P
FLAMENG, W. *see* RAEZ, R., (*EACTA*) A.47
FLEISCHER, F. *see* BÖTTIGER, R. H., (*EACTA*) A.32
FLEYSHMAN, G. *see* TVERSKOY, M. 798–800
FLIGELSTONE, L. *see* ELLIOTT, S. 446–449
FLYNN, P. J. *see* PARIS, S. T. 280–284
FOEX, P. *see* PIRIOU, V. 68–77
FOO, I. T., WARREN, P. M. and DRUMMOND, G. B. Effect of domperidone on the ventilatory response to transient hyperoxia in patients anaesthetized with isoflurane 41–46
FORSYTH, A. *see* MILLS, G. H. 726–732
FOSS, J. *see* DOENICKE, A. 386–388
FOUAD, E. A. *see* KOTB, H. I. M. 804–806
FOUBERT, L., MAREELS, K., RIJCKAERT, D., DE SCHRYVER, D., ROLLY, G. and VAN NOOTEN, G. Haemodynamic effects of celiprolol and sotalol after coronary artery bypass grafting, (*EACTA*) A.90
FRANCHINI, A. G. *see* BORGHI, B. 662–664
FRANCŒUR, M. *see* TRONCY, E. 631–640
FRANKS, R. *see* BOOKER, P. D. 14–18; CHEUNG, S. L. W. 9–13
FREDERICK, L. A. *see* NAKATSUKA, M., (*EACTA*) A.76
FREDMAN, B., OLSFANGER, D. and JEDEIKIN, R. Thorascopic sympathectomy, (*C*) 688; Thorascopic sympathectomy in the treatment of palmar hyperhidrosis: anaesthetic implications 113–119
FREDMAN, B. *see* OLSFANGER, D. 317–321
FRENCH ONDANSETRON STUDY GROUP *see* DIEMUNSCH, P. 322–326
FRÖHLICH, D., SCHWALL, B., FUNK, W. and HOBBHAHN, J. Laryngeal mask airway and uncuffed trachael tubes are equally effective for low flow or closed system anaesthesia in children 289–292
FUJII, Y., TOYOOKA, H. and TANAKA, H. Granisetron reduces the incidence of nausea and vomiting after middle ear surgery 539–540
FUKUDA, H. *see* HIRABAYASHI, Y. 563–566
FUNK, W. *see* FRÖHLICH, D. 289–292

GABA, D. M. and HOWARD, S. K. Simulated anaesthetic emergencies, (*C*) 689–690
GABBOTT, D. A. and BASKETT, P. J. F. Management of the airway and ventilation during resuscitation 159–171
GALE, L. B. *see* YOUNG, J. D. 398–401
GALLETLY, D. C. and LARSEN, P. D. Cardioventilatory coupling during anaesthesia 35–40
GALLETLY, D. C. *see* TORRANCE, J. McK., (*C*) 262
GALLEY, H. F. and WEBSTER, N. R. Midazolam and propofol affect interleukin-8 release from human neutrophils at the post-translational level, (*ARS*) 678–679P
GALLEY, H. F. *see* BELLAMY, M. C. 338–341
GAMONDES, J. P. *see* GRESSIER, M., (*EACTA*) A.78
GARBETTA, F. *see* RANUCCI, M., (*EACTA*) A.84
GARCIA DEL VALLE, S. *see* MARCOS, R. C., (*EACTA*) A.80
GARCIA-ENGUITA, M. A. *see* LAGLERA, S. 671–673
GARETH JONES, J. *see* BYRNE, A. J., (*C*) 411
GARGIONI, G. *see* BORGHI, B. 662–664
GARRAFFO, R. *see* ISETTA, C., (*EACTA*) A.69
GAUKROGER, P. B. *see* MCKENZIE, I., (*R*) 819
GELMAN, S. Low-dose dopamine: there is a scientific rationale, (*C*) 546
GEMIGNANI, R. *see* RUSCHI, S., (*EACTA*) A.67
GENÇELLI, J. *see* ÇAMCÝ, E., (*EACTA*) A.58
GENTILI, M., HOUSSEL, P., OSMAN, M., HENEL, D., JUHEL, A. and BONNET, F. Intra-articular morphine and clonidine produce comparable analgesia but the combination is not more effective 660–661
GERMANN, R., HAISJACKL, M., SCHWARZ, B., SALAK, N., DEUSCH, E., PAJK, W., WOLF, H. J., RIEDMANN, B. and HASIBEDER, W. Dopamine and intestinal mucosal tissue oxygenation in a porcine model of haemorrhage 357–362
GESKES, G. *see* LANGENBERG, C. J. M., (*EACTA*) A.50
GIANNARIS, S., SCHORN, B., WIETASCH, G., SCHOLZ, M., BUHRE, W., WEYLAND, A. and HOEFT, A. Effect of dexamethasone on oedema formation in patients undergoing coronary bypass surgery, (*EACTA*) A.23
GIANNARIS, S. *see* SPIEGEL, T.v., (*EACTA*) A.3
GILLY, H. *see* MADER, N. 125–127
GIRARD, C. *see* AOUIFI, A., (*EACTA*) A.93
GIRBES, A. R. J., HOOGENBERG, K. and SMIT, A. J. "Renal" dopamine, (*C*) 263–264
GIRLING, D. K. Converting pH and H^+: a rule for the other thumb, (*C*) 410
GIRLING, K. J., CAVILL, G., O'DWYER, G. and MAHAJAN, R. P. Effect of 100% oxygen and 50% nitrous oxide on cerebral autoregulation as assessed by the transient hyperaemic response test, (*ARS*) 131P
GIRON, G. P. *see* PITTARELLO, D., (*EACTA*) A.42
GO, G. *see* SHARROCK, N. E. 29–34
GOGGIN, P. *see* DOYLE, E., (*R*) 818
GOLDEN, F. St C., TIPTON, M. J. and SCOTT, R. C. Immersion, near-drowining and drowning 214–225
GOLDHILL, D. R., WHITE, S. A., OWEN, N. O. and HATELY, W. Ultrasonographic measurement of gastric emptying in volunteers: asessment of technique and effect of low-dose dopamine, (*ARS*) 136P
GOLDSTEIN, B. *see* OLSFANGER, D. 317–321
GONZALEZ, M. *see* COLLARD, E., (*EACTA*) A.86
GOODMAN, N. W. *see* MATTHEWS, A. J., (*ARS*) 137P
GORDON, H. *see* ROBINSON, P. N., (*ARS*) 675–676P
GOTO, T., SAITO, H., NAKATA, Y., UEZONO, S., ICHINOSE, F. and MORITA, S. Emergence times from xenon anaesthesia are independent of the duration of anaesthesia 595–599
GRADINAC, S. *see* VUK, Lj., (*EACTA*) A.96

GRANA, M. *see* RUSCHI, S., (*EACTA*) A.67
GRANDE, C. M. *see* ZAJCHUK, R., (*R*) 412–413
GRANDY, D. K. *see* HIROTA, K., (*ARS*) 141P
GRANINGER, W. *see* LA†NIGG, A., (*EACTA*) A.21
GRAYSTONE, S. J. Continuous intra-arterial blood-gas monitoring, (*C*) 815–816
GREAVES, J. D. Anaesthesia and the competence revolution, (*E*) 555–557
GREEF, J. *see* MILLER, D. M., (*ARS*) 682–683P
GREER, R., PEARSON, A. J. and HARPER, N. J. N. Assessment of neuromuscular monitoring by intensive care nurses: comparison of the TOF-watch and tactile assessment, (*ARS*) 138–139P
GRESSIER, M., NEIDECKER, J., CAILLET, J. B., BOUDARD, C., GAMONDES, J. P., BRUNE, J., CORDIER, J. F. and LEHOT, J. J. Perioperative management for lung volume reduction surgery for severe emphysema, (*EACTA*) A.78
GRESSIER, M. *see* AOUIFI, A., (*EACTA*) A.91
GRICE, A. S. *see* NIELSEN, M. S., (*C*) 260
GRIFFIN, M. J., BRENNAN, L. and MCSHANE, A. J. Preoperative education reduces side effects when patient-controlled analgesia is used, (*ARS*) 138P
GRIFFIN, S. C. *see* BENNETT, S. R., (*EACTA*) A.13; (*EACTA*) A.18
GRIFFITHS, R., IONESCU, P., FANG, Z., KOBLIN, D. D. and EGER, E. I. Enhanced choline acetyltransferase activity does not explain the action of inhaled convulsants 389–391
GRIMAUD, D. *see* ISETTA, C., (*EACTA*) A.69
GRINDA, J. M. *see* ISETTA, C., (*EACTA*) A.69
GROENER, R. and MOYES, D. G. Rapid tracheal intubation with propofol, alfentanil and a standard dose of vecuronium 384–385
GROOM, P. and CHARTERS, P. Accurate measurement of "true glottic view", (*ARS*) 680–681P
GROOM, P., TALBOT, J. and CHARTERS, P. Modelling the photographic "restricted window" to derive "true glottic view", (*ARS*) 136P
GRUBHOFER, G. *see* LA†NIGG, A., (*EACTA*) A.21
GRZYBOWSKI, A. *see* KNAPIK, P., (*EACTA*) A.94
GÜNEL, Ö. *see* ERHAN, E., (*EACTA*) A.56
GUPTA, A. K. *see* GUPTA, S., (*ARS*) 680P
GUPTA, S., HEATH, K. and MATTA, B. F. Effect of incremental doses of sevoflurane on cerebral pressure autoregulation in humans 469–472
GUPTA, S., SWART, M. L., AL-RAWI, P., HUTCHINSON, P., MENON, D. K. and GUPTA, A. K. Optimal brain tissue oxygenation during hyperventilation in patients with head injuries: measured by a mutliparameter sensor, (*ARS*) 680P
GUPTA, S. K. *see* RUSSELL, D. 456–459
GUTIERREZ-RODRIGUEZ, A. *see* LAGLERA, S. 671–673
GUTTMACHER, L. B. *see* NGUYEN, T. T. 801–803
GWINUTT, C. L. *Clinical Anaesthesia*, (*R*) 412

HAAS, S. B. *see* SHARROCK, N. E. 29–34
HAEHNEL, J. C. *see* BARANKAY, A., (*EACTA*) A.27
HAGENAH, J. U. *see* WEIMANN, J. 641–644
HAHN, R. G. and SVENSÉN, C. Plasma dilution and the rate of infusion of Ringer's solution 64–67
HAISJACKL, M. *see* GERMANN, R. 357–362
HÅKANSON, E. *see* SVEDJEHOLM, R., (*EACTA*) A.83; SZABO, Z., (*EACTA*) A.72
HALL, A. P. "Ecstacy" and the anaesthetist, (*E*) 697–698
HALL, J. E., HENDERSON, K. A., OLDHAM, T. A., PUGH, S. and HARMER, M. Environmental monitoring during gaseous induction with sevoflurane 342–345
HALL, J. E., OLDHAM, T. A., STEWART, J. I. M. and HARMER, M. Comparison between halothane and sevoflurane for adult vital capacity induction 285–288
HALL, W. J. *see* CURRAN, J. L., (*ARS*) 134P
HALSALL, P. J. *see* CURRAN, J. L., (*ARS*) 134P; ENRIGHT, S. M., (*ARS*) 685P
HANCOCK, P. *see* PARIS, S. T. 280–284
HANDLEY, A. J. Basic life support 151–158
HANSEN, H. E. *see* DE LASSON, L. 719–725
HARADA, M. *see* AOKI, H. 476–481
HARMER, M. *see* HALL, J. E. 285–288; 342–345
HARPEL, P. C. *see* SHARROCK, N. E. 29–34
HARPER, N. J. N. *see* GREER, R., (*ARS*) 138–139P
HARRIS, D. *see* SNEYD, J. R. 433–439
HARRIS, D. N. F. *see* LOCKWOOD, G. G. 581–585; 586–589
HARRISON, S. M. *see* DAVIES, L. A., (*ARS*) 135P
HARTMANN, T., KOLEV, N., BLAICHER, A., SPISS, C. and ZIMPFER, M. Validity of acoustic quantification colour kinesis for detection of left ventricular regional wall motion abnormalites: a transoesophageal echocardiographic study 482–487
HASE, I., ODA, Y., TANAKA, K., MIZUTANI, M., NAKAMOTO, T. and ASADA, A. I.v. fentanyl decreases the clearance of midazolam 740–743
HASIBEDER, W. *see* GERMANN, R. 357–362
HATCH, D. J. Propofol in paediatric intensive care, (*E*) 274–275
HATCH, D. J. *see* MARSH, D. F. 787–795
HATELY, W. *see* GOLDHILL, D. R., (*ARS*) 136P
HATHERILL, M., TIBBY, S. M., DURWARD, A., RAJAH, V. and MURDOCH, I. A. Continuous intra-arterial blood-gas monitoring in infants and children with cyanotic heart disease 665–667
HÄUSSLER, J. *see* DINGEMANSE, J. 567–574
HAWKINS, M. and CHARTERS, P. Epiglottis modelling in a computer simulation of difficult laryngoscopy, (*ARS*) 136–137P
HAWKSWORTH, C. R. E. and SERPELL, M. G. Anaesthesia with intrathecal ketamine: a dose-finding study, (*ARS*) 674P
HAWKSWORTH, C. R. E., SIVALINGHAM, P. and ASBURY, A. J. Effect of music on the psychomotor performance of anaesthetists, (*ARS*) 139P
HEATH, K. *see* GUPTA, S. 469–472
HEDENSTIERNA, G. *see* MAGNUSSON, L., (*EACTA*) A.57
HEINE, R. *see* QUANE, K. A. 332–337
HELAL, N. *see* AOUIFI, A., (*EACTA*) A.93
HELLIGE, G. *see* SCHMIDT, W., (*EACTA*) A.64
HEMPELMANN, G. *see* BALLESTEROS, M., (*EACTA*) A.19; BOLDT, J. 733–739; WELTERS, I., (*EACTA*) A.22; (*EACTA*) A.71
HENDERSON, K. A. *see* HALL, J. E. 342–345
HENEL, D. *see* GENTILI, M. 660–661
HENTSCHKE, H. *see* ANTKOWIAK, B. 617–624
HERING, W. *see* DINGEMANSE, J. 567–574
HIESMAYR, M. *see* LAßNIGG, A., (*EACTA*) A.21
HILDITCH, G. *see* INGLIS, A., (*C*) 263
HILLER, A. and ROSENBERG, P. H. Transient neurological symptoms after spinal anaesthesia with 4% mepivacaine and 0.5% bupivacaine 301–305
HINDMAN, B. J. *see* DEXTER, F. 346–351
HIRABAYASHI, Y., SAITOH, K., FUKUDA, H., IGARASHI, T., SHIMIZU, R. and SEO, N. Magnetic resonance imaging of the extradural space of the thoracic spine 563–566
HIROSE, M., HOSOKAWA, T. and TANAKA, Y. Extradural buprenorphine suppresses breast feeding after Caesarean section 120–121
HIROTA, K., APPADU, B. L., GRANDY, D. K., DEVI, L. A. and LAMBERT, D. G. Effects of ketamine on cAMP formation in Chinese hamster ovary cells expressing recombinant opioid receptors, (*ARS*) 141P
HIROTA, K. *see* KUDO, T. 521–524
HIRST, R. A. *see* ATCHESON, R. 78–83
HITCHCOCK, M. *see* MILLAR, J. M., (*R*) 818
HOBBHAHN, J. *see* FRÖHLICH, D. 289–292
HÖCHE, A., PHILIPP, E., SCHLAPP, U., RIEDEL, W. and KARLICZEK, G. F. Effects of dexamethasone on release of endotoxin and cytokines during hypothermic cardiopulmonary bypass, (*EACTA*) A.24
HOEFT, A. *see* BUHRE, W. 311–316; GIANNARIS, S., (*EACTA*) A.23; SPIEGEL, T.v., (*EACTA*) A.3; WIETASCH, G., (*EACTA*) A.59
HOERNECKE, R. *see* DOENICKE, A. 386–388
HÖHN, L. *see* VASSALLI, F., (*EACTA*) A.79
HOLDCROFT, A. *see* DEACOCK, S. 766–769
HOLLAND, R. B. *see* JONES, R. D. M., (*R*) 819
HOLPER, K. *see* BARANKAY, A., (*EACTA*) A.27
HÖN, L. *see* SCHWEIZER, A., (*EACTA*) A.16
HOOD, D. D. *see* DEWAN, D. M., (*R*) 147
HOOD, P. A. *see* PRICE STOVER, E., (*EACTA*) A.70
HOOGENBERG, K. *see* GIRBES, A. R. J., (*C*) 263–264
HOOPER, M. B. Absence of memory for intraoperative information, (*C*) 143
HOPKINS, P. M. and ELLIS, F. R., (editors) *Hyperthermic and Hypermetabolic Disorders*, (*R*) 266
HOPKINS, P. M. *see* CURRAN, J. L., (*ARS*) 134P; DAVIES, L. A., (*ARS*) 135P; ENRIGHT, S. M., (*ARS*) 685P
HOPTON, P. *see* WALSH, T. S., (*ARS*) 131–132P
HORIE, M. *see* KURITA, T. 770–775
HÖRMANN, Ch. *see* BALOGH, D., (*EACTA*) A.26
HOSOKAWA, T. *see* HIROSE, M. 120–121
HOULTZ, E. *see* KIRNÖ, K., (*EACTA*) A.5; PALMGREN, I., (*EACTA*) A.41
HOUSSEL, P. *see* GENTILI, M. 660–661
HOWARD, S. K. *see* GABA, D. M., (*C*) 689–690
HUANG, C.-H. *see* HUANG, H.-H. 754–758
HUANG, H.-H., CHAN, H.-L., LIN, P.-L., WU, C.-P. and HUANG, C.-H. Time-frequency spectral analysis of heart rate variability during induction of general anaesthesia 754–758
HULTMAN, J. *see* PALMGREN, I., (*EACTA*) A.41

HUND, E. Predominant involvement of motor fibres in patients with critical illness polyneuropathy, (*C*) 548
HUNT, P. *see* KUTER, D. J., (*R*) 413
HUTCHINSON, P. *see* GUPTA, S., (*ARS*) 680P
HWANG, N. C. and SINCLAIR, M. *Cardiac Anaesthesia: A Practical Handbook*, (*R*) 819–820

ICHINOSE, F. *see* GOTO, T. 595–599
IDVALL, J. *see* BJÖRKMAN, S. 575–580
IGARASHI, T. *see* HIRABAYASHI, Y. 563–566
IHMSEN, H. *see* DINGEMANSE, J. 567–574
IKEDA, K. *see* KATOH, T. 465–468; KIKURA, M. 759–765; KURITA, T. 770–775; MORIWAKI, G. 782–786
IKEDA, T. *see* KIKURA, M. 759–765
IKENO, S. *see* NAKAIGAWA, Y. 363–368
IKUTA, Y. *see* SHIMODA, O. 714–718
ILES, D. E. *see* CURRAN, J. L., (*ARS*) 134P
ILIC, V. *see* JOVIC, M., (*EACTA*) A.35
ILKJÆR, S., DIRKS, J., BRENNUM, J., WERNBERG, M. and DAHL, J. B. Effect of systemic N-methyl-D-aspartate receptor antagonist (dextromethorphan) on primary and secondary hyperalgesia in humans 600–605
IMAI, H. *see* AOKI, H. 476–481
INGLIS, A. and HILDITCH, G. "Renal" dopamine, (*C*) 263
INOUE, M. *see* AOKI, H. 476–481
INOUE, S. *see* NAKAIGAWA, Y. 363–368
IONESCU, P. *see* GRIFFITHS, R. 389–391
IRVINE, T. *see* MCMAHON, C. C., (*EACTA*) A.75
IRVING, G. A. and WALLANCE, M. *Pain Management for the Practising Physician*, (*R*) 265–266
ISAYAMA, S. *see* SHIMODA, O. 714–718
ISETTA, C., FISCHER, F., GARRAFFO, R., MALZAC, B., GRINDA, J. M., JOURDAN, J. and GRIMAUD, D. Plasma antifibrinolytic activity after injections of two dosages of tranexamic acid, (*EACTA*) A.69
ISHII, R. *see* NAKAIGAWA, Y. 363–368

JAKOBSEN, C.-J. *see* CHRISTIANSEN, C. L., (*EACTA*) A.55
JAMART, J. *see* COLLARD, E., (*EACTA*) A.65; (*EACTA*) A.86
JANICKE, U. *see* SZEKELY, A., (*EACTA*) A.15
JAWAN, B. *see* CHONG, Z.-K. 396–397
JEDEIKIN, R. *see* FREDMAN, B. 113–119; (*C*) 688; OLSFANGER, D. 317–321
JENNI, R. *see* SCHMIDLIN, D., (*EACTA*) A.38
JIMENEZ, R. *see* MARCOS, R. C., (*EACTA*) A.80
JOHNSON, C. J. H. *see* MATTHEWS, A. J., (*ARS*) 137P
JOHNSTON, J. R. *see* LOAN, P. B., (*ARS*) 684P
JOLIN-MELLGÅRD, A. *see* KIELER-JENSEN, N., (*EACTA*) A.12
JONES, J. G. *see* BYRNE, A. J., (*C*) 690–691; KHAN, O. A., (*ARS*) 675P; SWART, M. L., (*ARS*) 677–678P; TAYLOR, S. R. J., (*ARS*) 674–675P
JONES, P. *see* MANJI, M., (*EACTA*) A.87
JONES, R. D. M. and HOLLAND, R. B., (editors) *Anaesthesia and Resuscitation*, (*R*) 819
JORFELDT, L. *see* RUNSIÖ, M., (*EACTA*) A.20
JORIS, J., KABA, A. and LAMY, M. Postoperative spirometry after laparoscopy for lower abdominal or upper abdominal surgical procedures 422–426
JOTHILINGAM, S. *see* ELLIOTT, S. 446–449
JOUCKEN, K. *see* COLLARD, E., (*EACTA*) A.65; (*EACTA*) A.86
JOURDAN, J. *see* ISETTA, C., (*EACTA*) A.69
JOVIC, M., POPOVIC, Z., RADOMOR, B., BOJIC, M., ILIC, V., NEZIC, D. and BABIC, M. Evaluation of left ventricular function by load independent indicators, (*EACTA*) A.35
JOVIC, M *see* VUK, Lj., (*EACTA*) A.96
JOVOVIC, Lj. *see* VUK, Lj., (*EACTA*) A.96
JOYCE, P. I., ATCHESON, R. and LAMBERT, D. G. Local anaesthetic agents inhibit [^{3}H]noradrenaline uptake into SH–SY5Y human neuroblastoma cells, (*ARS*) 677P
JOZWIAK, H. *see* MORTON, C. P. J. 3–8
JUDE, B. *see* DECOENE, C., (*EACTA*) A.66
JUHEL, A. *see* GENTILI, M. 660–661
JUHL, B. *see* DE LASSON, L. 719–725
JULIANO, G. *see* SALVI, L., (*EACTA*) A.95
JUNG, I. *see* RAUCH, H., (*EACTA*) A.2
JUSZCZYK, G. *see* KNAPIK, P., (*EACTA*) A.94

KABA, A. *see* JORIS, J. 422–426
KADZIOLA, Z. *see* KNAPIK, P., (*EACTA*) A.94
KALANGOS, A. *see* SCHWEIZER, A., (*EACTA*) A.16
KALKMAN, C. J. *see* RHEINECK-LEYSSIUS, A. T. 460–464; UBAGS, L. H. 590–594
KAMENIK, M. Spinal anaesthesia: effect of the site of injection on the spread of analgesia, (*C*) 144
KAPILA, A., ADDY, E. V., VERGHESE, C. and BRAIN, A. I. J. The intubating laryngeal mask airway: an initial assessment of performance 710–713
KAPILA, A. *see* BRAIN, A. I. J. 699–703; 704–709
KARADENİZ, H. *see* TUĞRUL, E. 306–310
KARLICZEK, G. F. *see* HÖCHE, A., (*EACTA*) A.24; KRAUS, B., (*EACTA*) A.34
KATO, S. *see* KURITA, T. 770–775
KATOH, T., IKEDA, K. and BITO, H. Does nitrous oxide antagonize sevoflurane-induced hypnosis? 465–468
KAZMAIER, S., BUHRE, W., SCHOLZ, M., WEYLAND, A., RADKE, O. and SONNTAG, H. Quantitative assessment of inhomogeneity of myocardial blood flow by a single breath inert gas technique. A model study, (*EACTA*) A.33
KAZMAIER, S., RATHGEBER, J., BUHRE, W., SCHORN, B., WEYLAND, A. and SONNTAG, H. Influence of ventilation modes on analgesic and sedative demand and pulmonary gas exchange in patients after CABG-surgery, (*EACTA*) A.88
KAZMAIER, S. *see* BUHRE, W., (*EACTA*) A.4; WEYLAND, A., (*EACTA*) A.53
KEATING, K. E. *see* QUANE, K. A. 332–337
KELLER, M. *see* RAUCH, H., (*EACTA*) A.2
KELLNER, J., WINKELBAUER, F., KLEPETKO, W. and LASSNIGG, A. Lung transplant oedema: Clinical characteristics and radiological assessment? (*EACTA*) A.81
KENDRICK, R. W. *see* CAMPBELL, W. I. 657–659
KENNEDY, S. *see* MAKIN, A., (*ARS*) 687P
KENNY, G. N. C. *see* RUSSELL, D. 456–459
KERR, C. M. *see* MCCOURT, K. C., (*ARS*) 134P
KETTLER, D. *see* MOHR, M. 253–259; (*C*) 817
KHAN, A. *see* NIRMALAN, M., (*ARS*) 135P
KHAN, O. A., TAYLOR, S. R. J., SWART, M. and JONES, J. G. Effects of low-dose isoflurane on inhibition of saccadic eye movement, (*ARS*) 675P
KHAN, O. A. *see* TAYLOR, S. R. J., (*ARS*) 674–675P
KHAN, Z. P. *see* MILLS, G. H. 726–732
KIELER-JENSEN, N., JOLIN-MELLGÅRD, A., NORDLANDER, M. and RICKSTEN, S.-E. Myocardial circulatory and metabolic effects of clevidipine after coronary artery bypass grafting (CABG), (*EACTA*) A.12
KIELER-JENSEN, N. *see* KIRNÖ, K., (*EACTA*) A.5
KIKUCHI, T., WANG, Y., SHINBORI, H., SATO, K. and OKUMURA, F. Effects of ketamine and pentobarbitone on acetylcholine release from the rat frontal cortex *in vivo* 128–130
KIKURA, M., IKEDA, T., OHNUMA, T. and IKEDA, K. Assessment of a new ventricular contractile index obtained with transoesophageal echocardiography before and after cardiopulmonary bypass in cardiac surgical patients 759–765
KIKURA, M. *see* KURITA, T. 770–775
KILGER, E. *see* SZEKELY, A., (*EACTA*) A.15
KIM, D. W. *see* KIM, K. S. 19–23
KIM, K. S., SHIM, J. C. and KIM, D. W. Interactions between mivacurium and pancuronium 19–23
KIM, S. C. *see* KIM, S. Y. 379–381
KIM, S. Y., LEE, J. S., KIM, S. C. and PARK, W. Twitch augmentation and train-of-four fade during onset of neuromuscular block after subclinical doses of suxamethonium 379–381
KING, H.-K. Effects of volume on spinal anaesthesia with 0.25% hyperbaric bupivacaine, (*C*) 262
KINSELLA, S. M. Lateral positioning for regional analgesia during labour, (*C*) 260–261
KIRBY, R. R., TAYLOR, R. W. and CIVETTA, J. M., (editors) *Handbook of Critical Care*, 2nd Edn. (*R*) 147
KIRBY, R. R. *see* CIVETTA, J. M., (*R*) 265
KIRCHHOFF, K. *see* LEUWER, M., (*ARS*) 132P
KIRCHNER, E. *see* LEUWER, M., (*ARS*) 132P
KIRIMOV, U. *see* MIZIKOV, V., (*EACTA*) A.73
KIRNÖ, K., KIELER-JENSEN, N., HOULTZ, E. and RICKSTEN, S.-E. The effects of sevoflurane on regional myocardial blood flow and metabolism, when used to control intraoperative hypertension in patients undergoing coronary artery bypass grafting, (*EACTA*) A.5
KIRSCHFELD, K. *see* ANTKOWIAK, B. 617–624
KIRSTETTER, P., LAGNEAU, F., LUCAS, O., KRUPA, Y. and MARTY, J. Role of endothelium in the modulation of isoflurane-induced vasodilatation in rat thoracic aorta 84–87
KIYAMA, S. and TAKEDA, J. Effect of extradural analgesia on the paradoxical arousal response of the electroencephalogram 750–753
KLASING, S. *see* SCHWENDER, D. 53–58
KLEIN, H. *see* DRESNER, M., (*C*) 813
KLEPETKO, W. *see* KELLNER, J., (*EACTA*) A.81
KNAPIK, P., WOJTALIK, M., GRZYBOWSKI, A., KADZIOLA, Z., BANAS, S. and JUSZCZYK, G. Rebound pulmonary

vasoconstriction and desaturation on withdrawal of nitric oxide in infants after cardiac surgery, (*EACTA*) A.94
KNIEMEYER, H. *see* WALPOTH, B. H., (*EACTA*) A.37
KNOTHE, C. *see* BALLESTEROS, M., (*EACTA*) A.19; WELTERS, I., (*EACTA*) A.22; (*EACTA*) A.71
KOBAYASHI, A. *see* AOKI, H. 476–481
KOBLIN, D. D. *see* GRIFFITHS, R. 389–391
KODAKAT, S. K. Weaning: is the work of breathing via a tracheostomy tube similar to that via a tracheal tube? (*C*) 814–815
KOGA, K., ASAI, T., MCBETH, C. and VAUGHAN, R. S. Respiratory complications associated with tracheal intubation and extubation, (*ARS*) 681P
KOKKI, H. *see* NIKANNE, E. 606–608
KOLANO, J. W. *see* NGUYEN, T. T. 801–803
KOLEV, N. *see* HARTMANN, T. 482–487
KONG, A. *see* ABSALOM, A. R., (*ARS*) 679P
KOTB, H. I. M., EL-KABSH, M. Y., EMARA, S. E. S. and FOUAD, E. A. Pharmacokinetics of controlled release morphine (MST) in patients with liver cirrhosis 804–806
KRAUS, B., RENZ, D. and KARLICZEK, G. F. Near-infrared spectroscopy for testing cerebral CO_2 reactivity, (*EACTA*) A.34
KRIVOSIC-HORBER, R. *see* QUANE, K. A. 332–337
KRUPA, Y. *see* KIRSTETTER, P. 84–87
KUDO, M. *see* KUDO, T. 521–524
KUDO, T., KUDO, M., HIROTA, K. and LAMBERT, D. G. Studies on the binding of amethocaine to rat cerebrocortical membranes 521–524
KURITA, T., MORITA, K., KATO, S., KIKURA, M., HORIE, M. and IKEDA, K. Comparison of the accuracy of the lithium dilution technique with the thermodilution technique for measurement of cardiac output 770–775
KURREK, M. and DEVITT, J. H. Simulated anaesthetic emergencies, (*C*) 689
KUSSMAN, B., SHORTEN, G., UPPINGTON, J. and COMUNALE, M. E. Administration of magnesium sulphate before rocuronium: effects on speed of onset and duration of neuromuscular block 122–124
KUTER, D. J., HUNT, P., SHERIDAN, W. and ZUKER-FRANKLIN, D., (editors) *Thrombopoiesis and Thrombopoietins: Molecular, Cellular, Preclinical and Clinical Biology*, (*R*) 413
KWIATKOWSKI, D. *see* BORGEAT, A. 382–383
KYTTÄ, J. *see* LAAKSO, E. 609–611

LAAKSO, E., PITKÄNEN, M., KYTTÄ, J. and ROSENBERG, P. H. Knee–chest *vs* horizontal side position during induction of spinal anaesthesia in patients undergoing lumbar disc surgery 609–611
LAGLERA, S., GARCIA-ENGUITA, M. A., MARTINEZ-GUTIERREZ, F., ORTEGA, J. P., GUTIERREZ-RODRIGUEZ, A. and URIETA, A. A case of cardiac hydatidosis 671–673
LAGNEAU, F. *see* KIRSTETTER, P. 84–87
LAGONIDIS, D., MATAMIS, D., BOUTEL, D., VAKALOS, A. and RIGGOS, D. Transoesophageal echocardiography in the I.C.U. setting: luxury or necessity? (*EACTA*) A.46
LAGUARDIA, A. M. *see* BORGHI, B. 662–664
LAMB, F. J. *see* YOUNG, J. D., (*C*) 547
LAMBERT, D. G. *see* ATCHESON, R. 78–83; HIROTA, K., (*ARS*) 141P; JOYCE, P. I., (*ARS*) 677P; KUDO, T. 521–524; NICOL, B., (*ARS*) 140P
LAMY, M. *see* JORIS, J. 422–426
LANGENBERG, C. J. M., PIETERSEN, H. G., GESKES, G., DE LANGE, S. and SOETERS, P. Relationship between aortic cross clamp time and myocardial oxygen consumption during coronary artery bypass surgery (CABG), (*EACTA*) A.50
LANGFORD, R. M. *see* BAMIGBADE, T. A. 352–356
LAPPAS, D. G. *see* BAKOLA, A. A., (*EACTA*) A.44
LAROUX, M. C. *see* AOUIFI, A., (*EACTA*) A.91; (*EACTA*) A.93
LARSEN, P. D. *see* GALLETLY, D. C. 35–40
LA†NIGG, A., PRESTERL, E., WANZEL, O., MARES, P., GRUBHOFER, G., GRANINGER, W. and HIESMAYR, M. The proinflammatory cytokine IL-8 is increased after intubation, (*EACTA*) A.21
LASSNIGG, A. *see* KELLNER, J., (*EACTA*) A.81
LATIMER, R. D. *see* MUR, D., (*EACTA*) A.92; VUYLSTEKE, A., (*EACTA*) A.11
LATRONICO, N. and CANDIANI, A. Predominant involvement of motor fibres in patients with critical illness polyneuropathy, (*C*) 547–548
LATTANZIO, F. *see* ZUCCALA, G. 776–781
LEE, A. *see* WALSH, T. S., (*ARS*) 131–132P
LEE, J.-H. *see* CHONG, Z.-K. 396–397
LEE, J. S. *see* KIM, S. Y. 379–381
LEHMANN-HORN, F. *see* QUANE, K. A. 332–337
LEHOT, J. J. *see* AOUIFI, A., (*EACTA*) A.91; (*EACTA*) A.93; GRESSIER, M., (*EACTA*) A.78
LEJEUNE, P. *see* EWALENKO, P. 625–630
LEMOINE, E., AUPART, M., SACHER, A., SIRINELLI, A., BARRIÈRE, J. C., NEVILLE, P. and MARCHAND, M. Effects of nicardipine on gastric mucosal perfusion during cardiopulmonary bypass, (*EACTA*) A.54
LENTSCHENER, C. and BENHAMOU, D. Pigs are not human, (*C*) 691–692
LEROU, J. G. C. *see* VERMEULEN, P. M. 488–496
LESCLERC, G. *see* TRONCY, E. 631–640
LEUNENS, V. *see* RAEZ, R., (*EACTA*) A.47
LEUWER, M., THUM, P., KIRCHHOFF, K., BORNSCHEUER, A., SEITZ, W., PIEPENBROCK, S. and KIRCHNER, E. No direct effects of dopexamine on the isolated perfused rat kidney, (*ARS*) 132P
LEVIN, D. L. and MORRISS, F. C., (editors) *Essentials of Pediatric Intensive Care*, 2nd Edn, (*R*) 818–819
LEWER, B. M. F. *see* TORRANCE, J. McK., (*C*) 262
LICKER, M. *see* SCHWEIZER, A., (*EACTA*) A.16; VASSALLI, F., (*EACTA*) A.79
LIENHART, A. *see* CAMUS, Y. 796–797
LILLYWHITE, N. *see* WILSON, C. M., (*ARS*) 139–140P
LIN, P.-L. *see* HUANG, H.-H. 754–758
LINTNER, A. *see* SKARVAN, K., (*EACTA*) A.39
LOAN, P. B., SYMINGTON, M. J., MIRAKHUR, R. K., JOHNSTON, J. R., TRINDER, T. J. and PATTERSON, C. J. Effect of neuromuscular block using vecuronium on oxygen consumption in critically ill adults, (*ARS*) 684P
LOCKWOOD, G. G., DOB, D. P., BRYANT, D. J., WILSON, J. A., SARGENTONI, J., SAPSED-BYRNE, S. M., HARRIS, D. N. F. and MENON, D. K. Magnetic resonance spectroscopy of isoflurane kinetics in humans. Part I: elimination from the head 581–585; Magnetic resonance spectroscopy of isoflurane kinetics in humans. Part II: functional localization 586–589
LOCKWOOD, G. G., SAPSED-BYRNE, S. M. and SMITH, M. A. Effect of temperature on the solubility of desflurane, sevoflurane, enflurane and halothane in blood 517–520
LOUGHNAN, B. A. *see* ROBINSON, P. N., (*ARS*) 675–676P
LOWE, D. *see* MACKINNON, K. L., (*ARS*) 678P; MOLNAR, Z., (*ARS*) 678P
LOWRY, D. *see* CARROLL, M. T., (*ARS*) 683P
LUCAS, O. *see* KIRSTETTER, P. 84–87
LUDBROOK, G. L. and UPTON, R. N. A physiological model of induction of anaesthesia with propofol in sheep. 2. Model analysis and implications for dose requirements 505–513
LUDBROOK, G. L. *see* UPTON, R. N. 497–504
LUNDBERG, D. B. A. *see* MUELLER, R. A., (*R*) 265
LUSTIK, S. J. *see* NGUYEN, T. T. 801–803

MA, D., SAPSED-BYRNE, S, CHAKRABARTI, M. K. and WHITWAM, J. G. Effect of sevoflurane on spontaneous sympathetic activity and baroreflexes in rabbits, (*ARS*) 141–142P
MA, D., SAPSED-BYRNE, S. M., CHAKRABARTI, M. K. and WHITWAM, J. G. Synergistic effect of fentanyl and midazolam on phrenic nerve activity in rabbits, (*ARS*) 686–687P
MA, D., WANG, C., PAC-SOO, C. K., CHAKRABARTI, M. K. and WHITWAM, J. G. Dissociation between the effect of nitrous oxide on spontaneous and reflexly evoked sympathetic activity in dogs 525–529
MCBETH, C. *see* KOGA, K., (*ARS*) 681P
MCCARTHY, T. V. *see* QUANE, K. A. 332–337
MCCAUGHEY, W., CLARKE, R. S. J., FEE, J. P. H. and WALLACE, W. F. M., (editors) *Anaesthetic Physiology and Pharmacology*, (*R*) 820
MCCAWLEY, C. *see* BAKOLA, A. A., (*EACTA*) A.44
MCCLURE, J. H. *see* DICKSON, M. A. S. 297–300; MCCRAE, A. F. 558–562; MORTON, C. P. J., (*C*) 813
MCCOURT, K. C., SALMELA, L., CARROLL, M., KERR, C. M., MIRAKHUR, R. K. and OLKKOLA, K. T. Comparison of rocuronium and suxamethonium for use during rapid sequence induction of anaesthesia, (*ARS*) 134P
MCCOURT, K. C. *see* CARROLL, M. T., (*ARS*) 683P
MCCRAE, A. F., WESTERLING, P. and MCCLURE, J. H. Pharmacokinetic and clinical study of ropivacaine and bupivacaine in women receiving extradural analgesia in labour 558–562
MCKEAGUE, H. and CUNNINGHAM, A. J. Postoperative respiratory dysfunction: is the site of surgery crucial? (*E*) 415–416
MCKENZIE, I., GAUKROGER, P. B., RAGG, P. and BROWN, T. C. K. (Kester), (editors) *Manual of Acute Pain Management in Children*, (*R*) 819
MCKEOWN, A. J. P. *see* BENNETT, S. R., (*EACTA*) A.13; (*EACTA*) A.18

MacKinnon, K. L., Molnar, Z., Watson, I. D., Shearer, E. and Lowe, D. Use of microalbuminuria as an indicator for the development of sepsis and multiple system organ failure, (*ARS*) 678P
MacLaren, A. J., Pierce, M. M. T. and Albano, J. D. M. Plasma bradykinin during cardiopulmonary bypass and the effect of angiotensin converting enzyme inhibition, (*EACTA*) A.17
MClure, J. H. *see* Morton, C. P. J. 3–8
McMahon, C. C., Irvine, T. and Conacher, I. D. Transoesophageal echocardiography of the right ventricle in thoracic patients, (*EACTA*) A.75
McShane, A. J. *see* Griffin, M. J., (*ARS*) 138P
Mader, N., Gilly, H. and Bittner, R. E. Dystrophin deficient *mdx* muscle is not prone to MH susceptibility: an *in vitro* study 125–127
Magnusson, A. *see* Morton, C. P. J. 3–8
Magnusson, L., Zemgulis, V., Tenling, A., Wernlund, J., Tydén, H., Thelin, S. and Hedenstierna, G. Efficacy of a vital capacity manœuvre to prevent post-cardiopulmonary bypass atelectasis: An experimental study, (*EACTA*) A.57
Mahajan, R. P. *see* Girling, K. J., (*ARS*) 131P
Mair, J. *see* Balogh, D., (*EACTA*) A.26
Mair, P. *see* Balogh, D., (*EACTA*) A.26
Makin, A., Basler, M., Serpell, M., Kennedy, S., Bolton, P. and Carson, D. I.v. regional anaesthesia. Comparison of 0.25% prilocaine with or without 5% dextrose, (*ARS*) 687P
Malzac, B. *see* Isetta, C., (*EACTA*) A.69
Mamet, J. P. *see* Diemunsch, P. 322–326
Manji, M., Ariffin, S. and Faroqui, M. Preoperative ACE inhibition and vasoconstrictor requirements post cardiopulmonary bypass, (*EACTA*) A.14
Manji, M., Rigg, C., Jones, P., Ariffin, S. and Faroqui, M. Tramadol for post operative analgesia in coronary artery bypass graft surgery, (*EACTA*) A.87
Manning, B. M. *see* Quane, K. A. 332–337
Mapleson, W. W. *see* Asai, T., (*ARS*) 133P; (*ARS*) 133P; (*ARS*) 676P; Couto da Silva, J. M. 103–112
Marcassa, A. *see* Pittarello, D., (*EACTA*) A.42
Marchand, M. *see* Lemoine, E., (*EACTA*) A.54
Marcos, R. C., Garcia del Valle, S., Jimenez, R. and Muñoz, L. Results in five patients undergoing pulmonary thromboendarterectomy, (*EACTA*) A.80
Mareels, K. *see* Foubert, L., (*EACTA*) A.90
Mares, P. *see* La†nigg, A., (*EACTA*) A.21
Margreiter, J. *see* Balogh, D., (*EACTA*) A.26
Marine, J. J. *see* Perret, C., (*R*) 266
Maritti, M. *see* Della Rocca, G., (*EACTA*) A.77
Markham, A. F. *see* Curran, J. L., (*ARS*) 134P
Marquette, C. H. *see* Ausseur, A., (*EACTA*) A.74
Marsh, D. F., Hatch, D. J. and Fitzgerald, M. Opioid systems and the newborn 787–795
Martin, E. *see* Böttiger, R. H., (*EACTA*) A.32; Rauch, H., (*EACTA*) A.2
Martin, J. T. and Warner, M. A., (editors) *Positioning in Anesthesia and Surgery*, 3rd Edn, (*R*) 693
Martin, K. *see* Szekely, A., (*EACTA*) A.15
Martin, P. H., Murthy, B. V. S. and Petros, A. J. Metabolic, biochemical and haemodynamic effects of infusion of propofol for long-term sedation of children undergoing intensive care 276–279
Martinez-Gutierrez, F. *see* Laglera, S. 671–673
Marty, J. *see* Kirstetter, P. 84–87
Matamis, D. *see* Lagonidis, D., (*EACTA*) A.46
Matta, B. F. *see* Gupta, S. 469–472
Matthews, A. J., Johnson, C. J. H. and Goodman, N. W. Body posture during simulated tracheal intubation, (*ARS*) 137P
Mayer, M. *see* Doenicke, A. 386–388
Mazzoni, M. *see* Salvi, L., (*EACTA*) A.95
McQuillan, P. J. *see* Burden, R. J., (*e*) 413
Meakin, G. *see* Meretoja, O. A., (*ARS*) 683–684P
Mecklenburgh, J. S. *see* Wilkes, A. R., (*ARS*) 681–682P
Meineke, I. *see* Schmidt, W., (*EACTA*) A.64
Meisner, H. *see* Barankay, A., (*EACTA*) A.27
Menges, T. *see* Welters, I., (*EACTA*) A.22; (*EACTA*) A.71
Menon, D. K. *see* Gupta, S., (*ARS*) 680P; Lockwood, G. G. 581–585; 586–589
Meretoja, O. A., Meakin, G., Taivainen, T., Perkins, R. J., Wirtavuori, K., Murphy, A. K. and Raiha, L. Cardiovascular effects and time-course of action of cisatracurium in infants and children during thiopentone–alfentanil–nitrous oxide–oxygen anaesthesia, (*ARS*) 683–684P
Meyns, B. *see* Raez, R., (*EACTA*) A.47
Mezin, P., Payen, J.-F., Bosson, J.-L., Brambilla, E. and Stieglitz, P. Histological support for the difference between malignant hyperthermia susceptible (MHS), equivocal (MHE) and negative (MHN) muscle biopsies 327–331
Michalis, A. S. *see* Nicolaides, A., (*EACTA*) A.45
Michalopoulos, A. *see* Papadimitriou, L., (*EACTA*) A.51
Michalopouolos, N. *see* Nicolaides, A., (*EACTA*) A.45
Mielck, F., Stephan, H., Buhre, W., Weyland, A. and Sonntag, H. Influence of sevoflurane on cerebral metabolism, blood flow and CO_2-reactivity, (*EACTA*) A.6
Millar, J. M., Rudkin, G. E. and Hitchcock, M. *Practical Anaesthesia and Analgesia for Day Surgery*, (*R*) 818
Miller, D. M., Greef, J. and Wessels, J. A. Estimation of cardiac output using the Maxima breathing system, (*ARS*) 682–683P
Miller, J. D. *see* Souter, M. J. 97–102
Mills, G. H., Khan, Z. P., Moxham, J., Desai, J., Forsyth, A. and Ponte, J. Effects of temperature on phrenic nerve and diaphragmatic function during cardiac surgery 726–732
Mills, P. *see* Wilson, C. M., (*ARS*) 139–140P
Mirakhur, R. K. *see* Carroll, M. T., (*ARS*) 683P; Loan, P. B., (*ARS*) 684P; McCourt, K. C., (*ARS*) 134P
Miric, M. *see* Vuk, Lj., (*EACTA*) A.96
Mizikov, V., Variushina, T. and Kirimov, U. The laryngeal mask for fibreoptic bronchoscopy in children, (*EACTA*) A.73
Mizobe, T. *see* Aoki, H. 476–481
Mizutani, M. *see* Hase, I. 740–743
Mohacsi, P. *see* Walpoth, B. H., (*EACTA*) A.30
Mohr, M. and Kettler, D. Ethical aspects of resuscitation 253–259; The future of ethical treatment, (*C*) 817
Molnar, Z. and Charters, P. Lanz tube as alternative for ICU hyperbaric oxygen therapy, (*ARS*) 679–680P
Molnar, Z., Shearer, E. and Lowe, D. *N*-acetylcysteine in multisystem organ failure, (*ARS*) 678P
Molnar, Z. *see* MacKinnon, K. L., (*ARS*) 678P
Montebugnoli, M. *see* Borghi, B. 662–664
Moores, C. *see* Dickson, M. A. S. 297–300
Morita, K. *see* Kurita, T. 770–775
Morita, S. *see* Goto, T. 595–599
Moriwaki, G., Bito, H. and Ikeda, K. Partly exhausted soda lime or soda lime with water added, inhibits the increase in compound A concentration in the circle system during low-flow sevoflurane anaesthesia 782–786
Morley, A. P. External cooling in critically ill febrile ICU patients, (*C*) 546–547
Morricone, L. *see* Ranucci, M., (*EACTA*) A.84
Morris, A. *see* Srinivasa, R., (*ARS*) 686P
Morris, M. J. Improved intraoperative assessment of aortic stentless valves using transoeosophageal echocardiography, (*EACTA*) A.43
Morriss, F. C. *see* Levin, D. L., (*R*) 818–819
Morton, C. P. J., Bloomfield, S., Magnusson, A., Jozwiak, H. and MClure, J. H. Ropivacaine 0.75% for extradural anaesthesia in elective Caesarean section: an open clinical and pharmacokinetic study in mother and neonate 3–8
Morton, C. P. J. and McClure, J. H. Ropivacaine test dose in extradural anaesthesia, (*C*) 813
Morton, N. S., Pollack, M. M. and Wallace, P. G. M., (editors) *Stabilisation and Transport of the Critically Ill*, (*R*) 267
Mostafa, S. M. and Atherton, A. M. J. Sevoflurane for difficult tracheal intubation 392–393
Motsch, B. W. *see* Böttiger, R. H., (*EACTA*) A.32
Motsch, J. *see* Rauch, H., (*EACTA*) A.2; Weimann, J. 641–644
Moxham, J. *see* Mills, G. H. 726–732
Moyes, D. G. *see* Groener, R. 384–385
Muchada, R. *see* Tournadre, J. P. 514–516
Mueller, R. A. and Lundberg, D. B. A. *Manual of Drug Interactions for Anesthesiology*, 3rd Edn, (*R*) 265
Müller, J. *see* Böttiger, R. H., (*EACTA*) A.32
Müller, L. *see* Balogh, D., (*EACTA*) A.26
Müller, M. *see* Boldt, J. 733–739
Müller, S. *see* Schmidt, W., (*EACTA*) A.64
Muñoz, L. *see* Marcos, R. C., (*EACTA*) A.80
Mur, D., Vuylsteke, A., Powroznyk, A., Oduro, A. and Latimer, R. D. Evaluation of two "universal" nitric oxide delivery systems, (*EACTA*) A.92
Murdoch, I. A. *see* Hatherill, M. 665–667
Murphy, A. K. *see* Meretoja, O. A., (*ARS*) 683–684P
Murray, A. *see* Prosser, D. P. 293–296
Murray, M., Coursin, D., Pearl, R. and Prough, D., (editors) *Critical Care Medicine: Perioperative Management*, (*R*) 267
Murthy, B. V. S. *see* Martin, P. H. 276–279
Mushambi, M. C. *see* Elton, C. D., (*E*) 551–554

NAEIJE, R. *see* EWALENKO, P. 625–630
NAGUIB, M., SAMARKANDI, A. H., AMMAR, A. and TURKISTANI, A. Comparison of suxamethonium and different combinations of rocuronium and mivacurium for rapid tracheal intubation in children 450–455
NAKAIGAWA, Y., AKAZAWA, S., SHIMIZU, R., ISHII, R., IKENO, S., INOUE, S. and YAMATO, R. Effects of magnesium sulphate on the cardiovascular system, coronary circulation and myocardial metabolism in anaesthetized dogs 363–368
NAKAMOTO, T. *see* HASE, I. 740–743
NAKATA, Y. *see* GOTO, T. 595–599
NAKATSUKA, M. and FREDERICK, L. A. Change in extravascular lung water after re-expansion of the collapsed lung in sheep measured by the thermo-saline dilution method, (*EACTA*) A.76
NATHWANI, D. *see* SHARPE, R. M., (*C*) 410–411
NEIDECKER, J. *see* AOUIFI, A., (*EACTA*) A.91; (*EACTA*) A.93; GRESSIER, M., (*EACTA*) A.78
NETTELBLAD, H. *see* BENGTSSON, M. 668–670
NEVILLE, P. *see* LEMOINE, E., (*EACTA*) A.54
NEWMAN, D. J. *see* TUPPER-CAREY, D. A., (*EACTA*) A.29
NEWTON, D. E. F. *see* SHARPE, R. M., (*C*) 410–411
NEZIC, D. *see* JOVIC, M., (*EACTA*) A.35
NGUYEN, T. T., CHHIBBER, A. K., LUSTIK, S. J., KOLANO, J. W., DILLON, P. J. and GUTTMACHER, L. B. Effect of methohexitone and propofol with or without alfentanil on seizure duration and recovery in electroconvulsive therapy 801–803
NICOL, B., ROWBOTHAM, D. J. and LAMBERT, D. G. Halothane decreases K^+ evoked glutamate release from rat cerebrocortical slices, (*ARS*) 140P
NICOLAIDES, A., PARASKEVAIDES, I., DELIGIANNI, M., DIMITRIOU, S., MICHALOPOUOLOS, N., PAPADIMITRIOU, L. and MICHALIS, A. S. Comparison of propofol-fentanyl and isoflurane-fentanyl anaesthesia with transoesophageal echocardiography for coronary artery bypass graft surgery, (*EACTA*) A.45
NIELSEN, M. S. and GRICE, A. S. Oxygenation criteria—a plea for more information, (*C*) 260
NIGHTINGALE, P. *see* NIRMALAN, M., (*ARS*) 135P
NIKANNE, E., KOKKI, H. and TUOVINEN, K. Comparison of perioperative ketoprofen 2.0 mg kg^{-1} with 0.5 mg kg^{-1} i.v. in small children during adenoidectomy 606–608
NIKOLAIDIS, A. *see* PAPADIMITRIOU, L., (*EACTA*) A.51
NILSSON, F. *see* WESTERLIND, A., (*EACTA*) A.82
NINET, J. *see* AOUIFI, A., (*EACTA*) A.91
NIRMALAN, M., WILLARD, T., KHAN, A. and NIGHTINGALE, P. Effect of assuming a fixed ($Ca_{O_2} - C\bar{v}_{O_2}$) on shunt calculations, (*ARS*) 135P
NISHIMURA, Y. *see* RAEZ, R., (*EACTA*) A.47
NOLAN, J. P. and PARR, M. J. A. Aspects of resuscitation in trauma 226–240
NOLLERT, G. *see* SZEKELY, A., (*EACTA*) A.15
NORDLANDER, M. *see* KIELER-JENSEN, N., (*EACTA*) A.12
NORENG, M. *see* CHRISTIANSEN, C. L., (*EACTA*) A.55
NOTTROTT, M. *see* SCHMIDT, W., (*EACTA*) A.64
NOVAK-JANKOVIĖ, V., PAVER-ERZEN, V., OSREDKAR, J., OBERAUNER, L. and POZLEP, G. Clonidine and neuroendocrine stress response during lung surgery, (*EACTA*) A.9

OBAL, D. *see* SCHLACK, W. 88–96
O'BEIRNE, H. A., YOUNG, Y., THORNTON, J. and BELLAMY, M. C. Desflurane *vs* isoflurane in liver transplantation: a comparison of outcomes, (*ARS*) 132P
OBERAUNER, L. *see* NOVAK-JANKOVIĖ, V., (*EACTA*) A.9
O'CONNOR, P. J., WELSH, K. R., CROSS, M. H. and SHAH, M. V. Awake or asleep pulmonary artery catheter insertion? A comparison of catecholamine and haemodynamic responses, (*EACTA*) A.31
ODA, Y. *see* HASE, I. 740–743
ODURO, A. *see* MUR, D., (*EACTA*) A.92; VUYLSTEKE, A., (*EACTA*) A.11
O'DWYER, G. *see* GIRLING, K. J., (*ARS*) 131P
OH, T. E., (editor) *Intensive Care Manual*, 4th Edn, (*R*) 266–267
OHNUMA, T. *see* KIKURA, M. 759–765
OKUMURA, F. *see* KIKUCHI, T. 128–130
OLDHAM, T. A. *see* HALL, J. E. 285–288; 342–345
OLKKOLA, K. T. *see* MCCOURT, K. C., (*ARS*) 134P
OLSFANGER, D., FREDMAN, B., GOLDSTEIN, B., SHAPIRO, A. and JEDEIKIN, R. Acute normovolaemic haemodilution decreases postoperative allogeneic blood transfusion after total knee replacement 317–321
OLSFANGER, D. *see* FREDMAN, B. 113–119; (*C*) 688
ORDING, H. *see* QUANE, K. A. 332–337
ORTEGA, J. P. *see* LAGLERA, S. 671–673
OSMAN, M. *see* GENTILI, M. 660–661
OSREDKAR, J. *see* NOVAK-JANKOVIĖ, V., (*EACTA*) A.9
OSSELAER, J. C. *see* COLLARD, E., (*EACTA*) A.65
OSTWALD, P. *see* DOENICKE, A. 386–388
ÖWALL, A. *see* RUNSIÖ, M., (*EACTA*) A.20
OWEN, N. O. *see* GOLDHILL, D. R., (*ARS*) 136P
OZAKI, S. *see* RAEZ, R., (*EACTA*) A.47
ÖZBARAN, M. *see* ERHAN, E., (*EACTA*) A.56
ÖZÜNER, Z. *see* SÜZER, Ö., (*EACTA*) A.1

PAASKE, W. P. *see* DE LASSON, L. 719–725
PAC-SOO, C. K. *see* MA, D. 525–529
PAES, M. L. *see* SAMMUT, M. S. 810–812
PAHOR, M. *see* ZUCCALA, G. 776–781
PAJK, W. *see* GERMANN, R. 357–362
PAL, S. K. *see* SHARPE, R. M., (*C*) 410–411
PALMGREN, I., HULTMAN, J. and HOULTZ, E. Perioperative transoesophageal echocardiography with low dose dobutamine: A feasible test for viability? (*EACTA*) A.41
PAPADIMITRIOU, L., DELIGIANNI, M., SMYRLI, A., ANTZAKA, Ch., NIKOLAIDIS, A., DIMITRIOU, St., RELLIA, P. and MICHALOPOULOS, A. Significance of regional cerebral oxygen saturation (rSO_2) during open heart surgery, (*EACTA*) A.51
PAPADIMITRIOU, L. *see* NICOLAIDES, A., (*EACTA*) A.45
PAPSDORF, D. *see* BOLDT, J. 733–739
PARASKEVAIDES, I. *see* NICOLAIDES, A., (*EACTA*) A.45
PARIS, A. *see* SCHOLZ, J., (*EACTA*) A.7
PARIS, S. T., CAFFERKEY, M., TARLING, M., HANCOCK, P., YATE, P. M. and FLYNN, P. J. Comparison of sevoflurane and halothane for outpatient dental anaesthesia in children 280–284
PARK, W. *see* KIM, S. Y. 379–381
PARR, M. J. A. *see* NOLAN, J. P. 226–240
PARRY-JONES, A. J. D. Thorascopic sympathectomy, (*C*) 688
PARSCHALK, P. *see* BARTUNEK, A., (*EACTA*) A.62
PASCH, T. *see* ZOLLINGER, A. 47–52; (*C*) 816–817
PASINI, L. *see* PITTARELLO, D., (*EACTA*) A.42
PATTERSON, C. J. *see* LOAN, P. B., (*ARS*) 684P
PAVER-ERZEN, V. *see* NOVAK-JANKOVIĖ, V., (*EACTA*) A.9
PAYEN, J.-F. *see* MEZIN, P. 327–331
PEARL, R. *see* MURRAY, M., (*R*) 267
PEARSON, A. J., POMFRETT, C. J. D. and POLLARD, B. J. Does the insertion of earplugs affect the bispectral index of the sedated patient in the intensive care unit? (*ARS*) 685–686P
PEARSON, A. J. *see* GREER, R., (*ARS*) 138–139P
PEDERSEN, E. B. *see* DE LASSON, L. 719–725
PEEK, G. J. and FIRMIN, R. K. Oxygenation criteria—a plea for more information, (*C*) 260
PEMBECI, K. *see* ÇAMCÝ, E., (*EACTA*) A.58
PEMBECİ, K. *see* TUĞRUL, E. 306–310
PERIC, M. *see* VUK, Lj., (*EACTA*) A.96
PERKINS, R. J. *see* MERETOJA, O. A., (*ARS*) 683–684P
PERNERSDORFER, T. *see* BARTUNEK, A., (*EACTA*) A.62
PERRET, C., TAGAN, D., FEIHL, F. and MARINE, J. J. *The Pulmonary Artery Catheter in Critical Care—A Concise Handbook*, (*R*) 266
PERRYMAN, R. *see* WANG, N., (*EACTA*) A.63
PETER, K. *see* SCHWENDER, D. 53–58
PETROS, A. J. *see* MARTIN, P. H. 276–279
PEYTON, R. *see* SKINNER, D., (*R*) 147
PHILIPP, E. *see* HÖCHE, A., (*EACTA*) A.24
PIEPENBROCK, S. *see* LEUWER, M., (*ARS*) 132P
PIERCE, M. M. T. *see* MACLAREN, A. J., (*EACTA*) A.17
PIETERSEN, H. G. *see* LANGENBERG, C. J. M., (*EACTA*) A.50
PIGNOTTI, E. *see* BORGHI, B. 662–664
PIGOTT, D. *see* PIRIOU, V. 68–77
PINSKY, M. R., (editor) *Applied Cardiovascular Physiology*. (*Update in Intensive Care and Emergency Medicine Series*), (*R*) 549
PINSKY, M. R., DHAINAUT, J.-F. and ARTIGAS, A., (editors) *The Pulmonary Circulation: Moving From Passive to Active Control*, (*R*) 266
PIPER, I. R. *see* SOUTER, M. J. 97–102
PIRIOU, V., ROSS, S., PIGOTT, D., EVANS, R. and FOEX, P. Beneficial effect of concomitant administration of isoflurane and nicorandil 68–77
PITKÄNEN, M. *see* LAAKSO, E. 609–611
PITTARELLO, D., SORBARA, C., BOTANTO, R., ARMELLIN, G., MARCASSA, A., PASINI, L. and GIRON, G. P. Transoesophageal echocardiography of mitral and pulmonary venous flow as estimation of diastolic function, (*EACTA*) A.42
PLEDGER, D. R. *see* ABSALOM, A. R., (*ARS*) 679P
PLOWMAN, A., BARSON, J., CLARKE, J. and BOLSIN, S. Sevoflurane or halothane for paediatric endoscopy, (*C*) 143–144

POLLACK, M. M. *see* MORTON, N. S., (*R*) 267
POLLARD, B. J. *see* PEARSON, A. J., (*ARS*) 685–686P
POMFRETT, C. J. D. *see* PEARSON, A. J., (*ARS*) 685–686P
POMPEI, L. *see* DELLA ROCCA, G., (*EACTA*) A.77
PONTE, J. *see* MILLS, G. H. 726–732
POON, Y.-Y. *see* CHONG, Z.-K. 396–397
POPOVIC, Z. *see* JOVIC, M., (*EACTA*) A.35
POWER, I. *see* ASAI, T., (*ARS*) 133P; (*ARS*) 133P; (*ARS*) 676P
POWROZNYK, A. *see* MUR, D., (*EACTA*) A.92
POZLEP, G. *see* NOVAK-JANKOVIĆ, V., (*EACTA*) A.9
POZZI, M. *see* CHEUNG, S. L. W. 9–13
PRAT, A. *see* DECOENE, C., (*EACTA*) A.66
PRECKEL, B. *see* SCHLACK, W. 88–96
PREIS, C. A. and PREIS, I. S. Obstruction of the lumen of a plastic 15-mm connector inserted into a cut paediatric tube—Is it possible to avoid this damage? (*C*) 692
PREIS, I. S. *see* PREIS, C. A., (*C*) 692
PRESTERL, E. *see* LA†NIGG, A., (*EACTA*) A.21
PRICE, C. P. *see* TUPPER-CAREY, D. A., (*EACTA*) A.29
PRICE STOVER, E., SIEGEL, L. C. and HOOD, P. A. Platelet-rich plasmapheresis reduces allogeneic platelet transfusions and cost in complex cardiac surgery, (*EACTA*) A.70
PRINTZEN, G. *see* WALPOTH, B. H., (*EACTA*) A.30
PROSSER, D. P., DAVIS, A., BOOKER, P. D. and MURRAY, A. Caudal tramadol for postoperative analgesia in paediatric hypospadias surgery 293–296
PROUGH, D. *see* MURRAY, M., (*R*) 267
PUGH, S. *see* HALL, J. E. 342–345
PUGLIESE, F. *see* DELLA ROCCA, G., (*EACTA*) A.77
PUSCHENDORF, B. *see* BALOGH, D., (*EACTA*) A.26

QUANE, K. A., ORDING, H., KEATING, K. E., MANNING, B. M., HEINE, R., BENDIXEN, D., BERG, K., KRIVOSIC-HORBER, R., LEHMANN-HORN, F., FAGERLUND, T. and MCCARTHY, T. V. Detection of a novel mutation at amino acid position 614 in the ryanodine receptor in malignant hyperthermia 332–337

RADKE, O. *see* KAZMAIER, S., (*EACTA*) A.33
RADOJEVIC, D. *see* VUK, Lj., (*EACTA*) A.96
RADOMIR, B. *see* VUK, Lj., (*EACTA*) A.96
RADOMOR, B. *see* JOVIC, M., (*EACTA*) A.35
RAE, S. M. and WILDSMITH, J. A. W. So just who was James "Young" Simpson? (*E*) 271–273
RAEZ, R., NISHIMURA, Y., MEYNS, B., OZAKI, S., LEUNENS, V. and FLAMENG, W. An experimental model of chronic myocardial hibernation in sheep, (*EACTA*) A.47
RAGG, P. *see* MCKENZIE, I., (*R*) 819
RAIHA, L. *see* MERETOJA, O. A., (*ARS*) 683–684P
RAJAH, V. *see* HATHERILL, M. 665–667
RAMASAMY, D. and EADIE, R. Transient radicular irritation after spinal anaesthesia with 2% isobaric lignocaine 394–395
RANOCCHI, R. *see* BORGHI, B. 662–664
RANUCCI, M., CIRRI, S., SORO, G., CAZZANIGA, A., GARBETTA, F., MORRICONE, L., ENRINI, R. and CAVIEZEL, F. Is severe obesity a risk factor for coronary surgery? (*EACTA*) A.84
RANUCCI, M., CIRRI, S., SORO, G., CONTI, D. and CAZZANIGA, A. Normothermic perfusion: effects on postoperative multi-organ dysfunction, (*EACTA*) A.85
RAPHAEL, J. H. and BUTT, M. W. Comparison of isoflurane with propofol on respiratory cilia 473–475
RATHGEBER, J. *see* KAZMAIER, S., (*EACTA*) A.88
RAUCH, H., MOTSCH, J., JUNG, I., ENGELMANN, E., KELLER, M. and MARTIN, E. Cisatracurium vs pancuronium for neuromuscular blockade in patients undergoing coronary revascularisation, (*EACTA*) A.2
REES, P. H. *see* RUSSELL, D. 456–459
REICH, D. L. *see* AMMAR, T., (*EACTA*) A.68
REICHENSPURNER, H. *see* WALPOTH, B. H., (*EACTA*) A.30
REITZ, B. *see* WALPOTH, B. H., (*EACTA*) A.30
RELLIA, P. *see* PAPADIMITRIOU, L., (*EACTA*) A.51
RENZ, D. *see* KRAUS, B., (*EACTA*) A.34
RHEINECK-LEYSSIUS, A. T. and KALKMAN, C. J. Influence of pulse oximeter lower alarm limit on the incidence of hypoxaemia in the recovery room 460–464
RHODES, A. *see* YOUNG, J. D., (*C*) 547
RICHARDSON, C. Management of the airway and ventilation during resuscitation, (*C*) 814
RICHARDSON, M. G. and WISSLER, R. N. Lateral positioning for regional analgesia during labour, (*C*) 261–262
RICHTER, J. A. *see* BARANKAY, A., (*EACTA*) A.27
RICKSTEN, S.-E. *see* KIELER-JENSEN, N., (*EACTA*) A.12; KIRNÖ, K., (*EACTA*) A.5; WESTERLIND, A., (*EACTA*) A.82
RIEDEL, W. *see* HÖCHE, A., (*EACTA*) A.24
RIEDMANN, B. *see* GERMANN, R. 357–362
RIGEMAR, G. *see* BJÖRKMAN, S. 575–580
RIGG, C. *see* MANJI, M., (*EACTA*) A.87
RIGGOS, D. *see* LAGONIDIS, D., (*EACTA*) A.46
RIGHI, U. *see* BORGHI, B. 662–664
RIJCKAERT, D. *see* FOUBERT, L., (*EACTA*) A.90
RISDALL, J. *see* SWART, M. L., (*ARS*) 677–678P
ROBERTS, C. *see* SKINNER, D., (*R*) 147
ROBERTS, M. *see* YOUNG, J. D. 398–401
ROBERTSON, C. E. Advanced life support guidelines 172–177
ROBINSON, P. N., ROMNEY, M., GORDON, H. and LOUGHNAN, B. A. Outcome of labour using low-dose extradural bupivacaine compared with intramuscular pethidine, (*ARS*) 675–676P
ROBINSON, R. L. *see* CURRAN, J. L., (*ARS*) 134P
RODOLÃ, S. *see* ZUCCALA, G. 776–781
ROHLFS, R. *see* SEEBERGER, M. D., (*EACTA*) A.40
ROIZEN, M. F. *see* DOENICKE, A. 386–388
ROLLY, G. *see* FOUBERT, L., (*EACTA*) A.90
ROMBAUT, A. *see* VERBORGH, C., (*EACTA*) A.10
ROMER, H. C. and RUSSELL, G. N. A survey of the practice of thoracic epidural analgesia in the United Kingdom, (*EACTA*) A.89
ROMNEY, M. *see* ROBINSON, P. N., (*ARS*) 675–676P
ROSENBERG, P. H. *see* HILLER, A. 301–305
ROSENBERG, P. H. *see* LAAKSO, E. 609–611
ROSENQVIST, M. *see* RUNSIÖ, M., (*EACTA*) A.20
ROSENTHALER, C. *see* SEEBERGER, M. D., (*EACTA*) A.40
ROSS, S. *see* PIRIOU, V. 68–77
ROTH, S. H. *see* ARCHER, D. P. 744–749
ROWBOTHAM, D. J. *see* ATCHESON, R. 78–83; NICOL, B., (*ARS*) 140P
ROYSTON, D. *see* RUSSELL, D. 456–459
RUBERTO, F. *see* DELLA ROCCA, G., (*EACTA*) A.77
RUDKIN, G. E. *see* MILLAR, J. M., (*R*) 818
RUNSIÖ, M., BERGFELD, L., ROSENQVIST, M., ÖWALL, A. and JORFELDT, L. Changes in human coronary sinus blood flow and myocardial metabolism induced by ventricular fibrillation and defibrillation, (*EACTA*) A.20
RUSCHI, S., GRANA, M., GEMIGNANI, R., RUSSO, V., SALERNO, L., COMITE, C., STEFANI, M., TROIANI, R. and BORTOLOTTI, U. A single dose of aprotinin or tranexamic acid in CPB priming reduces blood loss in primary cardiac surgery for coronary disease, (*EACTA*) A.67
RUSSELL, D., ROYSTON, D., REES, P. H., GUPTA, S. K. and KENNY, G. N. C. Effect of temperature and cardiopulmonary bypass on the pharmacokinetics of remifentanil 456–459
RUSSELL, G. N. *see* ROMER, H. C., (*EACTA*) A.89
RUSSELL, I. F. *see* WANG, M., (*C*) 143
RUSSO, V. *see* RUSCHI, S., (*EACTA*) A.67

SACHER, A. *see* LEMOINE, E., (*EACTA*) A.54
SAITO, H. *see* GOTO, T. 595–599
SAITOH, K. *see* HIRABAYASHI, Y. 563–566
SAKAMOTO, M. *see* SHIMODA, O. 714–718
SAKARYA, M. *see* AÞKAR, F. Z., (*EACTA*) A.28
SALAK, N. *see* GERMANN, R. 357–362
SALAZKIN, I. *see* TRONCY, E. 631–640
SALERNO, L. *see* RUSCHI, S., (*EACTA*) A.67
SALMELA, L. *see* MCCOURT, K. C., (*ARS*) 134P
SALVI, L., MAZZONI, M., ZUCCHETTI, M., JULIANO, G. and SISILLO, E. A method for cost containment in cardiac surgical ICU, (*EACTA*) A.95
SAMARKANDI, A. H. *see* NAGUIB, M. 450–455
SAMMUT, M. S. and PAES, M. L. Anaesthesia for laparoscopic cholecystectomy in a patient with Eisenmenger's syndrome 810–812
SAPSED-BYRNE, S *see* MA, D., (*ARS*) 141–142P
SAPSED-BYRNE, S. M. *see* LOCKWOOD, G. G. 517–520; 581–585; 586–589; MA, D., (*ARS*) 686–687P
SARGENTONI, J. *see* LOCKWOOD, G. G. 581–585; 586–589
SATO, K. *see* KIKUCHI, T. 128–130
SCHACHTRUPP, A. *see* WEYLAND, A., (*EACTA*) A.53
SCHEIDEGGER, D. *see* WU, X., (*EACTA*) A.48; (*EACTA*) A.49
SCHERPEREEL, P. *see* AUSSEUR, A., (*EACTA*) A.74
SCHLACK, W., PRECKEL, B., BARTHEL, H., OBAL, D. and THÄMER, V. Halothane reduces reperfusion injury after regional ischaemia in the rabbit heart *in vivo* 88–96
SCHLAPP, U. *see* HÖCHE, A., (*EACTA*) A.24
SCHMID, E. R. *see* SCHMIDLIN, D., (*EACTA*) A.38
SCHMIDLIN, D., JENNI, R. and SCHMID, E. R. Transoesophageal echocardiography in cardiac and vascular surgery: therapeutic implications and inter-observer differences, (*EACTA*) A.38
SCHMIDT, M. *see* BUHRE, W., (*EACTA*) A.4

SCHMIDT, W., NOTTROTT, M., MEINEKE, I., SCHRÖDER, T., MÜLLER, S. and HELLIGE, G. Imipramine poisoning in an animal model-treatment with single cardiopulmonary bypass support or additional rein-haemoperfusion? (*EACTA*) A.64
SCHNATMANN, N. *see* SCHWENDER, D. 53–58
SCHOEFFLER, P. *see* BAZIN, J. E., (*C*) 691
SCHOLZ, J., PARIS, A., VON KNOBELSDORFF, G., TONNER, P. H. and SCHULTE AM ESCH, J. The effects of remifentanil on systemic and cerebral haemodynamics in patients undergoing cardiac surgery, (*EACTA*) A.7
SCHOLZ, M. *see* BUHRE, W. 311–316; GIANNARIS, S., (*EACTA*) A.23; KAZMAIER, S., (*EACTA*) A.33; SPIEGEL, T.v., (*EACTA*) A.3; WIETASCH, G., (*EACTA*) A.59
SCHORN, B. *see* BUHRE, W. 311–316; GIANNARIS, S., (*EACTA*) A.23; KAZMAIER, S., (*EACTA*) A.88; SPIEGEL, T.v., (*EACTA*) A.3; WEYLAND, A., (*EACTA*) A.53
SCHRÖDER, T. *see* SCHMIDT, W., (*EACTA*) A.64
SCHULTE AM ESCH, J. *see* SCHOLZ, J., (*EACTA*) A.7
SCHÜTTLER, J. *see* DINGEMANSE, J. 567–574
SCHWALL, B. *see* FRÖHLICH, D. 289–292
SCHWARZ, B. *see* GERMANN, R. 357–362
SCHWEIZER, A., HÖN, L., KALANGOS, A. and LICKER, M. Effects of chronic angiotensin converting enzyme inhibition on renal function during cardiac surgery: the role of atrionatriuretic factor and prostanoids, (*EACTA*) A.16
SCHWEIZER, A. *see* VASSALLI, F., (*EACTA*) A.79
SCHWENDER, D., DAUNDERER, M., SCHNATMANN, N., KLASING, S., FINSTERER, U. and PETER, K. Midlatency auditory evoked potentials and motor signs of wakefulness during anaesthesia with midazolam 53–58
SCHWILDEN, H. *see* DINGEMANSE, J. 567–574
SCOTT, R. C. *see* GOLDEN, F. St C. 214–225
SEAR, J. W. ORG 21465, a new water-soluble steroid hypnotic: more of the same or something different? (*E*) 417–419
SEEBERGER, M. *see* SKARVAN, K., (*EACTA*) A.39; WU, X., (*EACTA*) A.48; (*EACTA*) A.49
SEEBERGER, M. D., SKARVAN, K., ROSENTHALER, C., ROHLFS, R., DERGELOO, O., BRETT, W., STULZ, P. and ATAR, D. Doppler monitoring of diastolic left ventricular function does not increase the sensitivity of dobutamine stress echocardiography for detecting inducible demand ischaemia in anaesthetized patients, (*EACTA*) A.40
SEITZ, W. *see* LEUWER, M., (*ARS*) 132P
SENTÜRK, M. *see* TUĞRUL, E. 306–310
SEO, N. *see* HIRABAYASHI, Y. 563–566
SERPELL, M. *see* MAKIN, A., (*ARS*) 687P
SERPELL, M. G. *see* HAWKSWORTH, C. R. E., (*ARS*) 674P
SHAABAN, M. *see* DECOENE, C., (*EACTA*) A.66
SHAH, M. V. *see* O'CONNOR, P. J., (*EACTA*) A.31
SHANNON, C. *see* SHINNER, G., (*ARS*) 137–138P
SHAPIRO, A. *see* OLSFANGER, D. 317–321
SHARPE, P. K. *see* CALEB, P., (*ARS*) 682P
SHARPE, R. M., NATHWANI, D., PAL, S. K., THORNTON, C., BRUNNER, M. D., DORÉ, C. J. and NEWTON, D. E. F. MAC values of mixtures, (*C*) 410–411
SHARPE, R. M. *see* SHINNER, G., (*ARS*) 137–138P
SHARROCK, N. E., GO, G., WILLIAMS-RUSSO, P., HAAS, S. B. and HARPEL, P. C. Comparison of extradural and general anaesthesia on the fibrinolytic response to total knee arthroplasty 29–34
SHEARER, E. *see* MACKINNON, K. L., (*ARS*) 678P; MOLNAR, Z., (*ARS*) 678P
SHERIDAN, W. *see* KUTER, D. J., (*R*) 413
SHIM, J. C. *see* KIM, K. S. 19–23
SHIMIZU, R. *see* HIRABAYASHI, Y. 563–566; NAKAIGAWA, Y. 363–368
SHIMODA, O., IKUTA, Y., ISAYAMA, S., SAKAMOTO, M. and TERASAKI, H. Skin vasomotor reflex induced by laryngoscopy: comparison of the McCoy and Macintosh blades 714–718
SHINBORI, H. *see* KIKUCHI, T. 128–130
SHINNER, G., SHARPE, R. M., SHANNON, C., THORNTON, C., DORÉ, C. J. and BRUNNER, M. D. Bolus doses of alfentanil prevent the increase in Pa amplitude associated with intubation in a dose-dependent manner, (*ARS*) 137–138P
SHIRLEY, P. J. The future of ethical treatment, (*C*) 817
SHNEERSON, J. Cuff deflation for easier weaning from ventilation, (*C*) 145
SHORTEN, G. *see* KUSSMAN, B. 122–124
SIEGEL, L. C. *see* PRICE STOVER, E., (*EACTA*) A.70
SIEGEMUND, M. *see* WU, X., (*EACTA*) A.48; (*EACTA*) A.49
SIGNER, Ch. *see* WALPOTH, B. H., (*EACTA*) A.37
SIGNORINI, D. F. *see* SOUTER, M. J., (*E*) 420–421
SILVAY, G. *see* AMMAR, T., (*EACTA*) A.68
SINCLAIR, M. *see* HWANG, N. C., (*R*) 819–820
SINGER, T. *see* ZOLLINGER, A. 47–52
SIRINELLI, A. *see* LEMOINE, E., (*EACTA*) A.54
SISILLO, E. *see* SALVI, L., (*EACTA*) A.95
SIVALINGHAM, P. *see* HAWKSWORTH, C. R. E., (*ARS*) 139P
SJOBERG, F. *see* BENGTSSON, M. 668–670
SKARVAN, D. *see* SKARVAN, K., (*EACTA*) A.39
SKARVAN, K., LINTNER, A., SKARVAN, D. and SEEBERGER, M. Normal values for intraoperative left ventricular systolic and diastolic function as assessed by transoesophageal echocardiography, (*EACTA*) A.39
SKARVAN, K. *see* SEEBERGER, M. D., (*EACTA*) A.40
SKINNER, D., SWANN, A., PEYTON, R. and ROBERTS, C., (editors) *Cambridge Textbook of Accident and Emergency Medicine*, (*R*) 147
SKUBAS, N. J. *see* BAKOLA, A. A., (*EACTA*) A.44
SMIT, A. J. *see* GIRBES, A. R. J., (*C*) 263–264
SMITH, G. Personal reflections, (*E*) 1–2
SMITH, M. A. *see* LOCKWOOD, G. G. 517–520
SMYRLI, A. *see* PAPADIMITRIOU, L., (*EACTA*) A.51
SNEYD, J. R., WRIGHT, P. M. C., CROSS, M., THOMPSON, P., VOORTMAN, G., WEIDEMAN, M. M., ANDREWS, C. J. H. and DANIELL, C. J. Administration to humans of ORG 21465, a water soluble steroid i.v. anaesthetic agent 427–432
SNEYD, J. R., WRIGHT, P. M. C., HARRIS, D., TAYLOR, P. A., VIJN, P. C. M., CROSS, M., DALE, H., VOORTMAN, G. and BOEN, P. Computer-controlled infusion of ORG 21465, a water soluble steroid i.v. anaesthetic agent, into human volunteers 433–439
SOETERS, P. *see* LANGENBERG, C. J. M., (*EACTA*) A.50
SONNTAG, H. *see* BUHRE, W., (*EACTA*) A.4; 311–316; KAZMAIER, S., (*EACTA*) A.33; (*EACTA*) A.88; MIELCK, F., (*EACTA*) A.6; WEYLAND, A., (*EACTA*) A.53
SORBARA, C. *see* PITTARELLO, D., (*EACTA*) A.42
SORO, G. *see* RANUCCI, M., (*EACTA*) A.84; (*EACTA*) A.85
SOUTER, M. J., ANDREWS, P. J. D., PIPER, I. R. and MILLER, J. D. Effects of alfentanil on cerebral haemodynamics in an experimental model of traumatic brain injury 97–102
SOUTER, M. J. and SIGNORINI, D. F. Meta-analysis: greater than the sum of its parts? (*E*) 420–421
SPAHN, D. R. *see* ZOLLINGER, A. 47–52; (*C*) 816–817
SPENCE, A. A. *see* THORPE, C. M. 402–409
SPIEGEL, T.v., GIANNARIS, S., SCHORN, B., SCHOLZ, M., BUHRE, W. and HOEFT, A. Induction of anaesthesia with sufentanil is associated with blood volume redistribution, (*EACTA*) A.3
SPIEGEL, T.v. *see* BUHRE, W., (*EACTA*) A.4
SPILIOPOULOS, A. *see* VASSALLI, F., (*EACTA*) A.79
SPISS, C. *see* HARTMANN, T. 482–487
SRINIVASA, R., MORRIS, A., ENRIGHT, S. M. and BELLAMY, M. C. Intravenous magnesium does not modify ischaemia–reperfusion syndrome in orthotopic liver transplantation, (*ARS*) 686P
STAHL, S. *see* BEN-DAVID, B. 440–445
STAMFORD, J. A. *see* BAMIGBADE, T. A. 352–356
STEFANI, M. *see* RUSCHI, S., (*EACTA*) A.67
STEPHAN, H. *see* MIELCK, F., (*EACTA*) A.6
STEVENS, J. J. W. M. *see* SWART, M. L., (*ARS*) 677–678P
STEWART, J. I. M. *see* HALL, J. E. 285–288
STIEGLITZ, P. *see* MEZIN, P. 327–331
STIENSTRA, R. *see* VEERING, B. Th., (*C*) 144–145
STOEHR, S. *see* ZOLLINGER, A. 47–52
STOTT, S. *see* CUTHBERTSON, B. H., (*C*) 814
STRIFFELER, H. *see* WALPOTH, B. H., (*EACTA*) A.37
STRUNIN, L. *see* BASKETT, P. J. F., (*E*) 149–150
STUDER, W. *see* WU, X., (*EACTA*) A.48; (*EACTA*) A.49
STULZ, P. *see* SEEBERGER, M. D., (*EACTA*) A.40
SÜZER, A., SÜZER, Ö. and AYKAÇ, Z. Comparison of midazolam and propofol effects on cerebral metabolism during cardiopulmonary bypass, (*EACTA*) A.52
SÜZER, A. *see* SÜZER, Ö., (*EACTA*) A.1
SÜZER, Ö., ERDOGAN, O., DIRI, E., SÜZER, A., AYKAÇ, Z. and ÖZÜNER, Z. Comparison of midazolam and thiopental on arrhythmias in ischaemia and reperfusion conditions in isolated perfused rat hearts, (*EACTA*) A.1
SÜZER, Ö. *see* SÜZER, A., (*EACTA*) A.52
SVEDJEHOLM, R., HÅKANSON, E. and SZABO, Z. Predictors of atrial fibrillation in CABG surgery, (*EACTA*) A.83
SVEDJEHOLM, R. *see* SZABO, Z., (*EACTA*) A.72
SVENSÉN, C. *see* HAHN, R. G. 64–67
SWANN, A. *see* SKINNER, D., (*R*) 147
SWART, M. *see* KHAN, O. A., (*ARS*) 675P; TAYLOR, S. R. J., (*ARS*) 674–675P
SWART, M. L., STEVENS, J. J. W. M., RISDALL, J. and JONES, J. G. Comparison of two steady state-auditory-evoked response methods for assessing depth of anaesthesia in routine clinical practice, (*ARS*) 677–678P
SWART, M. L. *see* GUPTA, S., (*ARS*) 680P
SYMINGTON, M. J. *see* LOAN, P. B., (*ARS*) 684P
SZABO, Z., HÅKANSON, E. and SVEDJEHOLM, R. Influence of postoperative activated clotting time (ACT) on re-

operations for bleeding after cardiac surgery, (*EACTA*) A.72
Szabo, Z. *see* Svedjeholm, R., (*EACTA*) A.83
Szekely, A., Martin, K., Kilger, E., Vetter, H., Nollert, G., Janicke, U. and Conzen, P. Different influences of long-term ace inhibitor treatment for norepinephrine support during cardiac surgery, (*EACTA*) A.15

Taç, T., Yapýcý, N., Çoruh, T. and Aykaç, Z. Relations between the phosphodiesterase III inhibitors and cytokines in open heart surgery, (*EACTA*) A.25
Tagan, D. *see* Perret, C., (*R*) 266
Taivainen, T. *see* Meretoja, O. A., (*ARS*) 683–684P
Takeda, J. *see* Kiyama, S. 750–753
Talbot, J. *see* Groom, P., (*ARS*) 136P
Tanaka, H. *see* Fujii, Y. 539–540
Tanaka, K. *see* Hase, I. 740–743
Tanaka, Y. *see* Hirose, M. 120–121
Tarling, M. *see* Paris, S. T. 280–284
Taylor, P. A. *see* Sneyd, J. R. 433–439
Taylor, R. W. *see* Civetta, J. M., (*R*) 265
Taylor, R. W. *see* Kirby, R. R., (*R*) 147
Taylor, S. R. J., Khan, O. A., Swart, M. and Jones, J. G. Effects of low-dose isoflurane on contrast-sensitivity in volunteers, (*ARS*) 674–675P
Taylor, S. R. J. *see* Khan, O. A., (*ARS*) 675P
Tenling, A. *see* Magnusson, L., (*EACTA*) A.57
Terasaki, H. *see* Shimoda, O. 714–718
Ter Riet, P. M. *see* Veering, B. Th., (*C*) 144–145
Thämer, V. *see* Schlack, W. 88–96
Thelin, S. *see* Magnusson, L., (*EACTA*) A.57
Thompson, P. *see* Sneyd, J. R. 427–432
Thornton, C. *see* Sharpe, R. M., (*C*) 410–411; Shinner, G., (*ARS*) 137–138P
Thornton, J. *see* O'Beirne, H. A., (*ARS*) 132P
Thorpe, C. M. and Spence, A. A. Clinical evidence for delayed chloroform poisoning 402–409
Thum, P. *see* Leuwer, M., (*ARS*) 132P
Tibby, S. M. *see* Hatherill, M. 665–667
Tipton, M. J. *see* Golden, F. St C. 214–225
Tonner, P. H. *see* Scholz, J., (*EACTA*) A.7
Torrance, J. McK., Lewer, B. M. F. and Galletly, D. C. Interactions between mivacurium and prilocaine, (*C*) 262
Tournadre, J. P., Chassard, D. and Muchada, R. Overestimation of low cardiac output measured by thermodilution 514–516
Toyooka, H. *see* Fujii, Y. 539–540
Trinder, T. J. *see* Loan, P. B., (*ARS*) 684P
Troiani, R. *see* Ruschi, S., (*EACTA*) A.67
Tronc, F. *see* Aouifi, A., (*EACTA*) A.91
Troncy, E., Francœur, M., Salazkin, I., Yang, F., Charbonneau, M., Lesclerc, G., Vinay, P. and Blaise, G. Extra-pulmonary effects of inhaled nitric oxide in swine with and without phenylephrine 631–640
Tschanz, H. U. *see* Walpoth, B. H., (*EACTA*) A.30
Tuðrul, M. *see* Çamcý, E., (*EACTA*) A.58
Tuğrul, E., Camci, E., Karadeníz, H., Sentürk, M., Pembecí, K. and Akpír, K. Comparison of volume controlled with pressure controlled ventilation during one-lung anaesthesia 306–310
Tuovinen, K. *see* Nikanne, E. 606–608
Tupper-Carey, D. A., Walesby, R. K. and Feneck, R. O. Postoperative myocardial ischaemia and changes in indices of myocardial oxygen balance in patients undergoing CABG surgery, (*EACTA*) A.36
Tupper-Carey, D. A., Walesby, R. K., Newman, D. J., Price, C. P. and Feneck, R. O. An analysis of myocardial ischaemia and serial cardiac troponin I measurements in patients undergoing CABG surgery, (*EACTA*) A.29
Turkistani, A. *see* Naguib, M. 450–455
Tverskoy, M., Ben-Shlomo, I., Vainshtein, M., Zohar, S. and Fleyshman, G. Hypnotic effect of i.v. thiopentone is enhanced by i.m. administration of either lignocaine or bupivacaine 798–800
Tydén, H. *see* Magnusson, L., (*EACTA*) A.57

Ubags, L. H., Kalkman, C. J., Been, H. D. and Drummond, J. C. Differential effects of nitrous oxide and propofol on myogenic transcranial motor evoked responses during sufentanil anaesthesia 590–594
Uezono, S. *see* Goto, T. 595–599
Uphus, D. *see* Boldt, J. 733–739
Uppington, J. *see* Kussman, B. 122–124
Upton, R. N. and Ludbrook, G. L. A physiological model of induction of anaesthesia with propofol in sheep. 1. Structure and estimation of variables 497–504
Upton, R. N. *see* Ludbrook, G. L. 505–513
Urieta, A. *see* Laglera, S. 671–673

Vagnoni, S. *see* Zuccala, G. 776–781
Vainshtein, M. *see* Tverskoy, M. 798–800
Vakalos, A. *see* Lagonidis, D., (*EACTA*) A.46
Van Kleef, J. W. *see* Veering, B. Th., (*C*) 144–145
Van Nooten, G. *see* Foubert, L., (*EACTA*) A.90
Variushina, T. *see* Mizikov, V., (*EACTA*) A.73
Vassalli, F., Spiliopoulos, A., Höhn, L., De Perrot, M., Schweizer, A. and Licker, M. Perioperagive medical care of patients undergoing bilateral lung volume reduction for severe emphysema, (*EACTA*) A.79
Vaughan, R. S. *see* Koga, K., (*ARS*) 681P
Vedrinne, C. *see* Aouifi, A., (*EACTA*) A.91; (*EACTA*) A.93
Veering, B. Th., Ter Riet, P. M., Burm, A. G. L., Stienstra, R. and Van Kleef, J. W. Spinal anaesthesia: effect of the site of injection on the spread of analgesia, (*C*) 144–145
Venkatesh, B. Continuous intra-arterial blood-gas monitoring, (*C*) 815
Verborgh, C., Rombaut, A., D'haese, J., De Roover, E., Dupont, A. and Camu, F. Effects of R97399, a new PDE III inhibitor in patients with ischaemic heart disease, (*EACTA*) A.10
Verghese, C. *see* Bapat, P., (*C*) 145; Bapat, P. P., (*C*) 815; Brain, A. I. J. 699–703; 704–709; Kapila, A. 710–713
Vermeulen, P. M., Lerou, J. G. C., Dirksen, R., Booij, L. H. D. J. and Borm, G. F. Repeated enflurane anaesthetics and model predictions: a study of the variability in the predictive performance measures 488–496
Vetter, H. *see* Szekely, A., (*EACTA*) A.15
Vickers, M. D. *see* Couto da Silva, J. M. 103–112
Vijn, P. C. M. *see* Sneyd, J. R. 433–439
Vinay, P. *see* Troncy, E. 631–640
Vincent, J. L., (editor) *1997 Yearbook of Intensive Care and Emergency Medicine*, (*R*) 693
Vincent, R. Drugs in modern resuscitation 188–197
von Knobelsdorff, G. *see* Scholz, J., (*EACTA*) A.7
Voortman, G. *see* Sneyd, J. R. 427–432; 433–439
Vuk, Lj., Radojevic, D., Gradinac, S., Radomir, B., Jovic, M, Jovovic, Lj., Miric, M., Peric, M. and Bojic, M. Left ventricular remodelling (Battista procedure): early postoperative care, (*EACTA*) A.96
Vuylsteke, A., Callingham, B. C., Oduro, A. and Latimer, R. D. Comparison of clevidipine and nifedipine on isolated rat pulmonary artery and thoracic aorta, (*EACTA*) A.11
Vuylsteke, A. *see* Mur, D., (*EACTA*) A.92

Walden, F. M. Subclavian aneurysm causing brachial plexus injury after removal of a subclavian catheter 807–809
Walesby, R. K. *see* Tupper-Carey, D. A., (*EACTA*) A.29; (*EACTA*) A.36
Wallace, P. G. M. *see* Morton, N. S., (*R*) 267
Wallace, W. F. M. *see* McCaughey, W., (*R*) 820
Wallance, M. *see* Irving, G. A., (*R*) 265–266
Walling, P. T. Converting pH and H^+, (*C*) 262–263
Walpoth, B. H., Auf der Maur, P., Fallegger, B., Striffeler, H., Baumgartner, I., Baumgartner, R., Signer, Ch., Althaus, U. and Kniemeyer, H. Quality control of carotid artery thrombendarterectomy by intraoperative transit time flow and resistance measurements, (*EACTA*) A.37
Walpoth, B. H., Celik, B., Carrel, T., Printzen, G., Tschanz, H. U., Althaus, U., Mohacsi, P., Reichenspurner, H. and Reitz, B. Assessment of troponin-T for detection of clinical rejection after cardiac transplantation, (*EACTA*) A.30
Walsh, T. S., Hopton, P. and Lee, A. Comparison between reverse Fick and indirect calorimeter measurements of oxygen consumption in patients with fulminant hepatic failure, (*ARS*) 131–132P
Wang, C. *see* Ma, D. 525–529
Wang, M. and Russell, I. F. Absence of memory for intraoperative information, (*C*) 143
Wang, N. and Perryman, R. Cardiopulmonary bypass in a patient with Moyamoya disease, (*EACTA*) A.63
Wang, Y. *see* Kikuchi, T. 128–130
Wanzel, O. *see* La†nigg, A., (*EACTA*) A.21
Ward, J. E. H. *see* Wrench, I. J. 541–542
Warner, M. A. *see* Martin, J. T., (*R*) 693
Warren, P. M. *see* Foo, I. T. 41–46
Watson, I. D. *see* MacKinnon, K. L., (*ARS*) 678P
Webster, N. R. *see* Bellamy, M. C. 338–341; Cuthbertson, B. H., (*C*) 814; Galley, H. F., (*ARS*) 678–679P
Weder, W. *see* Zollinger, A. 47–52
Weideman, M. M. *see* Sneyd, J. R. 427–432

WEIMANN, J., HAGENAH, J. U. and MOTSCH, J. Reduction in nitrogen dioxide concentration by soda lime preparations during simulated nitric oxide inhalation 641–644
WELSH, K. R. *see* O'CONNOR, P. J., (*EACTA*) A.31
WELTERS, I., MENGES, T., KNOTHE, C., BOLDT, J. and HEMPELMANN, G. Thrombin generation and protein C activation in cardiac surgery patients, (*EACTA*) A.22
WELTERS, I., MENGES, T., ZICKMANN, B., KNOTHE, C. and HEMPELMANN, G. Can albumin reduce platelet damage during extracorporeal circulation? (*EACTA*) A.71
WELTERS, I. *see* BALLESTEROS, M., (*EACTA*) A.19
WENISCH, C. *see* BARTUNEK, A., (*EACTA*) A.62
WERNBERG, M. *see* ILKJÆR, S. 600–605
WERNLUND, J. *see* MAGNUSSON, L., (*EACTA*) A.57
WESSELS, J. A. *see* MILLER, D. M., (*ARS*) 682–683P
WEST, S. P. *see* CURRAN, J. L., (*ARS*) 134P
WESTERLIND, A., NILSSON, F. and RICKSTEN, S.-E. The use of thoracic epidural analgesia after lung transplantation, (*EACTA*) A.82
WESTERLING, P. *see* MCCRAE, A. F. 558–562
WEYLAND, A., SCHACHTRUPP, A., KAZMAIER, S., BUHRE, W., SCHORN, B. and SONNTAG, H. Cerebral haemodynamic effects of intra-aortic balloon counterpulsation, (*EACTA*) A.53
WEYLAND, A. *see* BUHRE, W., (*EACTA*) A.4; 311–316; GIANNARIS, S., (*EACTA*) A.23; KAZMAIER, S., (*EACTA*) A.33; (*EACTA*) A.88; MIELCK, F., (*EACTA*) A.6; WIETASCH, G., (*EACTA*) A.59
WHEATLEY, T. J. Prophylaxis against deep vein thrombosis, (*C*) 146
WHITE, S. A. *see* GOLDHILL, D. R., (*ARS*) 136P
WHITEHEAD, C. F. and BAINES, P. Use of inhaled nitric oxide in the critically ill, (*C*) 813–814
WHITWAM, J. G. *see* MA, D., (*ARS*) 141–142P; 525–529; (*ARS*) 686–687P
WIETASCH, G., BÜRSCH, J., WEYLAND, A., SCHOLZ, M., BUHRE, W. and HOEFT, A. Total blood volume, central blood volume, and extravascular lung water in children and adults, (*EACTA*) A.59
WIETASCH, G. *see* GIANNARIS, S., (*EACTA*) A.23
WILDSMITH, J. A. W. Interactions between mivacurium and prilocaine, (*C*) 262
WILDSMITH, J. A. W. *see* RAE, S. M., (*E*) 271–273
WILKES, A. R. and MECKLENBURGH, J. S. Predicting the moisture-conserving performance of breathing system filters with different anaesthetic breathing systems, (*ARS*) 681–682P
WILLARD, T. *see* NIRMALAN, M., (*ARS*) 135P
WILLIAMS, N. E. *see* CALVEY, T. N., (*R*) 549
WILLIAMS-RUSSO, P. *see* SHARROCK, N. E. 29–34
WILSON, C. M., LILLYWHITE, N., WILTSHIRE, S. and MILLS, P. Buscopan does not improve pain after laparoscopic sterilization, (*ARS*) 139–140P
WILSON, J. A. *see* LOCKWOOD, G. G. 581–585; 586–589
WILTSHIRE, S. *see* WILSON, C. M., (*ARS*) 139–140P
WINKELBAUER, F. *see* KELLNER, J., (*EACTA*) A.81
WIRTAVUORI, K. *see* MERETOJA, O. A., (*ARS*) 683–684P
WISSLER, R. N. *see* RICHARDSON, M. G., (*C*) 261–262
WOJTALIK, M. *see* KNAPIK, P., (*EACTA*) A.94
WOLF, H. J. *see* GERMANN, R. 357–362
WRENCH, I. J., CAVILL, G., WARD, J. E. H. and CROSSLEY, A. W. A. Comparison between alfentanil, pethidine and placebo in the treatment of post-anaesthetic shivering 541–542
WRIGHT, P. M. C. *see* SNEYD, J. R. 427–432; 433–439
WU, C.-P. *see* HUANG, H.-H. 754–758
WU, X., STUDER, W., SIEGEMUND, M., SEEBERGER, M. and SCHEIDEGGER, D. Reperfusion after supracoeliac aortic cross-clamping in a rat model: Effects of dopexamine on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, (*EACTA*) A.49; Reperfusion after supracoeliac aortic cross-clamping in a rat model: effects of fluid-loading on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, (*EACTA*) A.48

YAMATO, R. *see* NAKAIGAWA, Y. 363–368
YANG, F. *see* TRONCY, E. 631–640
YAPÝCÝ, N. *see* TAÇ, T., (*EACTA*) A.25
YATE, P. M. *see* PARIS, S. T. 280–284
YAVRU, A. *see* ÇAMCÝ, E., (*EACTA*) A.58
YOUNG, J. D. Inhaled nitric oxide in acute respiratory failure, (*E*) 695–696
YOUNG, J. D., RHODES, A. and LAMB, F. J. Inhaled nitric oxide, (*C*) 547
YOUNG, J. D., ROBERTS, M. and GALE, L. B. Laboratory evaluation of the I-NOvent nitric oxide delivery device 398–401
YOUNG, Y. *see* O'BEIRNE, H. A., (*ARS*) 132P

ZAJCHUK, R. and GRANDE, C. M., (editors) *Anesthesia and Perioperative Care of the Combat Casualty*, (*R*) 412–413
ZALUNARDO, M. P. *see* ZOLLINGER, A. 47–52
ZELL, M. *see* DINGEMANSE, J. 567–574
ZEMGULIS, V. *see* MAGNUSSON, L., (*EACTA*) A.57
ZICKMANN, B. *see* BALLESTEROS, M., (*EACTA*) A.19; WELTERS, I., (*EACTA*) A.71
ZIDEMAN, D. A. Paediatric and neonatal life support 178–187
ZIMPFER, M. *see* HARTMANN, T. 482–487
ZOHAR, S. *see* TVERSKOY, M. 798–800
ZOLLINGER, A., SPAHN, D. R. and PASCH, T. Continuous intra-arterial blood-gas monitoring, (*C*) 816–817
ZOLLINGER, A., SPAHN, D. R., SINGER, T., ZALUNARDO, M. P., STOEHR, S., WEDER, W. and PASCH, T. Accuracy and clinical performance of a continuous intra-arterial blood-gas monitoring system during thoracoscopic surgery 47–52
ZUCCALA, G., PAHOR, M., LATTANZIO, F., VAGNONI, S., RODOLÀ, S., DE SOLE, P., CITTADINI, A., COCCHI, A. and BERNABEI, R. Detection of arrhythmogenic cellular magnesium depletion in hip surgery patients 776–781
ZUCCHETTI, M. *see* SALVI, L., (*EACTA*) A.95
ZUKER-FRANKLIN, D. *see* KUTER, D. J., (*R*) 413

SUBJECT INDEX

1997 Yearbook of Intensive Care and Emergency Medicine, VINCENT, J. L., (editor), (*R*) 693

Acid–base equilibrium, Drugs in modern resuscitation, VINCENT, R. 188–197
Acid–base equilibrium, pH, Converting pH and H^+, WALLING, P. T., (*C*) 262–263
——, Converting pH and H^+: a rule for the other thumb, GIRLING, D. K., (*C*) 410
——, Converting pH and H^+: a "rule of thumb", BURDEN, R. J., *et al.*, (*e*) 413
Advanced life support, Advanced life support guidelines, ROBERTSON, C. E. 172–177
Age factors, Pharmacokinetic–pharmacodynamic modelling of the EEG effects of Ro 48-6791, a new short-acting benzodiazepine, in young and elderly subjects, DINGEMANSE, J., *et al.* 567–574
Airway, Management of the airway and ventilation during resuscitation, GABBOTT, D. A., *et al.* 159–171
——, Management of the airway and ventilation during resuscitation, RICHARDSON, C., (*C*) 814
Airway, complications, Aspects of resuscitation in trauma, NOLAN, J. P., *et al.* 226–240
Allergy, Intradermal compared with prick testing in the diagnosis of anaesthetic allergy, FISHER, M. McD, *et al.* 59–63
Anaesthesia and Resuscitation, JONES, R. D. M., *et al.*, (editors), (*R*) 819
Anaesthesia, audit, Anaesthesia and the competence revolution, GREAVES, J. D., (*E*) 555–557
——, Autotransfusion in major orthopaedic surgery: experience with 1785 patients, BORGHI, B., *et al.* 662–664
——, Meta-analysis: greater than the sum of its parts? SOUTER, M. J., *et al.*, (*E*) 420–421
——, Preliminary survey into clinical attitudes to computer based decision support systems, BEATTY, P. C. W., (*ARS*) 140–141P
——, Simulated anaesthetic emergencies, BYRNE, A. J., *et al.*, (*C*) 690–691
——, Simulated anaesthetic emergencies, GABA, D. M., *et al.*, (*C*) 689–690
——, Simulated anaesthetic emergencies, KURREK, M., *et al.*, (*C*) 689
Anaesthesia, aviation, Catalogue of human error, ARNSTEIN, F. 645–656
Anaesthesia, day-case, Comparison of perioperative ketoprofen 2.0 mg kg^{-1} with 0.5 mg kg^{-1} i.v. in small children during adenoidectomy, NIKANNE, E., *et al.* 606–608
Anaesthesia, depth, Absence of memory for intraoperative information, HOOPER, M. B., (*C*) 143
——, Absence of memory for intraoperative information, WANG, M., *et al.*, (*C*) 143
——, Comparison of two steady state-auditory-evoked response methods for assessing depth of anaesthesia in routine clinical practice, SWART, M. L., *et al.*, (*ARS*) 677–678P
——, Effect of extradural analgesia on the paradoxical arousal response of the electroencephalogram, KIYAMA, S., *et al.* 750–753
——, Pharmacodynamics of thiopentone: nocifensive reflex threshold changes correlate with hippocampal electroencephalography, ARCHER, D. P., *et al.* 744–749
Anaesthesia, duration, Emergence times from xenon anaesthesia are independent of the duration of anaesthesia, GOTO, T., *et al.* 595–599
Anaesthesia, general, Absence of memory for intraoperative information, HOOPER, M. B., (*C*) 143
——, Absence of memory for intraoperative information, WANG, M., *et al.*, (*C*) 143
——, Anaesthesia for laparoscopic cholecystectomy in a patient with Eisenmenger's syndrome, SAMMUT, M. S., *et al.* 810–812
——, Comparison of extradural and general anaesthesia on the fibrinolytic response to total knee arthroplasty, SHARROCK, N. E., *et al.* 29–34
——, Induction of anaesthesia with sufentanil is associated with blood volume redistribution, SPIEGEL, T.v., *et al.*, (*EACTA*) A.3
——, Time-frequency spectral analysis of heart rate variability during induction of general anaesthesia, HUANG, H.-H., *et al.* 754–758
Anaesthesia, human error, Catalogue of human error, ARNSTEIN, F. 645–656
Anaesthesia, journals, Personal reflections, SMITH, G., (*E*) 1–2
Anaesthesia, obstetric, Comparison of single, end-holed and multi-orifice extradural catheters when used for continuous infusion of local anaesthetic during labour, DICKSON, M. A. S., *et al.* 297–300
——, Effects of volume on spinal anaesthesia with 0.25% hyperbaric bupivacaine, KING, H.-K., (*C*) 262
——, Extradural buprenorphine suppresses breast feeding after Caesarean section, HIROSE, M., *et al.* 120–121
——, Outcome of labour using low-dose extradural bupivacaine compared with intramuscular pethidine, ROBINSON, P. N., *et al.*, (*ARS*) 675–676P
——, Ropivacaine 0.75% for extradural anaesthesia in elective Caesarean section: an open clinical and pharmacokinetic study in mother and neonate, MORTON, C. P. J., *et al.* 3–8
Anaesthesia, paediatric, Cardiovascular effects and time-course of action of cisatracurium in infants and children during thiopentone–alfentanil–nitrous oxide–oxygen anaesthesia, MERETOJA, O. A., *et al.*, (*ARS*) 683–684P
——, Comparison of propofol and isoflurane ameliorating effects during rewarming period in paediatric cardiac surgery, ÇAMCÝ, E., *et al.*, (*EACTA*) A.58
——, Comparison of suxamethonium and different combinations of rocuronium and mivacurium for rapid tracheal intubation in children, NAGUIB, M., *et al.* 450–455
——, Laryngeal mask airway and uncuffed trachael tubes are equally effective for low flow or closed system anaesthesia in children, FRÖHLICH, D., *et al.* 289–292
——, Metabolic, biochemical and haemodynamic effects of infusion of propofol for long-term sedation of children undergoing intensive care, MARTIN, P. H., *et al.* 276–279
——, Obstruction of the lumen of a plastic 15-mm connector inserted into a cut paediatric tube—Is it possible to avoid this damage? PREIS, C. A., *et al.*, (*C*) 692
——, Propofol in paediatric intensive care, HATCH, D. J., (*E*) 274–275
——, Rebound pulmonary vasoconstriction and desaturation on withdrawal of nitric oxide in infants after cardiac surgery, KNAPIK, P., *et al.*, (*EACTA*) A.94
——, Serum concentrations of bupivacaine during prolonged continuous paravertebral infusion in young infants, CHEUNG, S. L. W., *et al.* 9–13
——, Sevoflurane or halothane for paediatric endoscopy, PLOWMAN, A., *et al.*, (*C*) 143–144
Anaesthetic Physiology and Pharmacology, MCCAUGHEY, W., *et al.*, (editors), (*R*) 820

Anaesthetic techniques, closed-system, Quantitative study of Lowe's square-root-of-time method of closed-system anaesthesia, COUTO DA SILVA, J. M., *et al.* 103–112
Anaesthetic techniques, extradural, A survey of the practice of thoracic epidural analgesia in the United Kingdom, ROMER, H. C., *et al.*, (*EACTA*) A.89
——, Comparison of extradural and general anaesthesia on the fibrinolytic response to total knee arthroplasty, SHARROCK, N. E., *et al.* 29–34
——, Effect of extradural analgesia on the paradoxical arousal response of the electroencephalogram, KIYAMA, S., *et al.* 750–753
——, Extradural catheter-related infections in patients with infected cutaneous wounds, BENGTSSON, M., *et al.* 668–670
——, Outcome of labour using low-dose extradural bupivacaine compared with intramuscular pethidine, ROBINSON, P. N., *et al.*, (*ARS*) 675–676P
——, Ropivacaine 0.75% for extradural anaesthesia in elective Caesarean section: an open clinical and pharmacokinetic study in mother and neonate, MORTON, C. P. J., *et al.* 3–8
——, Ropivacaine test dose in extradural anaesthesia, DRESNER, M., *et al.*, (*C*) 813
——, Ropivacaine test dose in extradural anaesthesia, MORTON, C. P. J., *et al.*, (*C*) 813
Anaesthetic techniques, extubation, Intravenous clonidine administration during CPB: effects on haemodynamic parameters and extubation time, ABAY, G., *et al.*, (*EACTA*) A.8
Anaesthetic techniques, hypotensive, Platelet function is inhibited by nitric oxide liberation during nitroglycerin-induced hypotension anaesthesia, AOKI, H., *et al.* 476–481
Anaesthetic techniques, induction, A physiological model of induction of anaesthesia with propofol in sheep. 1. Structure and estimation of variables, UPTON, R. N., *et al.* 497–504
——, A physiological model of induction of anaesthesia with propofol in sheep. 2. Model analysis and implications for dose requirements, LUDBROOK, G. L., *et al.* 505–513
——, Comparison between halothane and sevoflurane for adult vital capacity induction, HALL, J. E., *et al.* 285–288
Anaesthetic techniques, laryngoscopy, Accurate measurement of "true glottic view", GROOM, P., *et al.*, (*ARS*) 680–681P
——, Epiglottis modelling in a computer simulation of difficult laryngoscopy, HAWKINS, M., *et al.*, (*ARS*) 136–137P
——, Modelling the photographic "restricted window" to derive "true glottic view", GROOM, P., *et al.*, (*ARS*) 136P
——, Skin vasomotor reflex induced by laryngoscopy: comparison of the McCoy and Macintosh blades, SHIMODA, O., *et al.* 714–718
Anaesthetic techniques, low flow, Quantitative study of Lowe's square-root-of-time method of closed-system anaesthesia, COUTO DA SILVA, J. M., *et al.* 103–112
Anaesthetic techniques, regional, Does the addition of clonidine affect duration of analgesia of bupivacaine wound infiltration in inguinal hernia surgery? ELLIOTT, S., *et al.* 446–449
——, Interactions between mivacurium and prilocaine, TORRANCE, J. McK., *et al.*, (*C*) 262
——, Interactions between mivacurium and prilocaine, WILDSMITH, J. A. W., (*C*) 262
——, I.v. regional anaesthesia. Comparison of 0.25% prilocaine with or without 5% dextrose, MAKIN, A., *et al.*, (*ARS*) 687P
Anaesthetic techniques, regional, extradural, The use of thoracic epidural analgesia after lung transplantation, WESTERLIND, A., *et al.*, (*EACTA*) A.82
Anaesthetic techniques, regional, paravertebral, Serum concentrations of bupivacaine during prolonged continuous paravertebral infusion in young infants, CHEUNG, S. L. W., *et al.* 9–13
Anaesthetic techniques, subarachnoid, Effects of volume on spinal anaesthesia with 0.25% hyperbaric bupivacaine, KING, H.-K., (*C*) 262
——, Knee–chest *vs* horizontal side position during induction of spinal anaesthesia in patients undergoing lumbar disc surgery, LAAKSO, E., *et al.* 609–611
——, Spinal anaesthesia: effect of the site of injection on the spread of analgesia, KAMENIK, M., (*C*) 144
——, Spinal anaesthesia: effect of the site of injection on the spread of analgesia, VEERING, B. TH., *et al.*, (*C*) 144–145
——, Transient neurological symptoms after spinal anaesthesia with 4% mepivacaine and 0.5% bupivacaine, HILLER, A., *et al.* 301–305
——, Transient radicular irritation after spinal anaesthesia with 2% isobaric lignocaine, RAMASAMY, D., *et al.* 394–395
Anaesthetics gases, nitric oxide, Inhaled nitric oxide during anaesthesia for lung transplant, DELLA ROCCA, G., *et al.*, (*EACTA*) A.77
Anaesthetics gases, nitrous oxide, Differential effects of nitrous oxide and propofol on myogenic transcranial motor evoked responses during sufentanil anaesthesia, UBAGS, L. H., *et al.* 590–594
——, Dissociation between the effect of nitrous oxide on spontaneous and reflexly evoked sympathetic activity in dogs, MA, D., *et al.* 525–529
——, Does nitrous oxide antagonize sevoflurane-induced hypnosis? KATOH, T., *et al.* 465–468
——, Effect of 100% oxygen and 50% nitrous oxide on cerebral autoregulation as assessed by the transient hyperaemic response test, GIRLING, K. J., *et al.*, (*ARS*) 131P
——, Emergence times from xenon anaesthesia are independent of the duration of anaesthesia, GOTO, T., *et al.* 595–599
——, Evaluation of two "universal" nitric oxide delivery systems, MUR, D., *et al.*, (*EACTA*) A.92
——, MAC values of mixtures, FASSOULAKI, A., (*C*) 410
——, MAC values of mixtures, SHARPE, R. M., *et al.*, (*C*) 410–411
——, Methaemoglobin (MetHb) production during nitric oxide (NO) inhalation, AOUIFI, A., *et al.*, (*EACTA*) A.93
Anaesthetics gases, xenon, Emergence times from xenon anaesthesia are independent of the duration of anaesthesia, GOTO, T., *et al.* 595–599
Anaesthetics i.v., etomidate, Effects of a single dose of etomidate on adreno-cortical function in the critically ill, ABSALOM, A. R., *et al.*, (*ARS*) 679P
——, Haemolysis after etomidate: comparison of propylene glycol and lipid formulations, DOENICKE, A., *et al.* 386–388
Anaesthetics i.v., fentanyl, Effects of fentanyl-midazolam anaesthesia on intrathoracic and total blood volume, BUHRE, W., *et al.*, (*EACTA*) A.4
Anaesthetics i.v., ketamine, Anaesthesia with intrathecal ketamine: a dose-finding study, HAWKSWORTH, C. R. E., *et al.*, (*ARS*) 674P
——, Effects of ketamine and pentobarbitone on acetylcholine release from the rat frontal cortex *in vivo*, KIKUCHI, T., *et al.* 128–130
——, Effects of ketamine on cAMP formation in Chinese hamster ovary cells expressing recombinant opioid receptors, HIROTA, K., *et al.*, (*ARS*) 141P
Anaesthetics i.v., methohexitone, Effect of methohexitone and propofol with or without alfentanil on seizure duration and recovery in electroconvulsive therapy, NGUYEN, T. T., *et al.* 801–803
Anaesthetics i.v., propofol, A physiological model of induction of anaesthesia with propofol in sheep. 1. Structure and estimation of variables, UPTON, R. N., *et al.* 497–504
——, A physiological model of induction of anaesthesia with propofol in sheep. 2. Model analysis and implications for dose requirements, LUDBROOK, G. L., *et al.* 505–513
——, Comparison of isoflurane with propofol on respiratory cilia, RAPHAEL, J. H., *et al.* 473–475
——, Comparison of midazolam and propofol effects on cerebral metabolism during cardiopulmonary bypass, SÜZER, A., *et al.*, (*EACTA*) A.52
——, Comparison of propofol and isoflurane ameliorating effects during rewarming period in paediatric cardiac surgery, ÇAMCÝ, E., *et al.*, (*EACTA*) A.58
——, Comparison of propofol-fentanyl and isoflurane-fentanyl anaesthesia with transoesophageal echocardiography for coronary artery bypass graft surgery, NICOLAIDES, A., *et al.*, (*EACTA*) A.45
——, Comparison of the effects of isoflurane with those of propofol on pulmonary vascular impedance in experimental embolic pulmonary hypertension, EWALENKO, P., *et al.* 625–630
——, Differential effects of nitrous oxide and propofol on myogenic transcranial motor evoked responses during sufentanil anaesthesia, UBAGS, L. H., *et al.* 590–594
——, Effect of methohexitone and propofol with or without alfentanil on seizure duration and recovery in electroconvulsive therapy, NGUYEN, T. T., *et al.* 801–803
——, Metabolic, biochemical and haemodynamic effects of infusion of propofol for long-term sedation of children undergoing intensive care, MARTIN, P. H., *et al.* 276–279
——, Midazolam and propofol affect interleukin-8 release from human neutrophils at the post-translational level, GALLEY, H. F., *et al.*, (*ARS*) 678–679P
——, Propofol in paediatric intensive care, HATCH, D. J., (*E*) 274–275
——, Propofol induction characteristics after fentanyl or midazolam and fentanyl, COLLINS, L. M., *et al.*, (*ARS*) 676–677P
——, Rapid tracheal intubation with propofol, alfentanil and a standard dose of vecuronium, GROENER, R., *et al.* 384–385
Anaesthetics i.v., steroid, Administration to humans of ORG

21465, a water soluble steroid i.v. anaesthetic agent, SNEYD, J. R., *et al.* 427–432
——, Computer-controlled infusion of ORG 21465, a water soluble steroid i.v. anaesthetic agent, into human volunteers, SNEYD, J. R., *et al.* 433–439
——, Effect of dexamethasone on oedema formation in patients undergoing coronary bypass surgery, GIANNARIS, S., *et al.*, (*EACTA*) A.23
——, Effects of dexamethasone on release of endotoxin and cytokines during hypothermic cardiopulmonary bypass, HÖCHE, A., *et al.*, (*EACTA*) A.24
——, ORG 21465, a new water-soluble steroid hypnotic: more of the same or something different? SEAR, J. W., (*E*) 417–419
Anaesthetics i.v., sufentanil, Induction of anaesthesia with sufentanil is associated with blood volume redistribution, SPIEGEL, T.v., *et al.*, (*EACTA*) A.3
Anaesthetics i.v., thiopentone, Hypnotic effect of i.v. thiopentone is enhanced by i.m. administration of either lignocaine or bupivacaine, TVERSKOY, M., *et al.* 798–800
——, Pharmacodynamics of thiopentone: nocifensive reflex threshold changes correlate with hippocampal electroencephalography, ARCHER, D. P., *et al.* 744–749
——, Time-frequency spectral analysis of heart rate variability during induction of general anaesthesia, HUANG, H.-H., *et al.* 754–758
Anaesthetics local, Local anaesthetic agents inhibit [^{3}H]noradrenaline uptake into SH–SY5Y human neuroblastoma cells, JOYCE, P. I., *et al.*, (*ARS*) 677P
——, Pre-emptive analgesia using local anaesthesia: a study in bilaterally symmetrical surgery, CAMPBELL, W. I., *et al.* 657–659
Anaesthetics local, amethocaine, Studies on the binding of amethocaine to rat cerebrocortical membranes, KUDO, T., *et al.* 521–524
Anaesthetics local, bupivacaine, Caudal tramadol for postoperative analgesia in paediatric hypospadias surgery, PROSSER, D. P., *et al.* 293–296
——, Does the addition of clonidine affect duration of analgesia of bupivacaine wound infiltration in inguinal hernia surgery? ELLIOTT, S., *et al.* 446–449
——, Effects of volume on spinal anaesthesia with 0.25% hyperbaric bupivacaine, KING, H.-K., (*C*) 262
——, Hypnotic effect of i.v. thiopentone is enhanced by i.m. administration of either lignocaine or bupivacaine, TVERSKOY, M., *et al.* 798–800
——, Knee–chest *vs* horizontal side position during induction of spinal anaesthesia in patients undergoing lumbar disc surgery, LAAKSO, E., *et al.* 609–611
——, Pharmacokinetic and clinical study of ropivacaine and bupivacaine in women receiving extradural analgesia in labour, MCCRAE, A. F., *et al.* 558–562
——, Serum concentrations of bupivacaine during prolonged continuous paravertebral infusion in young infants, CHEUNG, S. L. W., *et al.* 9–13
——, Transient neurological symptoms after spinal anaesthesia with 4% mepivacaine and 0.5% bupivacaine, HILLER, A., *et al.* 301–305
Anaesthetics local, lignocaine, Hypnotic effect of i.v. thiopentone is enhanced by i.m. administration of either lignocaine or bupivacaine, TVERSKOY, M., *et al.* 798–800
——, Transient radicular irritation after spinal anaesthesia with 2% isobaric lignocaine, RAMASAMY, D., *et al.* 394–395
Anaesthetics local, mepivacaine, Transient neurological symptoms after spinal anaesthesia with 4% mepivacaine and 0.5% bupivacaine, HILLER, A., *et al.* 301–305
Anaesthetics local, prilocaine, Interactions between mivacurium and prilocaine, TORRANCE, J. MCK., *et al.*, (*C*) 262
——, Interactions between mivacurium and prilocaine, WILDSMITH, J. A. W., (*C*) 262
——, I.v. regional anaesthesia. Comparison of 0.25% prilocaine with or without 5% dextrose, MAKIN, A., *et al.*, (*ARS*) 687P
Anaesthetics local, ropivacaine, Pharmacokinetic and clinical study of ropivacaine and bupivacaine in women receiving extradural analgesia in labour, MCCRAE, A. F., *et al.* 558–562
——, Ropivacaine 0.75% for extradural anaesthesia in elective Caesarean section: an open clinical and pharmacokinetic study in mother and neonate, MORTON, C. P. J., *et al.* 3–8
——, Ropivacaine test dose in extradural anaesthesia, DRESNER, M., *et al.*, (*C*) 813
——, Ropivacaine test dose in extradural anaesthesia, MORTON, C. P. J., *et al.*, (*C*) 813
Anaesthetics volatile, Effects of low-dose isoflurane on contrast-sensitivity in volunteers, TAYLOR, S. R. J., *et al.*, (*ARS*) 674–675P
——, Effects of low-dose isoflurane on inhibition of saccadic eye movement, KHAN, O. A., *et al.*, (*ARS*) 675P
——, Enhanced choline acetyltransferase activity does not explain the action of inhaled convulsants, GRIFFITHS, R., *et al.* 389–391
Anaesthetics volatile, chloroform, Clinical evidence for delayed chloroform poisoning, THORPE, C. M., *et al.* 402–409
Anaesthetics volatile, desflurane, Desflurane *vs* isoflurane in liver transplantation: a comparison of outcomes, O'BEIRNE, H. A., *et al.*, (*ARS*) 132P
——, Effect of temperature on the solubility of desflurane, sevoflurane, enflurane and halothane in blood, LOCKWOOD, G. G., *et al.* 517–520
——, MAC values of mixtures, FASSOULAKI, A., (*C*) 410
——, MAC values of mixtures, SHARPE, R. M., *et al.*, (*C*) 410–411
Anaesthetics volatile, enflurane, Effect of temperature on the solubility of desflurane, sevoflurane, enflurane and halothane in blood, LOCKWOOD, G. G., *et al.* 517–520
——, Effects of volatile anaesthetics on spontaneous action potential firing of cerebellar Purkinje cells *in vitro* do not follow the Meyer–Overton rule, ANTKOWIAK, B., *et al.* 617–624
——, Quantitative study of Lowe's square-root-of-time method of closed-system anaesthesia, COUTO DA SILVA, J. M., *et al.* 103–112
——, Repeated enflurane anaesthetics and model predictions: a study of the variability in the predictive performance measures, VERMEULEN, P. M., *et al.* 488–496
Anaesthetics volatile, halothane, Comparison between halothane and sevoflurane for adult vital capacity induction, HALL, J. E., *et al.* 285–288
——, Comparison of sevoflurane and halothane for outpatient dental anaesthesia in children, PARIS, S. T., *et al.* 280–284
——, Dose-dependent effects of halothane on contraction of rat ventricular myocytes, DAVIES, L. A., *et al.*, (*ARS*) 135P
——, Effect of halothane on K^+ and carbachol stimulated noradrenaline release and increased $_i$ in SH-SY5Y human neuroblastoma cells, ATCHESON, R., *et al.* 78–83
——, Effect of temperature on the solubility of desflurane, sevoflurane, enflurane and halothane in blood, LOCKWOOD, G. G., *et al.* 517–520
——, Effects of volatile anaesthetics on spontaneous action potential firing of cerebellar Purkinje cells *in vitro* do not follow the Meyer–Overton rule, ANTKOWIAK, B., *et al.* 617–624
——, Halothane decreases K^+ evoked glutamate release from rat cerebrocortical slices, NICOL, B., *et al.*, (*ARS*) 140P
——, Halothane reduces reperfusion injury after regional ischaemia in the rabbit heart *in vivo*, SCHLACK, W., *et al.* 88–96
——, Quantitative study of Lowe's square-root-of-time method of closed-system anaesthesia, COUTO DA SILVA, J. M., *et al.* 103–112
——, Sevoflurane or halothane for paediatric endoscopy, PLOWMAN, A., *et al.*, (*C*) 143–144
Anaesthetics volatile, isoflurane, Beneficial effect of concomitant administration of isoflurane and nicorandil, PIRIOU, V., *et al.* 68–77
——, Comparison of isoflurane with propofol on respiratory cilia, RAPHAEL, J. H., *et al.* 473–475
——, Comparison of propofol-fentanyl and isoflurane-fentanyl anaesthesia with transoesophageal echocardiography for coronary artery bypass graft surgery, NICOLAIDES, A., *et al.*, (*EACTA*) A.45
——, Comparison of the effects of isoflurane with those of propofol on pulmonary vascular impedance in experimental embolic pulmonary hypertension, EWALENKO, P., *et al.* 625–630
——, Effect of domperidone on the ventilatory response to transient hyperoxia in patients anaesthetized with isoflurane, FOO, I. T., *et al.* 41–46
——, Effect of extradural analgesia on the paradoxical arousal response of the electroencephalogram, KIYAMA, S., *et al.* 750–753
——, Effects of volatile anaesthetics on spontaneous action potential firing of cerebellar Purkinje cells *in vitro* do not follow the Meyer–Overton rule, ANTKOWIAK, B., *et al.* 617–624
——, Emergence times from xenon anaesthesia are independent of the duration of anaesthesia, GOTO, T., *et al.* 595–599
——, Magnetic resonance spectroscopy of isoflurane kinetics in humans. Part I: elimination from the head, LOCKWOOD, G. G., *et al.* 581–585
——, Magnetic resonance spectroscopy of isoflurane kinetics in humans. Part II: functional localization, LOCKWOOD, G. G., *et al.* 586–589
——, Midlatency auditory evoked potentials and motor signs of

wakefulness during anaesthesia with midazolam, SCHWENDER, D., *et al.* 53–58
——, Quantitative study of Lowe's square-root-of-time method of closed-system anaesthesia, COUTO DA SILVA, J. M., *et al.* 103–112
——, Role of endothelium in the modulation of isoflurane-induced vasodilatation in rat thoracic aorta, KIRSTETTER, P., *et al.* 84–87
——, Time-frequency spectral analysis of heart rate variability during induction of general anaesthesia, HUANG, H.-H., *et al.* 754–758
Anaesthetics volatile, sevoflurane, Comparison between halothane and sevoflurane for adult vital capacity induction, HALL, J. E., *et al.* 285–288
——, Comparison of sevoflurane and halothane for outpatient dental anaesthesia in children, PARIS, S. T., *et al.* 280–284
——, Does nitrous oxide antagonize sevoflurane-induced hypnosis? KATOH, T., *et al.* 465–468
——, Effect of incremental doses of sevoflurane on cerebral pressure autoregulation in humans, GUPTA, S., *et al.* 469–472
——, Effect of sevoflurane on spontaneous sympathetic activity and baroreflexes in rabbits, MA, D., *et al.*, (*ARS*) 141–142P
——, Effect of temperature on the solubility of desflurane, sevoflurane, enflurane and halothane in blood, LOCKWOOD, G. G., *et al.* 517–520
——, Emergence times from xenon anaesthesia are independent of the duration of anaesthesia, GOTO, T., *et al.* 595–599
——, Environmental monitoring during gaseous induction with sevoflurane, HALL, J. E., *et al.* 342–345
——, Influence of sevoflurane on cerebral metabolism, blood flow and CO_2-reactivity, MIELCK, F., *et al.*, (*EACTA*) A.6
——, Partly exhausted soda lime or soda lime with water added, inhibits the increase in compound A concentration in the circle system during low-flow sevoflurane anaesthesia, MORIWAKI, G., *et al.* 782–786
——, Sevoflurane for difficult tracheal intubation, MOSTAFA, S. M., *et al.* 392–393
——, Sevoflurane or halothane for paediatric endoscopy, PLOWMAN, A., *et al.*, (*C*) 143–144
——, The effects of sevoflurane on regional myocardial blood flow and metabolism, when used to control intraoperative hypertension in patients undergoing coronary artery bypass grafting, KIRNÖ, K., *et al.*, (*EACTA*) A.5
Anaesthetist, human error, Catalogue of human error, ARNSTEIN, F. 645–656
Anaesthetist, performance, Effect of music on the psychomotor performance of anaesthetists, HAWKSWORTH, C. R. E., *et al.*, (*ARS*) 139P
Anaesthetist, training, Anaesthesia and the competence revolution, GREAVES, J. D., (*E*) 555–557
——, Simulated anaesthetic emergencies, BYRNE, A. J., *et al.*, (*C*) 690–691
——, Simulated anaesthetic emergencies, GABA, D. M., *et al.*, (*C*) 689–690
——, Simulated anaesthetic emergencies, KURREK, M., *et al.*, (*C*) 689
Analgesia, obstetric, Lateral positioning for regional analgesia during labour, KINSELLA, S. M., (*C*) 260–261
——, Lateral positioning for regional analgesia during labour, RICHARDSON, M. G., *et al.*, (*C*) 261–262
——, Pharmacokinetic and clinical study of ropivacaine and bupivacaine in women receiving extradural analgesia in labour, MCCRAE, A. F., *et al.* 558–562
——, "Walking extradurals" in labour: a step forward? ELTON, C. D., *et al.*, (*E*) 551–554
Analgesia, paediatric, Caudal tramadol for postoperative analgesia in paediatric hypospadias surgery, PROSSER, D. P., *et al.* 293–296
Analgesia, patient-controlled, Preoperative education reduces side effects when patient-controlled analgesia is used, GRIFFIN, M. J., *et al.*, (*ARS*) 138P
Analgesia, postoperative, Intra-articular morphine and clonidine produce comparable analgesia but the combination is not more effective, GENTILI, M., *et al.* 660–661
——, Tramadol for post operative analgesia in coronary artery bypass graft surgery, MANJI, M., *et al.*, (*EACTA*) A.87
Analgesia, pre-emptive, Comparison of perioperative ketoprofen 2.0 mg kg^{-1} with 0.5 mg kg^{-1} i.v. in small children during adenoidectomy, NIKANNE, E., *et al.* 606–608
——, Pre-emptive analgesia using local anaesthesia: a study in bilaterally symmetrical surgery, CAMPBELL, W. I., *et al.* 657–659
Analgesic techniques, extradural, Caudal tramadol for postoperative analgesia in paediatric hypospadias surgery, PROSSER, D. P., *et al.* 293–296
——, Extradural buprenorphine suppresses breast feeding after Caesarean section, HIROSE, M., *et al.* 120–121
——, Lateral positioning for regional analgesia during labour, KINSELLA, S. M., (*C*) 260–261
——, Lateral positioning for regional analgesia during labour, RICHARDSON, M. G., *et al.*, (*C*) 261–262
——, Pharmacokinetic and clinical study of ropivacaine and bupivacaine in women receiving extradural analgesia in labour, MCCRAE, A. F., *et al.* 558–562
——, "Walking extradurals" in labour: a step forward? ELTON, C. D., *et al.*, (*E*) 551–554
Analgesic techniques, regional, i.a., Intra-articular morphine and clonidine produce comparable analgesia but the combination is not more effective, GENTILI, M., *et al.* 660–661
Analgesics anti-inflammatory, steroid, Pain after laparoscopy, ALEXANDER, J. I. 369–378
Analgesics non-opioid, ketoprofen, Comparison of perioperative ketoprofen 2.0 mg kg^{-1} with 0.5 mg kg^{-1} i.v. in small children during adenoidectomy, NIKANNE, E., *et al.* 606–608
Analgesics opioid, Effects of nalbuphine, pentazocine and U50488H on gastric emptying and gastrointestinal transit in the rat, ASAI, T., *et al.*, (*ARS*) 676P
——, Opioid systems and the newborn, MARSH, D. F., *et al.* 787–795
Analgesics opioid, alfentanil, Bolus doses of alfentanil prevent the increase in Pa amplitude associated with intubation in a dose-dependent manner, SHINNER, G., *et al.*, (*ARS*) 137–138P
——, Comparison between alfentanil, pethidine and placebo in the treatment of post-anaesthetic shivering, WRENCH, I. J., *et al.* 541–542
——, Effect of methohexitone and propofol with or without alfentanil on seizure duration and recovery in electroconvulsive therapy, NGUYEN, T. T., *et al.* 801–803
——, Effects of alfentanil on cerebral haemodynamics in an experimental model of traumatic brain injury, SOUTER, M. J., *et al.* 97–102
——, Rapid tracheal intubation with propofol, alfentanil and a standard dose of vecuronium, GROENER, R., *et al.* 384–385
Analgesics opioid, buprenorphine, Extradural buprenorphine suppresses breast feeding after Caesarean section, HIROSE, M., *et al.* 120–121
Analgesics opioid, fentanyl, I.v. fentanyl decreases the clearance of midazolam, HASE, I., *et al.* 740–743
——, Synergistic effect of fentanyl and midazolam on phrenic nerve activity in rabbits, MA, D., *et al.*, (*ARS*) 686–687P
Analgesics opioid, morphine, Intra-articular morphine and clonidine produce comparable analgesia but the combination is not more effective, GENTILI, M., *et al.* 660–661
——, Pharmacokinetics of controlled release morphine (MST) in patients with liver cirrhosis, KOTB, H. I. M., *et al.* 804–806
Analgesics opioid, pethidine, Comparison between alfentanil, pethidine and placebo in the treatment of post-anaesthetic shivering, WRENCH, I. J., *et al.* 541–542
Analgesics opioid, remifentanil, Effect of temperature and cardiopulmonary bypass on the pharmacokinetics of remifentanil, RUSSELL, D., *et al.* 456–459
——, The effects of remifentanil on systemic and cerebral haemodynamics in patients undergoing cardiac surgery, SCHOLZ, J., *et al.*, (*EACTA*) A.7
Analgesics opioid, sufentanil, Differential effects of nitrous oxide and propofol on myogenic transcranial motor evoked responses during sufentanil anaesthesia, UBAGS, L. H., *et al.* 590–594
Analgesics opioid, tramadol, Actions of tramadol, its enantiomers and principal metabolite, O-desmethyltramadol, on serotonin (5-HT) efflux and uptake in the rat dorsal raphe nucleus, BAMIGBADE, T. A., *et al.* 352–356
——, Caudal tramadol for postoperative analgesia in paediatric hypospadias surgery, PROSSER, D. P., *et al.* 293–296
——, Tramadol for post operative analgesia in coronary artery bypass graft surgery, MANJI, M., *et al.*, (*EACTA*) A.87
Anatomy, extradural space, Magnetic resonance imaging of the extradural space of the thoracic spine, HIRABAYASHI, Y., *et al.* 563–566
Anesthesia and Perioperative Care of the Combat Casualty, ZAJCHUK, R., *et al.*, (editors), (*R*) 412–413
Antagonists opioid, naloxone, Naloxone inhibits gastric emptying but not gastrointestinal transit in the rat, ASAI, T., *et al.*, (*ARS*) 133P
Antibiotics, cefodizime, Antibiotic prophylaxis with cefodizime in patients with CABG-operations, BARTUNEK, A., *et al.*, (*EACTA*) A.62
Applied Cardiovascular Physiology. (*Update in Intensive Care*

and Emergency Medicine Series), PINSKY, M. R., (editor), (*R*) 549

Arterial pressure, Comparison of clevidipine and nifedipine onisolated rat pulmonary artery and thoracic aorta, VUYLSTEKE, A., *et al.*, (*EACTA*) A.11

——, Different influences of long-term ace inhibitor treatment for norepinephrine support during cardiac surgery, SZEKELY, A., *et al.*, (*EACTA*) A.15

——, Haemodynamic response to angiotensin in patients treated with angiotensin converting enzyme inhibitors, BENNETT, S. R., *et al.*, (*EACTA*) A.13

——, Plasma bradykinin during cardiopulmonary bypass and the effect of angiotensin converting enzyme inhibition, MACLAREN, A. J., *et al.*, (*EACTA*) A.17

——, Preoperative ACE inhibition and vasoconstrictor requirements post cardiopulmonary bypass, MANJI, M., *et al.*, (*EACTA*) A.14

——, Rebound pulmonary vasoconstriction and desaturation on withdrawal of nitric oxide in infants after cardiac surgery, KNAPIK, P., *et al.*, (*EACTA*) A.94

——, The effects of sevoflurane on regional myocardial blood flow and metabolism, when used to control intraoperative hypertension in patients undergoing coronary artery bypass grafting, KIRNÖ, K., *et al.*, (*EACTA*) A.5

Ataractics, antidepressants, imipramine, Imipramine poisoning in an animal model-treatment with single cardiopulmonary bypass support or additional rein-haemoperfusion? SCHMIDT, W., *et al.*, (*EACTA*) A.64

Basic life support, Basic life support, HANDLEY, A. J. 151–158

Blood, Crystalloid vs. blood cardioplegia: a comparison of myocardial markers, BALOGH, D., *et al.*, (*EACTA*) A.26

——, Plasma antifibrinolytic activity after injections of two dosages of tranexamic acid, ISETTA, C., *et al.*, (*EACTA*) A.69

Blood, anticoagulants, aprotinin, A single dose of aprotinin or tranexamic acid in CPB priming reduces blood loss in primary cardiac surgery for coronary disease, RUSCHI, S., *et al.*, (*EACTA*) A.67

——, Platelet effects of aprotinin and tranexamic acid, AMMAR, T., *et al.*, (*EACTA*) A.68

Blood, anticoagulants, heparin, Effects of preoperative i.v. heparin in coronary artery bypass grafting, COLLARD, E., *et al.*, (*EACTA*) A.65

Blood, anticoagulants, transexamic acid, A single dose of aprotinin or tranexamic acid in CPB priming reduces blood loss in primary cardiac surgery for coronary disease, RUSCHI, S., *et al.*, (*EACTA*) A.67

——, Platelet effects of aprotinin and tranexamic acid, AMMAR, T., *et al.*, (*EACTA*) A.68

Blood, coagulation, Analysis of fibrinolysis during coronary artery surgery, DECOENE, C., *et al.*, (*EACTA*) A.66

——, Comparison of extradural and general anaesthesia on the fibrinolytic response to total knee arthroplasty, SHARROCK, N. E., *et al.* 29–34

——, Influence of postoperative activated clotting time (ACT) on re-operations for bleeding after cardiac surgery, SZABO, Z., *et al.*, (*EACTA*) A.72

——, Platelet function is inhibited by nitric oxide liberation during nitroglycerin-induced hypotension anaesthesia, AOKI, H., *et al.* 476–481

——, Thrombin generation and protein C activation in cardiac surgery patients, WELTERS, I., *et al.*, (*EACTA*) A.22

Blood, dynamics, Haemodynamic effects of celiprolol and sotalol after coronary artery bypass grafting, FOUBERT, L., *et al.*, (*EACTA*) A.90

——, Inhaled nitric oxide during anaesthesia for lung transplant, DELLA ROCCA, G., *et al.*, (*EACTA*) A.77

Blood, flow, Blood flow and mivacurium-induced neuromuscular block at the orbicularis oculi and adductor pollicis muscles, ABDULATIF, M., *et al.* 24–28

——, Cerebral haemodynamic effects of intra-aortic balloon counterpulsation, WEYLAND, A., *et al.*, (*EACTA*) A.53

——, Hepatic venous blood flow measured with retrograde thermodilution technique, CHRISTIANSEN, C. L., *et al.*, (*EACTA*) A.55

——, Quality control of carotid artery thrombendarterectomy by intraoperative transit time flow and resistance measurements, WALPOTH, B. H., *et al.*, (*EACTA*) A.37

——, Reperfusion after supracoeliac aortic cross-clamping in a rat model: Effects of dopexamine on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, WU, X., *et al.*, (*EACTA*) A.49

Blood, haemodilution, Acute normovolaemic haemodilution decreases postoperative allogeneic blood transfusion after total knee replacement, OLSFANGER, D., *et al.* 317–321

——, Effect of haemoglobin concentration on brain oxygenation in focal stoke: a mathematical modelling study, DEXTER, F., *et al.* 346–351

——, Plasma dilution and the rate of infusion of Ringer's solution, HAHN, R. G., *et al.* 64–67

Blood, haemodynamics, Awake or asleep pulmonary artery catheter insertion? A comparison of catecholamine and haemodynamic responses, O'CONNOR, P. J., *et al.*, (*EACTA*) A.31

——, Effects of fentanyl-midazolam anaesthesia on intrathoracic and total blood volume, BUHRE, W., *et al.*, (*EACTA*) A.4

——, Effects of R97399, a new PDE III inhibitor in patients with ischaemic heart disease, VERBORGH, C., *et al.*, (*EACTA*) A.10

——, Induction of anaesthesia with sufentanil is associated with blood volume redistribution, SPIEGEL, T.V., *et al.*, (*EACTA*) A.3

——, Intravenous clonidine administration during CPB: effects on haemodynamic parameters and extubation time, ABAY, G., *et al.*, (*EACTA*) A.8

——, The effects of remifentanil on systemic and cerebral haemodynamics in patients undergoing cardiac surgery, SCHOLZ, J., *et al.*, (*EACTA*) A.7

Blood, haemoglobin, Effect of haemoglobin concentration on brain oxygenation in focal stoke: a mathematical modelling study, DEXTER, F., *et al.* 346–351

Blood, haemolysis, Haemolysis after etomidate: comparison of propylene glycol and lipid formulations, DOENICKE, A., *et al.* 386–388

Blood, haemoperfusion, Imipramine poisoning in an animal model-treatment with single cardiopulmonary bypass support or additional rein-haemoperfusion? SCHMIDT, W., *et al.*, (*EACTA*) A.64

Blood, loss, Influence of postoperative activated clotting time (ACT) on re-operations for bleeding after cardiac surgery, SZABO, Z., *et al.*, (*EACTA*) A.72

Blood, platelets, Can albumin reduce platelet damage during extracorporeal circulation? WELTERS, I., *et al.*, (*EACTA*) A.71

——, Platelet effects of aprotinin and tranexamic acid, AMMAR, T., *et al.*, (*EACTA*) A.68

——, Platelet function is inhibited by nitric oxide liberation during nitroglycerin-induced hypotension anaesthesia, AOKI, H., *et al.* 476–481

Blood, salvage, Autotransfusion in major orthopaedic surgery: experience with 1785 patients, BORGHI, B., *et al.* 662–664

Blood, transfusion, Acute normovolaemic haemodilution decreases postoperative allogeneic blood transfusion after total knee replacement, OLSFANGER, D., *et al.* 317–321

——, Autotransfusion in major orthopaedic surgery: experience with 1785 patients, BORGHI, B., *et al.* 662–664

Blood, volume, Effects of fentanyl-midazolam anaesthesia on intrathoracic and total blood volume, BUHRE, W., *et al.*, (*EACTA*) A.4

——, Induction of anaesthesia with sufentanil is associated with blood volume redistribution, SPIEGEL, T.V., *et al.*, (*EACTA*) A.3

——, Total blood volume, central blood volume, and extravascular lung water in children and adults, WIETASCH, G., *et al.*, (*EACTA*) A.59

Book Reviews

1997 Yearbook of Intensive Care and Emergency Medicine, VINCENT, J. L., (editor), (*R*) 693

Anaesthesia and Resuscitation, JONES, R. D. M., *et al.*, (editors), (*R*) 819

Anaesthetic Physiology and Pharmacology, MCCAUGHEY, W., *et al.*, (editors), (*R*) 820

Anesthesia and Perioperative Care of the Combat Casualty, ZAJCHUK, R., *et al.*, (editors), (*R*) 412–413

Applied Cardiovascular Physiology. (*Update in Intensive Care and Emergency Medicine Series*), PINSKY, M. R., (editor), (*R*) 549

Cambridge Textbook of Accident and Emergency Medicine, SKINNER, D., *et al.*, (editors), (*R*) 147

Cardiac Anaesthesia: A Practical Handbook, HWANG, N. C., *et al.*, (*R*) 819–820

Clinical Anaesthesia, GWINUTT, C. L., (*R*) 412

Critical Care, 3rd Edn, CIVETTA, J. M., *et al.*, (editors), (*R*) 265

Critical Care Medicine: Perioperative Management, MURRAY, M., *et al.*, (editors), (*R*) 267

Essentials of Pediatric Intensive Care, 2nd Edn, LEVIN, D. L., *et al.*, (editors), (*R*) 818–819

Handbook of Critical Care, 2nd Edn. KIRBY, R. R., *et al.*, (editors), (*R*) 147

Hyperthermic and Hypermetabolic Disorders, HOPKINS, P. M., *et al.*, (editors), (*R*) 266

Intensive Care Manual, 4th Edn, OH, T. E., (editor), (*R*) 266–267

Manual of Acute Pain Management in Children, McKenzie, I., *et al.*, (editors), (*R*) 819
Manual of Drug Interactions for Anesthesiology, 3rd Edn, Mueller, R. A., *et al.*, (*R*) 265
MCQs and OSCEs for the Primary FRCA, Doyle, E., *et al.*, (*R*) 818
Methods in Molecular Biology, volume 83: Receptor Signal Transduction Protocols, Challis, R. A. J., (editor), (*R*) 818
Pain Management for the Practising Physician, Irving, G. A., *et al.*, (*R*) 265–266
Positioning in Anesthesia and Surgery, 3rd Edn, Martin, J. T., *et al.*, (editors), (*R*) 693
Practical Anaesthesia and Analgesia for Day Surgery, Millar, J. M., *et al.*, (*R*) 818
Practical Obstetric Anesthesia, Dewan, D. M., *et al.*, (editors), (*R*) 147
Principles and Practice of Pharmacology for Anaesthetists, 3rd Edn, Calvey, T. N., *et al.*, (*R*) 549
Rapid Sequence Review of Anaesthesiology with Time-limited Pressure, Chee, W. K., (*R*) 820
Stabilisation and Transport of the Critically Ill, Morton, N. S., *et al.*, (editors), (*R*) 267
Textbook of Neuroanesthesia with Neurosurgical and Neuroscience Perspectives, Albin, M. S., (editor), (*R*) 412
The Pulmonary Artery Catheter in Critical Care—A Concise Handbook, Perret, C., *et al.*, (*R*) 266
The Pulmonary Circulation: Moving From Passive to Active Control, Pinsky, M. R., *et al.*, (editors), (*R*) 266
Thrombopoiesis and Thrombopoietins: Molecular, Cellular, Preclinical and Clinical Biology, Kuter, D. J., *et al.*, (editors), (*R*) 413
Brain, Cardiopulmonary bypass in a patient with Moyamoya disease, Wang, N., *et al.*, (*EACTA*) A.63
——, Cerebral haemodynamic effects of intra-aortic balloon counterpulsation, Weyland, A., *et al.*, (*EACTA*) A.53
——, Comparison of midazolam and propofol effects on cerebral metabolism during cardiopulmonary bypass, Sözer, A., *et al.*, (*EACTA*) A.52
——, Influence of sevoflurane on cerebral metabolism, blood flow and CO_2-reactivity, Mielck, F., *et al.*, (*EACTA*) A.6
——, Near-infrared spectroscopy for testing cerebral CO_2 reactivity, Kraus, B., *et al.*, (*EACTA*) A.34
——, Significance of regional cerebral oxygen saturation (rSO_2) during open heart surgery, Papadimitriou, L., *et al.*, (*EACTA*) A.51
——, The effects of remifentanil on systemic and cerebral haemodynamics in patients undergoing cardiac surgery, Scholz, J., *et al.*, (*EACTA*) A.7
Brain, anaesthesia, molecular effects, Halothane decreases K^+ evoked glutamate release from rat cerebrocortical slices, Nicol, B., *et al.*, (*ARS*) 140P
Brain, autoregulation, Effect of 100% oxygen and 50% nitrous oxide on cerebral autoregulation as assessed by the transient hyperaemic response test, Girling, K. J., *et al.*, (*ARS*) 131P
Brain, blood flow, Effect of haemoglobin concentration on brain oxygenation in focal stoke: a mathematical modelling study, Dexter, F., *et al.* 346–351
——, Effect of incremental doses of sevoflurane on cerebral pressure autoregulation in humans, Gupta, S., *et al.* 469–472
——, Effects of alfentanil on cerebral haemodynamics in an experimental model of traumatic brain injury, Souter, M. J., *et al.* 97–102
Brain, cerebellum, Effects of volatile anaesthetics on spontaneous action potential firing of cerebellar Purkinje cells *in vitro* do not follow the Meyer–Overton rule, Antkowiak, B., *et al.* 617–624
Brain, cerebral cortex, Effects of ketamine and pentobarbitone on acetylcholine release from the rat frontal cortex *in vivo*, Kikuchi, T., *et al.* 128–130
Brain, convulsions, Effect of methohexitone and propofol with or without alfentanil on seizure duration and recovery in electroconvulsive therapy, Nguyen, T. T., *et al.* 801–803
Brain, evoked potentials, Differential effects of nitrous oxide and propofol on myogenic transcranial motor evoked responses during sufentanil anaesthesia, Ubags, L. H., *et al.* 590–594
——, MAC values of mixtures, Fassoulaki, A., (*C*) 410
——, MAC values of mixtures, Sharpe, R. M., *et al.*, (*C*) 410–411
——, Midlatency auditory evoked potentials and motor signs of wakefulness during anaesthesia with midazolam, Schwender, D., *et al.* 53–58
Brain, injury, Effects of alfentanil on cerebral haemodynamics in an experimental model of traumatic brain injury, Souter, M. J., *et al.* 97–102
Brain, intracranial pressure, Effects of alfentanil on cerebral haemodynamics in an experimental model of traumatic brain injury, Souter, M. J., *et al.* 97–102
Brain, ischaemia, Effect of haemoglobin concentration on brain oxygenation in focal stoke: a mathematical modelling study, Dexter, F., *et al.* 346–351
Brain, metabolism, Effect of haemoglobin concentration on brain oxygenation in focal stoke: a mathematical modelling study, Dexter, F., *et al.* 346–351
Brain, Purkinje neurones, Effects of volatile anaesthetics on spontaneous action potential firing of cerebellar Purkinje cells *in vitro* do not follow the Meyer–Overton rule, Antkowiak, B., *et al.* 617–624

Calcium channel block, clevidipine, Comparison of clevidipine and nifedipine onisolated rat pulmonary artery and thoracic aorta, Vuylsteke, A., *et al.*, (*EACTA*) A.11
——, Myocardial circulatory and metabolic effects of clevidipine after coronary artery bypass grafting (CABG), Kieler-Jensen, N., *et al.*, (*EACTA*) A.12
Calcium channel block, diltiazem, Evaluation of the effects of diltiazem on myocardial protection with troponin T in coronary artery bypass graft surgery, Aṗkar, F. Z., *et al.*, (*EACTA*) A.28
Calcium channel block, felodipine, Effect of felodipine on renal function and vasoactive hormones in infrarenal aortic surgery, de Lasson, L., *et al.* 719–725
Calcium channel block, nicardipine, Effects of nicardipine on gastric mucosal perfusion during cardiopulmonary bypass, Lemoine, E., *et al.*, (*EACTA*) A.54
Cambridge Textbook of Accident and Emergency Medicine, Skinner, D., *et al.*, (editors), (*R*) 147
Carbon dioxide, absorption, Partly exhausted soda lime or soda lime with water added, inhibits the increase in compound A concentration in the circle system during low-flow sevoflurane anaesthesia, Moriwaki, G., *et al.* 782–786
Carbon dioxide, measurement, Near-infrared spectroscopy for testing cerebral CO_2 reactivity, Kraus, B., *et al.*, (*EACTA*) A.34
Carbon dioxide, pneumoperitoneum, Pigs are not human, Lentschener, C., *et al.*, (*C*) 691–692
——, Pigs are not humans, Bazin, J. E., *et al.*, (*C*) 691
Cardiac Anaesthesia: A Practical Handbook, Hwang, N. C., *et al.*, (*R*) 819–820
Cardiorespiratory system, effects, Cardioventilatory coupling during anaesthesia, Galletly, D. C., *et al.* 35–40
——, Comparison of the effects of isoflurane with those of propofol on pulmonary vascular impedance in experimental embolic pulmonary hypertension, Ewalenko, P., *et al.* 625–630
Cardiovascular system, effects, Effects of magnesium sulphate on the cardiovascular system, coronary circulation and myocardial metabolism in anaesthetized dogs, Nakaigawa, Y., *et al.* 363–368
——, Pigs are not human, Lentschener, C., *et al.*, (*C*) 691–692
——, Pigs are not humans, Bazin, J. E., *et al.*, (*C*) 691
——, "Renal" dopamine, Girbes, A. R. J., *et al.*, (*C*) 263–264
——, "Renal" dopamine, Inglis, A., *et al.*, (*C*) 263
Cardiovascular system, responses, Changes in regulators of the circulation in patients undergoing lung surgery, Boldt, J., *et al.* 733–739
Cells, Effect of dexamethasone on oedema formation in patients undergoing coronary bypass surgery, Giannaris, S., *et al.*, (*EACTA*) A.23
——, Effects of dexamethasone on release of endotoxin and cytokines during hypothermic cardiopulmonary bypass, Höche, A., *et al.*, (*EACTA*) A.24
——, Relations between the phosphodiesterase III inhibitors and cytokines in open heart surgery, Taç, T., *et al.*, (*EACTA*) A.25
——, The proinflammatory cytokine IL-8 is increased after intubation, La†nigg, A., *et al.*, (*EACTA*) A.21
——, Thrombin generation and protein C activation in cardiac surgery patients, Welters, I., *et al.*, (*EACTA*) A.22
Children, Comparison of perioperative ketoprofen 2.0 mg kg^{-1} with 0.5 mg kg^{-1} i.v. in small children during adenoidectomy, Nikanne, E., *et al.* 606–608
——, Comparison of sevoflurane and halothane for outpatient dental anaesthesia in children, Paris, S. T., *et al.* 280–284
——, Continuous intra-arterial blood-gas monitoring in infants and children with cyanotic heart disease, Hatherill, M., *et al.* 665–667
——, Laryngeal mask airway and uncuffed trachael tubes are equally effective for low flow or closed system anaesthesia in children, Fröhlich, D., *et al.* 289–292
——, Paediatric and neonatal life support, Zideman, D. A. 178–187

Clinical Anaesthesia, GWINUTT, C. L., (*R*) 412
Complications, Normothermic perfusion: effects on postoperative multi-organ dysfunction, RANUCCI, M., *et al.*, (*EACTA*) A.85
Complications, anaemia, Effect of haemoglobin concentration on brain oxygenation in focal stoke: a mathematical modelling study, DEXTER, F., *et al.* 346–351
Complications, anaphylaxis, Intradermal compared with prick testing in the diagnosis of anaesthetic allergy, FISHER, M. McD, *et al.* 59–63
Complications, arrhythmia, Peri-arrest arrhythmias, CHAMBERLAIN, D. 198–202
Complications, asystole, Drugs in modern resuscitation, VINCENT, R. 188–197
Complications, atelectasis, Efficacy of a vital capacity manœuvre to prevent post-cardiopulmonary bypass atelectasis: An experimental study, MAGNUSSON, L., *et al.*, (*EACTA*) A.57
Complications, barotrauma, Anaesthesia for the surgery of emphysema, CONACHER, I. D. 530–538
Complications, brachial plexus injury, Prognosis of intraoperative brachial plexus injury: a review of 22 cases, BEN-DAVID, B., *et al.* 440–445
——, Subclavian aneurysm causing brachial plexus injury after removal of a subclavian catheter, WALDEN, F. M. 807–809
Complications, cardiac arrest, Advanced life support guidelines, ROBERTSON, C. E. 172–177
——, Aspects of resuscitation in trauma, NOLAN, J. P., *et al.* 226–240
——, Basic life support, HANDLEY, A. J. 151–158
——, Ethical aspects of resuscitation, MOHR, M., *et al.* 253–259
——, Fibrillation and defibrillation of the heart, BOSSAERT, L. L. 203–213
——, Management of the airway and ventilation during resuscitation, GABBOTT, D. A., *et al.* 159–171
——, Management of the airway and ventilation during resuscitation, RICHARDSON, C., (*C*) 814
——, Paediatric and neonatal life support, ZIDEMAN, D. A. 178–187
——, Peri-arrest arrhythmias, CHAMBERLAIN, D. 198–202
——, Resuscitation, BASKETT, P. J. F., *et al.*, (*E*) 149–150
——, Uniform reporting in resuscitation, DICK, W. F. 241–252
Complications, convulsions, Enhanced choline acetyltransferase activity does not explain the action of inhaled convulsants, GRIFFITHS, R., *et al.* 389–391
Complications, critical illness polyneuropathy, Predominant involvement of motor fibres in patients with critical illness polyneuropathy, HUND, E., (*C*) 548
——, Predominant involvement of motor fibres in patients with critical illness polyneuropathy, LATRONICO, N., *et al.*, (*C*) 547–548
Complications, deep vein thrombosis, Prophylaxis against deep vein thrombosis, ALLSOP, J. R., (*C*) 145
——, Prophylaxis against deep vein thrombosis, WHEATLEY, T. J., (*C*) 146
Complications, echinococcosis, A case of cardiac hydatidosis, LAGLERA, S., *et al.* 671–673
Complications, Eisenmenger's syndrome, Anaesthesia for laparoscopic cholecystectomy in a patient with Eisenmenger's syndrome, SAMMUT, M. S., *et al.* 810–812
Complications, emphysema, Anaesthesia for the surgery of emphysema, CONACHER, I. D. 530–538
Complications, haemolysis, Haemolysis after etomidate: comparison of propylene glycol and lipid formulations, DOENICKE, A., *et al.* 386–388
Complications, haemorrhage, Dopamine and intestinal mucosal tissue oxygenation in a porcine model of haemorrhage, GERMANN, R., *et al.* 357–362
Complications, head injury, Optimal brain tissue oxygenation during hyperventilation in patients with head injuries: measured by a mutliparameter sensor, GUPTA, S., *et al.*, (*ARS*) 680P
Complications, humidification, Predicting the moisture-conserving performance of breathing system filters with different anaesthetic breathing systems, WILKES, A. R., *et al.*, (*ARS*) 681–682P
Complications, hydatidosis, A case of cardiac hydatidosis, LAGLERA, S., *et al.* 671–673
Complications, hyperventilation, Optimal brain tissue oxygenation during hyperventilation in patients with head injuries: measured by a mutliparameter sensor, GUPTA, S., *et al.*, (*ARS*) 680P
Complications, hypoxia, Rebound pulmonary vasoconstriction and desaturation on withdrawal of nitric oxide in infants after cardiac surgery, KNAPIK, P., *et al.*, (*EACTA*) A.94
Complications, iron deficiency, Functional iron deficiency in orthotopic liver transplantation, DAVEY-QUINN, A., *et al.*, (*ARS*) 684–685P
Complications, magnesium depletion, Detection of arrhythmogenic cellular magnesium depletion in hip surgery patients, ZUCCALA, G., *et al.* 776–781
Complications, morbidity, Postoperative morbidity after coronary artery bypass graft surgery without cardiopulmonary bypass, COLLARD, E., *et al.*, (*EACTA*) A.86
Complications, Moyamoya disease, Cardiopulmonary bypass in a patient with Moyamoya disease, WANG, N., *et al.*, (*EACTA*) A.63
Complications, multi-system organ failure, *N*-acetylcysteine in multisystem organ failure, MOLNAR, Z., *et al.*, (*ARS*) 678P
Complications, muscular dystrophy, Dystrophin deficient *mdx* muscle is not prone to MH susceptibility: an *in vitro* study, MADER, N., *et al.* 125–127
Complications, neurological, Transient neurological symptoms after spinal anaesthesia with 4% mepivacaine and 0.5% bupivacaine, HILLER, A., *et al.* 301–305
Complications, obesity, Is severe obesity a risk factor for coronary surgery? RANUCCI, M., *et al.*, (*EACTA*) A.84
Complications, oedema, Effect of dexamethasone on oedema formation in patients undergoing coronary bypass surgery, GIANNARIS, S., *et al.*, (*EACTA*) A.23
——, Lung transplant oedema: Clinical characteristics and radiological assessment? KELLNER, J., *et al.*, (*EACTA*) A.81
——, Total blood volume, central blood volume, and extravascular lung water in children and adults, WIETASCH, G., *et al.*, (*EACTA*) A.59
Complications, overdose, "Ecstacy" and the anaesthetist, HALL, A. P., (*E*) 697–698
Complications, palmar hyperhidrosis, Thorascopic sympathectomy, FREDMAN, B., *et al.*, (*C*) 688
——, Thoracscopic sympathectomy, PARRY-JONES, A. J. D., (*C*) 688
——, Thorascopic sympathectomy in the treatment of palmar hyperhidrosis: anaesthetic implications, FREDMAN, B., *et al.* 113–119
Complications, postoperative, Respiratory complications associated with tracheal intubation and extubation, KOGA, K., *et al.*, (*ARS*) 681P
Complications, pulmonary hypertension, Results in five patients undergoing pulmonary thromboendarterectomy, MARCOS, R. C., *et al.*, (*EACTA*) A.80
Complications, reoperation, Influence of postoperative activated clotting time (ACT) on re-operations for bleeding after cardiac surgery, SZABO, Z., *et al.*, (*EACTA*) A.72
Complications, reperfusion syndrome, Intravenous magnesium does not modify ischaemia–reperfusion syndrome in orthotopic liver transplantation, SRINIVASA, R., *et al.*, (*ARS*) 686P
Complications, seizures, Effect of methohexitone and propofol with or without alfentanil on seizure duration and recovery in electroconvulsive therapy, NGUYEN, T. T., *et al.* 801–803
Complications, sepsis, Predominant involvement of motor fibres in patients with critical illness polyneuropathy, HUND, E., (*C*) 548
——, Predominant involvement of motor fibres in patients with critical illness polyneuropathy, LATRONICO, N., *et al.*, (*C*) 547–548
Complications, shivering, Comparison between alfentanil, pethidine and placebo in the treatment of post-anaesthetic shivering, WRENCH, I. J., *et al.* 541–542
Complications, stenosis, Unsuspected difficult intubation caused by a laryngeal web, CHONG, Z.-K., *et al.* 396–397
Complications, stress response, Clonidine and neuroendocrine stress response during lung surgery, NOVAK-JANKOVIĚ, V., *et al.*, (*EACTA*) A.9
Complications, subclavian aneurysm, Subclavian aneurysm causing brachial plexus injury after removal of a subclavian catheter, WALDEN, F. M. 807–809
Complications, thrombosis, Comparison of extradural and general anaesthesia on the fibrinolytic response to total knee arthroplasty, SHARROCK, N. E., *et al.* 29–34
Complications, transient radicular irritation, Transient radicular irritation after spinal anaesthesia with 2% isobaric lignocaine, RAMASAMY, D., *et al.* 394–395
Complications, trauma, Aspects of resuscitation in trauma, NOLAN, J. P., *et al.* 226–240
Complications, ventricular fibrillation, Drugs in modern resuscitation, VINCENT, R. 188–197
Computers, Preliminary survey into clinical attitudes to computer based decision support systems, BEATTY, P. C. W., (*ARS*) 140–141P
——, The expanding role of simulators in risk management, BYRNE, A. J., *et al.*, (*C*) 411
Critical Care, 3rd Edn, CIVETTA, J. M., *et al.*, (editors), (*R*) 265

Critical Care Medicine: Perioperative Management, MURRAY, M., *et al.*, (editors), (*R*) 267

Dog, Dissociation between the effect of nitrous oxide on spontaneous and reflexly evoked sympathetic activity in dogs, MA, D., *et al.* 525–529
——, Effects of magnesium sulphate on the cardiovascular system, coronary circulation and myocardial metabolism in anaesthetized dogs, NAKAIGAWA, Y., *et al.* 363–368
——, Overestimation of low cardiac output measured by thermodilution, TOURNADRE, J. P., *et al.* 514–516
Drowning, Immersion, near-drowining and drowning, GOLDEN, F. ST C., *et al.* 214–225

Embolism, pulmonary embolism, Comparison of the effects of isoflurane with those of propofol on pulmonary vascular impedance in experimental embolic pulmonary hypertension, EWALENKO, P., *et al.* 625–630
Enzymes, An analysis of myocardial ischaemia and serial cardiac troponin I measurements in patients undergoing CABG surgery, TUPPER-CAREY, D. A., *et al.*, (*EACTA*) A.29
——, Assessment of troponin-T for detection of clinical rejection after cardiac transplantation, WALPOTH, B. H., *et al.*, (*EACTA*) A.30
——, Cardiac troponin I release using different myocardial management strategies, BARANKAY, A., *et al.*, (*EACTA*) A.27
——, Evaluation of the effects of diltiazem on myocardial protection with troponin T in coronary artery bypass graft surgery, APKAR, F. Z., *et al.*, (*EACTA*) A.28
Enzymes, choline acetyltransferase, Enhanced choline acetyltransferase activity does not explain the action of inhaled convulsants, GRIFFITHS, R., *et al.* 389–391
Enzymes, cytochrome P450, I.v. fentanyl decreases the clearance of midazolam, HASE, I., *et al.* 740–743
Enzymes, inhibition, Different influences of long-term ace inhibitor treatment for norepinephrine support during cardiac surgery, SZEKELY, A., *et al.*, (*EACTA*) A.15
——, Effects of chronic angiotensin converting enzyme inhibition on renal function during cardiac surgery: the role of atrionatriuretic factor and prostanoids, SCHWEIZER, A., *et al.*, (*EACTA*) A.16
——, Haemodynamic response to angiotensin in patients treated with angiotensin converting enzyme inhibitors, BENNETT, S. R., *et al.*, (*EACTA*) A.13
——, Plasma bradykinin during cardiopulmonary bypass and the effect of angiotensin converting enzyme inhibition, MACLAREN, A. J., *et al.*, (*EACTA*) A.17
Enzymes, phosphodiesterase, inhibition, Effects of R97399, a new PDE III inhibitor in patients with ischaemic heart disease, VERBORGH, C., *et al.*, (*EACTA*) A.10
Enzymes, proteinase, Thrombin generation and protein C activation in cardiac surgery patients, WELTERS, I., *et al.*, (*EACTA*) A.22
Equipment, Evaluation of two "universal" nitric oxide delivery systems, MUR, D., *et al.*, (*EACTA*) A.92
Equipment, alarms, Influence of pulse oximeter lower alarm limit on the incidence of hypoxaemia in the recovery room, RHEINECK-LEYSSIUS, A. T., *et al.* 460–464
Equipment, anaesthesia machines, Laryngeal mask airway and uncuffed trachael tubes are equally effective for low flow or closed system anaesthesia in children, FRÖHLICH, D., *et al.* 289–292
Equipment, blood-gas monitors, Accuracy and clinical performance of a continuous intra-arterial blood-gas monitoring system during thoracoscopic surgery, ZOLLINGER, A., *et al.* 47–52
——, Continuous intra-arterial blood-gas monitoring, GRAYSTONE, S. J., (*C*) 815–816
——, Continuous intra-arterial blood-gas monitoring, VENKATESH, B., (*C*) 815
——, Continuous intra-arterial blood-gas monitoring, ZOLLINGER, A., *et al.*, (*C*) 816–817
Equipment, breathing systems, Estimation of cardiac output using the Maxima breathing system, MILLER, D. M., *et al.*, (*ARS*) 682–683P
——, Laboratory evaluation of the I-NOvent nitric oxide delivery device, YOUNG, J. D., *et al.* 398–401
——, Partly exhausted soda lime or soda lime with water added, inhibits the increase in compound A concentration in the circle system during low-flow sevoflurane anaesthesia, MORIWAKI, G., *et al.* 782–786
——, Repeated enflurane anaesthetics and model predictions: a study of the variability in the predictive performance measures, VERMEULEN, P. M., *et al.* 488–496
Equipment, catheters central venous, Subclavian aneurysm causing brachial plexus injury after removal of a subclavian catheter, WALDEN, F. M. 807–809
Equipment, catheters extradural, Comparison of single, end-holed and multi-orifice extradural catheters when used for continuous infusion of local anaesthetic during labour, DICKSON, M. A. S., *et al.* 297–300
——, Extradural catheter-related infections in patients with infected cutaneous wounds, BENGTSSON, M., *et al.* 668–670
Equipment, cuffs, tracheal, Lanz tube as alternative for ICU hyperbaric oxygen therapy, MOLNAR, Z., *et al.*, (*ARS*) 679–680P
Equipment, defibrillators, Fibrillation and defibrillation of the heart, BOSSAERT, L. L. 203–213
Equipment, filters, A survey of the practice of thoracic epidural analgesia in the United Kingdom, ROMER, H. C., *et al.*, (*EACTA*) A.89
Equipment, gas analysers, Continuous intra-arterial blood-gas monitoring in infants and children with cyanotic heart disease, HATHERILL, M., *et al.* 665–667
Equipment, heat–moisture exchangers, Predicting the moisture-conserving performance of breathing system filters with different anaesthetic breathing systems, WILKES, A. R., *et al.*, (*ARS*) 681–682P
Equipment, laryngeal masks, The laryngeal mask for fibreoptic bronchoscopy in children, MIZIKOV, V., *et al.*, (*EACTA*) A.73
Equipment, masks anaesthesia, Laryngeal mask airway and uncuffed trachael tubes are equally effective for low flow or closed system anaesthesia in children, FRÖHLICH, D., *et al.* 289–292
——, The intubating laryngeal mask airway: an initial assessment of performance, KAPILA, A., *et al.* 710–713
——, The intubating laryngeal mask. I: development of a new device for intubation of the trachea, BRAIN, A. I. J., *et al.* 699–703
——, The intubating laryngeal mask. II: a preliminary clinical report of a new means of intubating the trachea, BRAIN, A. I. J., *et al.* 704–709
Equipment, pulse oximeters, Influence of pulse oximeter lower alarm limit on the incidence of hypoxaemia in the recovery room, RHEINECK-LEYSSIUS, A. T., *et al.* 460–464
Equipment, scavenging devices, Inhaled nitric oxide, YOUNG, J. D., *et al.*, (*C*) 547
——, Reduction in nitrogen dioxide concentration by soda lime preparations during simulated nitric oxide inhalation, WEIMANN, J., *et al.* 641–644
Equipment, tubes tracheal, Obstruction of the lumen of a plastic 15-mm connector inserted into a cut paediatric tube—Is it possible to avoid this damage? PREIS, C. A., *et al.*, (*C*) 692
——, Thermal softening of tracheal tubes: an unrecognized hazard of the Bair Hugger active patient warming system, AYALA, J. L., *et al.* 543–545
——, Weaning: is the work of breathing via a tracheostomy tube similar to that via a tracheal tube? BAPAT, P. P., *et al.*, (*C*) 815
——, Weaning: is the work of breathing via a tracheostomy tube similar to that via a tracheal tube? KODAKAT, S. K., (*C*) 814–815
Equipment, tubes tracheostomy, Weaning: is the work of breathing via a tracheostomy tube similar to that via a tracheal tube? BAPAT, P. P., *et al.*, (*C*) 815
——, Weaning: is the work of breathing via a tracheostomy tube similar to that via a tracheal tube? KODAKAT, S. K., (*C*) 814–815
Equipment, valves, Improved intraoperative assessment of aortic stentless valves using transoeosophageal echocardiography, MORRIS, M. J., (*EACTA*) A.43
Equipment, warming blankets, Prevention of hypothermia by cutaneous warming with new electric blankets during abdominal surgery, CAMUS, Y., *et al.* 796–797
Equipment, warming devices, Heat retention using passive systems during anaesthesia: comparison of two plastic wraps, one with reflective properties, DEACOCK, S., *et al.* 766–769
——, Thermal softening of tracheal tubes: an unrecognized hazard of the Bair Hugger active patient warming system, AYALA, J. L., *et al.* 543–545
Errata, Converting pH and H^+: a "rule of thumb", BURDEN, R. J., *et al.*, (*e*) 413
Essentials of Pediatric Intensive Care, 2nd Edn, LEVIN, D. L., *et al.*, (editors), (*R*) 818–819
Ethics, Ethical aspects of resuscitation, MOHR, M., *et al.* 253–259
——, The future of ethical treatment, MOHR, M., *et al.*, (*C*) 817
——, The future of ethical treatment, SHIRLEY, P. J., (*C*) 817
Eye, intraocular pressure, Intraocular pressure and suxamethonium, EDMONDSON, L., (*C*) 146

Fluid balance, Plasma dilution and the rate of infusion of Ringer's solution, HAHN, R. G., *et al.* 64–67
Fluid therapy, Acute effect of mitral valve replacement on extravascular lung water in patients receiving colloid or crystalloid priming of cardiopulmonary bypass, BUHRE, W., *et al.* 311–316
——, Aspects of resuscitation in trauma, NOLAN, J. P., *et al.* 226–240
——, Plasma dilution and the rate of infusion of Ringer's solution, HAHN, R. G., *et al.* 64–67
Fluids, i.v., Plasma dilution and the rate of infusion of Ringer's solution, HAHN, R. G., *et al.* 64–67
Formulations, etomidate, Haemolysis after etomidate: comparison of propylene glycol and lipid formulations, DOENICKE, A., *et al.* 386–388
Formulations, morphine, Pharmacokinetics of controlled release morphine (MST) in patients with liver cirrhosis, KOTB, H. I. M., *et al.* 804–806

Gases, non-anaesthetic, argon, Quantitative assessment of inhomogeneity of myocardial blood flow by a single breath inert gas technique. A model study, KAZMAIER, S., *et al.*, (*EACTA*) A.33
Gases, non-anaesthetic, helium, Quantitative assessment of inhomogeneity of myocardial blood flow by a single breath inert gas technique. A model study, KAZMAIER, S., *et al.*, (*EACTA*) A.33
Gases non-anaesthetic, nitric oxide, Extra-pulmonary effects of inhaled nitric oxide in swine with and without phenylephrine, TRONCY, E., *et al.* 631–640
——, Inhaled nitric oxide, YOUNG, J. D., *et al.*, (*C*) 547
——, Platelet function is inhibited by nitric oxide liberation during nitroglycerin-induced hypotension anaesthesia, AOKI, H., *et al.* 476–481
——, Use of inhaled nitric oxide in the critically ill, CUTHBERTSON, B. H., *et al.*, (*C*) 814
——, Use of inhaled nitric oxide in the critically ill, WHITEHEAD, C. F., *et al.*, (*C*) 813–814
Gases non-anaesthetic, nitrogen dioxide, Reduction in nitrogen dioxide concentration by soda lime preparations during simulated nitric oxide inhalation, WEIMANN, J., *et al.* 641–644
Gastrointestinal tract, Reperfusion after supracoeliac aortic cross-clamping in a rat model: Effects of dopexamine on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, WU, X., *et al.*, (*EACTA*) A.49
——, Reperfusion after supracoeliac aortic cross-clamping in a rat model: effects of fluid-loading on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, WU, X., *et al.*, (*EACTA*) A.48
Gastrointestinal tract, emptying, Effects of nalbuphine, pentazocine and U50488H on gastric emptying and gastrointestinal transit in the rat, ASAI, T., *et al.*, (*ARS*) 676P
——, Interactive effects of morphine and dexmedetomidine on gastrointestinal transit and gastric emptying in the rat, ASAI, T., *et al.*, (*ARS*) 133P
——, Naloxone inhibits gastric emptying but not gastrointestinal transit in the rat, ASAI, T., *et al.*, (*ARS*) 133P
——, Ultrasonographic measurement of gastric emptying in volunteers: asessment of technique and effect of low-dose dopamine, GOLDHILL, D. R., *et al.*, (*ARS*) 136P
Gastrointestinal tract, mucosal oxygenation, Dopamine and intestinal mucosal tissue oxygenation in a porcine model of haemorrhage, GERMANN, R., *et al.* 357–362
Gastrointestinal tract, mucosal perfusion, Effects of nicardipine on gastric mucosal perfusion during cardiopulmonary bypass, LEMOINE, E., *et al.*, (*EACTA*) A.54
——, Gut mucosal perfusion in infants undergoing cardiopulmonary bypass: effect of preoperative captopril, BOOKER, P. D., *et al.* 14–18
Genetic factors, hyperthermia, Detection of a novel mutation at amino acid position 614 in the ryanodine receptor in malignant hyperthermia, QUANE, K. A., *et al.* 332–337
——, Genetic analysis reveals single recombinants in malignant hyperthermia, CURRAN, J. L., *et al.*, (*ARS*) 134P

Hamster, Effects of ketamine on cAMP formation in Chinese hamster ovary cells expressing recombinant opioid receptors, HIROTA, K., *et al.*, (*ARS*) 141P
Handbook of Critical Care, 2nd Edn., KIRBY, R. R., *et al.*, (editors), (*R*) 147
Heart, antiarrhythmics, Drugs in modern resuscitation, VINCENT, R. 188–197
Heart, arrhythmia, Changes in human coronary sinus blood flow and myocardial metabolism induced by ventricular fibrillation and defibrillation, RUNSIÖ, M., *et al.*, (*EACTA*) A.20
——, Comparison of midazolam and thiopental on arrhythmias in ischaemia and reperfusion conditions in isolated perfused rat hearts, SÜZER, Ö., *et al.*, (*EACTA*) A.1
——, Detection of arrhythmogenic cellular magnesium depletion in hip surgery patients, ZUCCALA, G., *et al.* 776–781
——, Peri-arrest arrhythmias, CHAMBERLAIN, D. 198–202
——, Predictors of atrial fibrillation in CABG surgery, SVEDJEHOLM, R., *et al.*, (*EACTA*) A.83
Heart, arrhythmia, fibrillation, Fibrillation and defibrillation of the heart, BOSSAERT, L. L. 203–213
Heart, cardiac output, Comparison of the accuracy of the lithium dilution technique with the thermodilution technique for measurement of cardiac output, KURITA, T., *et al.* 770–775
——, Overestimation of low cardiac output measured by thermodilution, TOURNADRE, J. P., *et al.* 514–516
——, Pulse contour cardiac output measurement corresponds better with standard dilution technique than continuous thermodilution technique after hypothermic bypass, BÖTTIGER, R. H., *et al.*, (*EACTA*) A.32
Heart, cardiopulmonary bypass, Acute effect of mitral valve replacement on extravascular lung water in patients receiving colloid or crystalloid priming of cardiopulmonary bypass, BUHRE, W., *et al.* 311–316
——, Assessment of a new ventricular contractile index obtained with transoesophageal echocardiography before and after cardiopulmonary bypass in cardiac surgical patients, KIKURA, M., *et al.* 759–765
——, Effect of temperature and cardiopulmonary bypass on the pharmacokinetics of remifentanil, RUSSELL, D., *et al.* 456–459
——, Effects of temperature on phrenic nerve and diaphragmatic function during cardiac surgery, MILLS, G. H., *et al.* 726–732
——, Gut mucosal perfusion in infants undergoing cardiopulmonary bypass: effect of preoperative captopril, BOOKER, P. D., *et al.* 14–18
——, Immersion, near-drowining and drowning, GOLDEN, F. ST C., *et al.* 214–225
Heart, congenital defects, Continuous intra-arterial blood-gas monitoring in infants and children with cyanotic heart disease, HATHERILL, M., *et al.* 665–667
Heart, contractility, Assessment of a new ventricular contractile index obtained with transoesophageal echocardiography before and after cardiopulmonary bypass in cardiac surgical patients, KIKURA, M., *et al.* 759–765
Heart, defibrillators, Advanced life support guidelines, ROBERTSON, C. E. 172–177
Heart, dobutamine, Perioperative transoesophageal echocardiography with low dose dobutamine: A feasible test for viability? PALMGREN, I., *et al.*, (*EACTA*) A.41
Heart, dopamine, Ultrasonographic measurement of gastric emptying in volunteers: asessment of technique and effect of low-dose dopamine, GOLDHILL, D. R., *et al.*, (*ARS*) 136P
Heart, heart rate, Cardioventilatory coupling during anaesthesia, GALLETLY, D. C., *et al.* 35–40
——, Time-frequency spectral analysis of heart rate variability during induction of general anaesthesia, HUANG, H.-H., *et al.* 754–758
Heart, ischaemia, An analysis of myocardial ischaemia and serial cardiac troponin I measurements in patients undergoing CABG surgery, TUPPER-CAREY, D. A., *et al.*, (*EACTA*) A.29
——, Halothane reduces reperfusion injury after regional ischaemia in the rabbit heart *in vivo*, SCHLACK, W., *et al.* 88–96
——, Impact of preoperative pulmonary vascular resistance and ischaemic time on the cardiovascular function after orthotopic heart transplantation, BERTOLISSI, M., *et al.*, (*EACTA*) A.61
——, Postoperative myocardial ischaemia and changes in indices of myocardial oxygen balance in patients undergoing CABG surgery, TUPPER-CAREY, D. A., *et al.*, (*EACTA*) A.36
——, Relationship between aortic cross clamp time and myocardial oxygen consumption during coronary artery bypass surgery (CABG), LANGENBERG, C. J. M., *et al.*, (*EACTA*) A.50
——, Reperfusion after supracoeliac aortic cross-clamping in a rat model: effects of fluid-loading on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, WU, X., *et al.*, (*EACTA*) A.48
——, Transport and surgical ischaemic times: Can they have a different influence on the cardiovascular function after

orthotopic heart transplantation? BERTOLISSI, M., *et al.*, (*EACTA*) A.60
——, Validity of acoustic quantification colour kinesis for detection of left ventricular regional wall motion abnormalites: a transoesophageal echocardiographic study, HARTMANN, T., *et al.* 482–487
Heart, metabolism, Effects of magnesium sulphate on the cardiovascular system, coronary circulation and myocardial metabolism in anaesthetized dogs, NAKAIGAWA, Y., *et al.* 363–368
Heart, myocardial function, An experimental model of chronic myocardial hibernation in sheep, RAEZ, R., *et al.*, (*EACTA*) A.47
——, Beneficial effect of concomitant administration of isoflurane and nicorandil, PIRIOU, V., *et al.* 68–77
——, Cardiac troponin I release using different myocardial management strategies, BARANKAY, A., *et al.*, (*EACTA*) A.27
——, Changes in human coronary sinus blood flow and myocardial metabolism induced by ventricular fibrillation and defibrillation, RUNSIÖ, M., *et al.*, (*EACTA*) A.20
——, Comparison of midazolam and thiopental on arrhythmias in ischaemia and reperfusion conditions in isolated perfused rat hearts, SÜZER, Ö., *et al.*, (*EACTA*) A.1
——, Crystalloid vs. blood cardioplegia: a comparison of myocardial markers, BALOGH, D., *et al.*, (*EACTA*) A.26
——, Doppler monitoring of diastolic left ventricular function does not increase the sensitivity of dobutamine stress echocardiography for detecting inducible demand ischaemia in anaesthetized patients, SEEBERGER, M. D., *et al.*, (*EACTA*) A.40
——, Evaluation of left ventricular function by load independent indicators, JOVIC, M., *et al.*, (*EACTA*) A.35
——, Halothane reduces reperfusion injury after regional ischaemia in the rabbit heart *in vivo*, SCHLACK, W., *et al.* 88–96
——, Left ventricular remodelling (Battista procedure): early postoperative care, VUK, LJ., *et al.*, (*EACTA*) A.96
——, Myocardial circulatory and metabolic effects of clevidipine after coronary artery bypass grafting (CABG), KIELER-JENSEN, N., *et al.*, (*EACTA*) A.12
——, Normal values for intraoperative left ventricular systolic and diastolic function as assessed by transoesophageal echocardiography, SKARVAN, K., *et al.*, (*EACTA*) A.39
——, Perioperative transoesophageal echocardiography with low dose dobutamine: A feasible test for viability? PALMGREN, I., *et al.*, (*EACTA*) A.41
——, Postoperative myocardial ischaemia and changes in indices of myocardial oxygen balance in patients undergoing CABG surgery, TUPPER-CAREY, D. A., *et al.*, (*EACTA*) A.36
——, Quantitative assessment of inhomogeneity of myocardial blood flow by a single breath inert gas technique. A model study, KAZMAIER, S., *et al.*, (*EACTA*) A.33
——, Relationship between aortic cross clamp time and myocardial oxygen consumption during coronary artery bypass surgery (CABG), LANGENBERG, C. J. M., *et al.*, (*EACTA*) A.50
——, Transoesophageal echocardiography of mitral and pulmonary venous flow as estimation of diastolic function, PITTARELLO, D., *et al.*, (*EACTA*) A.42
——, Transoesophageal echocardiography of the right ventricle in thoracic patients, MCMAHON, C. C., *et al.*, (*EACTA*) A.75
——, Validity of acoustic quantification colour kinesis for detection of left ventricular regional wall motion abnormalites: a transoesophageal echocardiographic study, HARTMANN, T., *et al.* 482–487
Heart, myocytes, Dose-dependent effects of halothane on contraction of rat ventricular myocytes, DAVIES, L. A., *et al.*, (*ARS*) 135P
Heart, nicorandil, Beneficial effect of concomitant administration of isoflurane and nicorandil, PIRIOU, V., *et al.* 68–77
Heart, reperfusion injury, Halothane reduces reperfusion injury after regional ischaemia in the rabbit heart *in vivo*, SCHLACK, W., *et al.* 88–96
Heart, resuscitation, Advanced life support guidelines, ROBERTSON, C. E. 172–177
——, Aspects of resuscitation in trauma, NOLAN, J. P., *et al.* 226–240
——, Basic life support, HANDLEY, A. J. 151–158
——, Drugs in modern resuscitation, VINCENT, R. 188–197
——, Ethical aspects of resuscitation, MOHR, M., *et al.* 253–259
——, Fibrillation and defibrillation of the heart, BOSSAERT, L. L. 203–213
——, Immersion, near-drowining and drowning, GOLDEN, F. ST C., *et al.* 214–225
——, Management of the airway and ventilation during resuscitation, GABBOTT, D. A., *et al.* 159–171
——, Management of the airway and ventilation during resuscitation, RICHARDSON, C., (*C*) 814
——, Paediatric and neonatal life support, ZIDEMAN, D. A. 178–187
——, Resuscitation, BASKETT, P. J. F., *et al.*, (*E*) 149–150
——, The future of ethical treatment, MOHR, M., *et al.*, (*C*) 817
——, The future of ethical treatment, SHIRLEY, P. J., (*C*) 817
——, Uniform reporting in resuscitation, DICK, W. F. 241–252
Heart, transplantation, Assessment of troponin-T for detection of clinical rejection after cardiac transplantation, WALPOTH, B. H., *et al.*, (*EACTA*) A.30
——, Impact of preoperative pulmonary vascular resistance and ischaemic time on the cardiovascular function after orthotopic heart transplantation, BERTOLISSI, M., *et al.*, (*EACTA*) A.61
——, Transport and surgical ischaemic times: Can they have a different influence on the cardiovascular function after orthotopic heart transplantation? BERTOLISSI, M., *et al.*, (*EACTA*) A.60
Heart, ventricles, Validity of acoustic quantification colour kinesis for detection of left ventricular regional wall motion abnormalites: a transoesophageal echocardiographic study, HARTMANN, T., *et al.* 482–487
History, anaesthesia, Clinical evidence for delayed chloroform poisoning, THORPE, C. M., *et al.* 402–409
——, So just who was James "Young" Simpson? RAE, S. M., *et al.*, (*E*) 271–273
History, chloroform, Clinical evidence for delayed chloroform poisoning, THORPE, C. M., *et al.* 402–409
History, Simpson, James Young, So just who was James "Young" Simpson? RAE, S. M., *et al.*, (*E*) 271–273
Hormones, adrenal, Effects of a single dose of etomidate on adreno-cortical function in the critically ill, ABSALOM, A. R., *et al.*, (*ARS*) 679P
Hormones, vasoactive, Effect of felodipine on renal function and vasoactive hormones in infrarenal aortic surgery, DE LASSON, L., *et al.* 719–725
Hyperthermia, Is there a difference in myofilament calcium sensitivity between malignant hyperthermia susceptible and normal skeletal muscle? ENRIGHT, S. M., *et al.*, (*ARS*) 685P
Hyperthermic and Hypermetabolic Disorders, HOPKINS, P. M., *et al.*, (editors), (*R*) 266
Hypnotics barbiturate, pentobarbitone, Effects of ketamine and pentobarbitone on acetylcholine release from the rat frontal cortex *in vivo*, KIKUCHI, T., *et al.* 128–130
——, Effects of magnesium sulphate on the cardiovascular system, coronary circulation and myocardial metabolism in anaesthetized dogs, NAKAIGAWA, Y., *et al.* 363–368
Hypnotics barbiturates, thiopental, Comparison of midazolam and thiopental on arrhythmias in ischaemia and reperfusion conditions in isolated perfused rat hearts, SÜZER, Ö., *et al.*, (*EACTA*) A.1
Hypnotics benzodiazepine, midazolam, I.v. fentanyl decreases the clearance of midazolam, HASE, I., *et al.* 740–743
——, Midazolam and propofol affect interleukin-8 release from human neutrophils at the post-translational level, GALLEY, H. F., *et al.*, (*ARS*) 678–679P
——, Midlatency auditory evoked potentials and motor signs of wakefulness during anaesthesia with midazolam, SCHWENDER, D., *et al.* 53–58
——, Pharmacokinetics of midazolam given as an intranasal spray to adult surgical patients, BJÖRKMAN, S., *et al.* 575–580
——, Propofol induction characteristics after fentanyl or midazolam and fentanyl, COLLINS, L. M., *et al.*, (*ARS*) 676–677P
——, Synergistic effect of fentanyl and midazolam on phrenic nerve activity in rabbits, MA, D., *et al.*, (*ARS*) 686–687P
Hypnotics benzodiazepine, Ro 48-6791, Pharmacokinetic–pharmacodynamic modelling of the EEG effects of Ro 48-6791, a new short-acting benzodiazepine, in young and elderly subjects, DINGEMANSE, J., *et al.* 567–574
Hypnotics benzodiazopines, midazolam, Comparison of midazolam and thiopental on arrhythmias in ischaemia and reperfusion conditions in isolated perfused rat hearts, SÜZER, Ö., *et al.*, (*EACTA*) A.1
——, Effects of fentanyl-midazolam anaesthesia on intrathoracic and total blood volume, BUHRE, W., *et al.*, (*EACTA*) A.4
Hypothermia, Immersion, near-drowining and drowning, GOLDEN, F. ST C., *et al.* 214–225
Hypoxaemia, Continuous intra-arterial blood-gas monitoring in infants and children with cyanotic heart disease, HATHERILL, M., *et al.* 665–667

——, Influence of pulse oximeter lower alarm limit on the incidence of hypoxaemia in the recovery room, RHEINECK-LEYSSIUS, A. T., *et al.* 460–464

Immersion, Immersion, near-drowining and drowning, GOLDEN, F. ST C., *et al.* 214–225
Immune response, Changes in inflammatory mediators during orthotopic liver transplantation, BELLAMY, M. C., *et al.* 338–341
Induction, anaesthesia, A physiological model of induction of anaesthesia with propofol in sheep. 1. Structure and estimation of variables, UPTON, R. N., *et al.* 497–504
——, A physiological model of induction of anaesthesia with propofol in sheep. 2. Model analysis and implications for dose requirements, LUDBROOK, G. L., *et al.* 505–513
Infants, Continuous intra-arterial blood-gas monitoring in infants and children with cyanotic heart disease, HATHERILL, M., *et al.* 665–667
——, Paediatric and neonatal life support, ZIDEMAN, D. A. 178–187
——, Serum concentrations of bupivacaine during prolonged continuous paravertebral infusion in young infants, CHEUNG, S. L. W., *et al.* 9–13
Infection, Antibiotic prophylaxis with cefodizime in patients with CABG-operations, BARTUNEK, A., *et al.*, (*EACTA*) A.62
Infection, parasitic, A case of cardiac hydatidosis, LAGLERA, S., *et al.* 671–673
Infection, sepsis, Use of microalbuminuria as an indicator for the development of sepsis and multiple system organ failure, MACKINNON, K. L., *et al.*, (*ARS*) 678P
Infection, spinal, Extradural catheter-related infections in patients with infected cutaneous wounds, BENGTSSON, M., *et al.* 668–670
Intensive care, A method for cost containment in cardiac surgical ICU, SALVI, L., *et al.*, (*EACTA*) A.95
——, A survey of the practice of thoracic epidural analgesia in the United Kingdom, ROMER, H. C., *et al.*, (*EACTA*) A.89
——, Assessment of neuromuscular monitoring by intensive care nurses: comparison of the TOF-watch and tactile assessment, GREER, R., *et al.*, (*ARS*) 138–139P
——, Does the insertion of earplugs affect the bispectral index of the sedated patient in the intensive care unit? PEARSON, A. J., *et al.*, (*ARS*) 685–686P
——, External cooling in critically ill febrile ICU patients, MORLEY, A. P., (*C*) 546–547
——, Influence of ventilation modes on analgesic and sedative demand and pulmonary gas exchange in patients after CABG-surgery, KAZMAIER, S., *et al.*, (*EACTA*) A.88
——, Inhaled nitric oxide in acute respiratory failure, YOUNG, J. D., (*E*) 695–696
——, Perioperative management for lung volume reduction surgery for severe emphysema, GRESSIER, M., *et al.*, (*EACTA*) A.78
——, Predominant involvement of motor fibres in patients with critical illness polyneuropathy, HUND, E., (*C*) 548
——, Predominant involvement of motor fibres in patients with critical illness polyneuropathy, LATRONICO, N., *et al.*, (*C*) 547–548
——, Propofol in paediatric intensive care, HATCH, D. J., (*E*) 274–275
——, The use of thoracic epidural analgesia after lung transplantation, WESTERLIND, A., *et al.*, (*EACTA*) A.82
——, Transoesophageal echocardiography in the I.C.U. setting: luxury or necessity? LAGONIDIS, D., *et al.*, (*EACTA*) A.46
——, Use of inhaled nitric oxide in the critically ill, CUTHBERTSON, B. H., *et al.*, (*C*) 814
——, Use of inhaled nitric oxide in the critically ill, WHITEHEAD, C. F., *et al.*, (*C*) 813–814
Intensive Care Manual, 4th Edn, OH, T. E., (editor), (*R*) 266–267
Intensive care, sedation, Metabolic, biochemical and haemodynamic effects of infusion of propofol for long-term sedation of children undergoing intensive care, MARTIN, P. H., *et al.* 276–279
Interactions drug, dexmedetomidine, Interactive effects of morphine and dexmedetomidine on gastrointestinal transit and gastric emptying in the rat, ASAI, T., *et al.*, (*ARS*) 133P
Interactions drug, mivacurium, Comparison of suxamethonium and different combinations of rocuronium and mivacurium for rapid tracheal intubation in children, NAGUIB, M., *et al.* 450–455
Interactions drug, morphine, Interactive effects of morphine and dexmedetomidine on gastrointestinal transit and gastric emptying in the rat, ASAI, T., *et al.*, (*ARS*) 133P
Interactions drug, rocuronium, Comparison of suxamethonium and different combinations of rocuronium and mivacurium for rapid tracheal intubation in children, NAGUIB, M., *et al.* 450–455
Intubation tracheal, Bolus doses of alfentanil prevent the increase in Pa amplitude associated with intubation in a dose-dependent manner, SHINNER, G., *et al.*, (*ARS*) 137–138P
——, Comparison of rocuronium and suxamethonium for use during rapid sequence induction of anaesthesia, MCCOURT, K. C., *et al.*, (*ARS*) 134P
——, Comparison of suxamethonium and different combinations of rocuronium and mivacurium for rapid tracheal intubation in children, NAGUIB, M., *et al.* 450–455
——, Laryngeal mask airway and uncuffed trachael tubes are equally effective for low flow or closed system anaesthesia in children, FRÖHLICH, D., *et al.* 289–292
——, Respiratory complications associated with tracheal intubation and extubation, KOGA, K., *et al.*, (*ARS*) 681P
——, The intubating laryngeal mask airway: an initial assessment of performance, KAPILA, A., *et al.* 710–713
——, The intubating laryngeal mask. I: development of a new device for intubation of the trachea, BRAIN, A. I. J., *et al.* 699–703
——, The intubating laryngeal mask. II: a preliminary clinical report of a new means of intubating the trachea, BRAIN, A. I. J., *et al.* 704–709
Intubation tracheal, difficult, Sevoflurane for difficult tracheal intubation, MOSTAFA, S. M., *et al.* 392–393
——, Unsuspected difficult intubation caused by a laryngeal web, CHONG, Z.-K., *et al.* 396–397
Intubation tracheal, technique, Rapid tracheal intubation with propofol, alfentanil and a standard dose of vecuronium, GROENER, R., *et al.* 384–385
——, The intubating laryngeal mask airway: an initial assessment of performance, KAPILA, A., *et al.* 710–713
——, The intubating laryngeal mask. I: development of a new device for intubation of the trachea, BRAIN, A. I. J., *et al.* 699–703
——, The intubating laryngeal mask. II: a preliminary clinical report of a new means of intubating the trachea, BRAIN, A. I. J., *et al.* 704–709
Intubation tracheal, training, Body posture during simulated tracheal intubation, MATTHEWS, A. J., *et al.*, (*ARS*) 137P
Ions, calcium, Effect of halothane on K^+ and carbachol stimulated noradrenaline release and increased $_i$ in SH-SY5Y human neuroblastoma cells, ATCHESON, R., *et al.* 78–83
——, Is there a difference in myofilament calcium sensitivity between malignant hyperthermia susceptible and normal skeletal muscle? ENRIGHT, S. M., *et al.*, (*ARS*) 685P
Ions, ion channels, Studies on the binding of amethocaine to rat cerebrocortical membranes, KUDO, T., *et al.* 521–524
Ions, ion channels, voltage-gated, Effect of halothane on K^+ and carbachol stimulated noradrenaline release and increased $_i$ in SH-SY5Y human neuroblastoma cells, ATCHESON, R., *et al.* 78–83
Ions, magnesium, Administration of magnesium sulphate before rocuronium: effects on speed of onset and duration of neuromuscular block, KUSSMAN, B., *et al.* 122–124
——, Detection of arrhythmogenic cellular magnesium depletion in hip surgery patients, ZUCCALA, G., *et al.* 776–781
——, Intravenous magnesium does not modify ischaemia–reperfusion syndrome in orthotopic liver transplantation, SRINIVASA, R., *et al.*, (*ARS*) 686P

Kidney, blood flow, Effect of felodipine on renal function and vasoactive hormones in infrarenal aortic surgery, DE LASSON, L., *et al.* 719–725
——, Low-dose dopamine: there is a scientific rationale, GELMAN, S., (*C*) 546
Kidney, diuresis, Extra-pulmonary effects of inhaled nitric oxide in swine with and without phenylephrine, TRONCY, E., *et al.* 631–640
Kidney, function, Effects of antiotensin on renal function in cardiac surgical patients, BENNETT, S. R., *et al.*, (*EACTA*) A.18
——, Effects of chronic angiotensin converting enzyme inhibition on renal function during cardiac surgery: the role of atrionatriuretic factor and prostanoids, SCHWEIZER, A., *et al.*, (*EACTA*) A.16
——, Extra-pulmonary effects of inhaled nitric oxide in swine with and without phenylephrine, TRONCY, E., *et al.* 631–640
——, No direct effects of dopexamine on the isolated perfused rat kidney, LEUWER, M., *et al.*, (*ARS*) 132P
——, "Renal" dopamine, GIRBES, A. R. J., *et al.*, (*C*) 263–264
——, "Renal" dopamine, INGLIS, A., *et al.*, (*C*) 263

Larynx, damage, Unsuspected difficult intubation caused by a laryngeal web, CHONG, Z.-K., *et al.* 396–397
Larynx, laryngoscopy, Skin vasomotor reflex induced by laryngoscopy: comparison of the McCoy and Macintosh blades, SHIMODA, O., *et al.* 714–718
——, Unsuspected difficult intubation caused by a laryngeal web, CHONG, Z.-K., *et al.* 396–397
Liver, Hepatic venous blood flow measured with retrograde thermodilution technique, CHRISTIANSEN, C. L., *et al.*, (*EACTA*) A.55
Liver, blood flow, Desflurane *vs* isoflurane in liver transplantation: a comparison of outcomes, O'BEIRNE, H. A., *et al.*, (*ARS*) 132P
Liver, cirrhosis, Pharmacokinetics of controlled release morphine (MST) in patients with liver cirrhosis, KOTB, H. I. M., *et al.* 804–806
Liver, transplantation, Changes in inflammatory mediators during orthotopic liver transplantation, BELLAMY, M. C., *et al.* 338–341
——, Desflurane *vs* isoflurane in liver transplantation: a comparison of outcomes, O'BEIRNE, H. A., *et al.*, (*ARS*) 132P
——, Functional iron deficiency in orthotopic liver transplantation, DAVEY-QUINN, A., *et al.*, (*ARS*) 684–685P
Lung, Efficacy of a vital capacity manœuvre to prevent post-cardiopulmonary bypass atelectasis: An experimental study, MAGNUSSON, L., *et al.*, (*EACTA*) A.57
Lung, adult respiratory distress syndrome, Oxygenation criteria—a plea for more information, NIELSEN, M. S., *et al.*, (*C*) 260
——, Oxygenation criteria—a plea for more information, PEEK, G. J., *et al.*, (*C*) 260
Lung, blood flow, Quantitative assessment of inhomogeneity of myocardial blood flow by a single breath inert gas technique. A model study, KAZMAIER, S., *et al.*, (*EACTA*) A.33
——, Reperfusion after supracoeliac aortic cross-clamping in a rat model: effects of fluid-loading on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, WU, X., *et al.*, (*EACTA*) A.48
Lung, emphysema, Perioperagive medical care of patients undergoing bilateral lung volume reduction for severe emphysema, VASSALLI, F., *et al.*, (*EACTA*) A.79
——, Perioperative management for lung volume reduction surgery for severe emphysema, GRESSIER, M., *et al.*, (*EACTA*) A.78
Lung, function, Comparison of the effects of isoflurane with those of propofol on pulmonary vascular impedance in experimental embolic pulmonary hypertension, EWALENKO, P., *et al.* 625–630
——, Effects of ventilation during cardiopulmonary bypass on pulmonary shunt, compliance and structure, ERHAN, E., *et al.*, (*EACTA*) A.56
——, Inhaled nitric oxide in acute respiratory failure, YOUNG, J. D., (*E*) 695–696
——, Postoperative respiratory dysfunction: is the site of surgery crucial? MCKEAGUE, H., *et al.*, (*E*) 415–416
——, Postoperative spirometry after laparoscopy for lower abdominal or upper abdominal surgical procedures, JORIS, J., *et al.* 422–426
Lung, mucus, Comparison of isoflurane with propofol on respiratory cilia, RAPHAEL, J. H., *et al.* 473–475
Lung, respiratory failure, Anaesthesia for the surgery of emphysema, CONACHER, I. D. 530–538
Lung, trachea, Comparison of isoflurane with propofol on respiratory cilia, RAPHAEL, J. H., *et al.* 473–475
Lung, transplantation, Anaesthesia for the surgery of emphysema, CONACHER, I. D. 530–538
Lung, vascular resistance, Impact of preoperative pulmonary vascular resistance and ischaemic time on the cardiovascular function after orthotopic heart transplantation, BERTOLISSI, M., *et al.*, (*EACTA*) A.61
Lung, volume, Anaesthesia for the surgery of emphysema, CONACHER, I. D. 530–538
Lung, water, Change in extravascular lung water after re-expansion of the collapsed lung in sheep measured by the thermo-saline dilution method, NAKATSUKA, M., *et al.*, (*EACTA*) A.76
——, Total blood volume, central blood volume, and extravascular lung water in children and adults, WIETASCH, G., *et al.*, (*EACTA*) A.59

Malignant hyperthermia, Detection of a novel mutation at amino acid position 614 in the ryanodine receptor in malignant hyperthermia, QUANE, K. A., *et al.* 332–337
——, Dystrophin deficient *mdx* muscle is not prone to MH susceptibility: an *in vitro* study, MADER, N., *et al.* 125–127
——, Genetic analysis reveals single recombinants in malignant hyperthermia, CURRAN, J. L., *et al.*, (*ARS*) 134P
——, Histological support for the difference between malignant hyperthermia susceptible (MHS), equivocal (MHE) and negative (MHN) muscle biopsies, MEZIN, P., *et al.* 327–331
Manual of Acute Pain Management in Children, MCKENZIE, I., *et al.*, (editors), (*R*) 819
Manual of Drug Interactions for Anesthesiology, 3rd Edn, MUELLER, R. A., *et al.*, (*R*) 265
MCQs and OSCEs for the Primary FRCA, DOYLE, E., *et al.*, (*R*) 818
Measurement techniques, An analysis of myocardial ischaemia and serial cardiac troponin I measurements in patients undergoing CABG surgery, TUPPER-CAREY, D. A., *et al.*, (*EACTA*) A.29
——, Awake or asleep pulmonary artery catheter insertion? A comparison of catecholamine and haemodynamic responses, O'CONNOR, P. J., *et al.*, (*EACTA*) A.31
——, Cerebral haemodynamic effects of intra-aortic balloon counterpulsation, WEYLAND, A., *et al.*, (*EACTA*) A.53
——, Hepatic venous blood flow measured with retrograde thermodilution technique, CHRISTIANSEN, C. L., *et al.*, (*EACTA*) A.55
——, Induction of anaesthesia with sufentanil is associated with blood volume redistribution, SPIEGEL, T.V., *et al.*, (*EACTA*) A.3
——, Postoperative myocardial ischaemia and changes in indices of myocardial oxygen balance in patients undergoing CABG surgery, TUPPER-CAREY, D. A., *et al.*, (*EACTA*) A.36
——, Pulse contour cardiac output measurement corresponds better with standard dilution technique than continuous thermodilution technique after hypothermic bypass, BÖTTIGER, R. H., *et al.*, (*EACTA*) A.32
——, Quality control of carotid artery thrombendarterectomy by intraoperative transit time flow and resistance measurements, WALPOTH, B. H., *et al.*, (*EACTA*) A.37
——, Quantitative assessment of inhomogeneity of myocardial blood flow by a single breath inert gas technique. A model study, KAZMAIER, S., *et al.*, (*EACTA*) A.33
Measurement techniques, calorimetry, Comparison between reverse Fick and indirect calorimeter measurements of oxygen consumption in patients with fulminant hepatic failure, WALSH, T. S., *et al.*, (*ARS*) 131–132P
Measurement techniques, cardiac output, Comparison of the accuracy of the lithium dilution technique with the thermodilution technique for measurement of cardiac output, KURITA, T., *et al.* 770–775
——, Overestimation of low cardiac output measured by thermodilution, TOURNADRE, J. P., *et al.* 514–516
Measurement techniques, Doppler ultrasonography, Effect of incremental doses of sevoflurane on cerebral pressure autoregulation in humans, GUPTA, S., *et al.* 469–472
Measurement techniques, electroencephalography, Does the insertion of earplugs affect the bispectral index of the sedated patient in the intensive care unit? PEARSON, A. J., *et al.*, (*ARS*) 685–686P
Measurement techniques, Fick principle, Comparison between reverse Fick and indirect calorimeter measurements of oxygen consumption in patients with fulminant hepatic failure, WALSH, T. S., *et al.*, (*ARS*) 131–132P
Measurement techniques, flowmetry, Blood flow and mivacurium-induced neuromuscular block at the orbicularis oculi and adductor pollicis muscles, ABDULATIF, M., *et al.* 24–28
——, Comparison of the accuracy of the lithium dilution technique with the thermodilution technique for measurement of cardiac output, KURITA, T., *et al.* 770–775
——, Gut mucosal perfusion in infants undergoing cardiopulmonary bypass: effect of preoperative captopril, BOOKER, P. D., *et al.* 14–18
——, Overestimation of low cardiac output measured by thermodilution, TOURNADRE, J. P., *et al.* 514–516
——, Skin vasomotor reflex induced by laryngoscopy: comparison of the McCoy and Macintosh blades, SHIMODA, O., *et al.* 714–718
Measurement techniques, gas exchange, Accuracy and clinical performance of a continuous intra-arterial blood-gas monitoring system during thoracoscopic surgery, ZOLLINGER, A., *et al.* 47–52
——, Continuous intra-arterial blood-gas monitoring, GRAYSTONE, S. J., (*C*) 815–816
——, Continuous intra-arterial blood-gas monitoring, VENKATESH, B., (*C*) 815
——, Continuous intra-arterial blood-gas monitoring, ZOLLINGER, A., *et al.*, (*C*) 816–817
Measurement techniques, histology, Histological support for the difference between malignant hyperthermia

susceptible (MHS), equivocal (MHE) and negative (MHN) muscle biopsies, MEZIN, P., *et al.* 327–331
Measurement techniques, indication dilution, Acute effect of mitral valve replacement on extravascular lung water in patients receiving colloid or crystalloid priming of cardiopulmonary bypass, BUHRE, W., *et al.* 311–316
Measurement techniques, lithium dilution, Comparison of the accuracy of the lithium dilution technique with the thermodilution technique for measurement of cardiac output, KURITA, T., *et al.* 770–775
Measurement techniques, magnetic resonance imaging, Magnetic resonance imaging of the extradural space of the thoracic spine, HIRABAYASHI, Y., *et al.* 563–566
Measurement techniques, magnetic resonance spectroscopy, Magnetic resonance spectroscopy of isoflurane kinetics in humans. Part I: elimination from the head, LOCKWOOD, G. G., *et al.* 581–585
——, Magnetic resonance spectroscopy of isoflurane kinetics in humans. Part II: functional localization, LOCKWOOD, G. G., *et al.* 586–589
Measurement techniques, microalbuminuria, Use of microalbuminuria as an indicator for the development of sepsis and multiple system organ failure, MACKINNON, K. L., *et al.*, (*ARS*) 678P
Measurement techniques, near-infrared spectroscopy, Near-infrared spectroscopy for testing cerebral CO_2 reactivity, KRAUS, B., *et al.*, (*EACTA*) A.34
Measurement techniques, neural network, artificial, Artificial neural networks for distinguishing disturbed from undisturbed breathing, CALEB, P., *et al.*, (*ARS*) 682P
Measurement techniques, neuromuscular block, Comparison of neuromuscular blocking effects and train-of-four fade of cisatracurium with other blocking agents, CARROLL, M. T., *et al.*, (*ARS*) 683P
Measurement techniques, spectral analysis, Time-frequency spectral analysis of heart rate variability during induction of general anaesthesia, HUANG, H.-H., *et al.* 754–758
Measurement techniques, spectrophotometry, Detection of arrhythmogenic cellular magnesium depletion in hip surgery patients, ZUCCALA, G., *et al.* 776–781
Measurement techniques, thermodilution, Comparison of the accuracy of the lithium dilution technique with the thermodilution technique for measurement of cardiac output, KURITA, T., *et al.* 770–775
——, Overestimation of low cardiac output measured by thermodilution, TOURNADRE, J. P., *et al.* 514–516
Measurement techniques, tonometry, Gut mucosal perfusion in infants undergoing cardiopulmonary bypass: effect of preoperative captopril, BOOKER, P. D., *et al.* 14–18
Measurement techniques, transoesophageal Doppler, Overestimation of low cardiac output measured by thermodilution, TOURNADRE, J. P., *et al.* 514–516
Measurement techniques, transoesophageal echocardiography, Comparison of propofol-fentanyl and isoflurane-fentanyl anaesthesia with transoesophageal echocardiography for coronary artery bypass graft surgery, NICOLAIDES, A., *et al.*, (*EACTA*) A.45
——, Doppler monitoring of diastolic left ventricular function does not increase the sensitivity of dobutamine stress echocardiography for detecting inducible demand ischaemia in anaesthetized patients, SEEBERGER, M. D., *et al.*, (*EACTA*) A.40
——, Echocardiographic and haemodynamic differences among patients undergoing the MAZE procedure, BAKOLA, A. A., *et al.*, (*EACTA*) A.44
——, Improved intraoperative assessment of aortic stentless valves using transoeosophageal echocardiography, MORRIS, M. J., (*EACTA*) A.43
——, Normal values for intraoperative left ventricular systolic and diastolic function as assessed by transoesophageal echocardiography, SKARVAN, K., *et al.*, (*EACTA*) A.39
——, Perioperative transoesophageal echocardiography with low dose dobutamine: A feasible test for viability? PALMGREN, I., *et al.*, (*EACTA*) A.41
——, Transoesophageal echocardiography in cardiac and vascular surgery: therapeutic implications and inter-observer differences, SCHMIDLIN, D., *et al.*, (*EACTA*) A.38
——, Transoesophageal echocardiography in the I.C.U. setting: luxury or necessity? LAGONIDIS, D., *et al.*, (*EACTA*) A.46
——, Transoesophageal echocardiography of mitral and pulmonary venous flow as estimation of diastolic function, PITTARELLO, D., *et al.*, (*EACTA*) A.42
——, Transoesophageal echocardiography of the right ventricle in thoracic patients, MCMAHON, C. C., *et al.*, (*EACTA*) A.75
Measurement techniques, ultrasound, Ultrasonographic measurement of gastric emptying in volunteers: asessment of technique and effect of low-dose dopamine, GOLDHILL, D. R., *et al.*, (*ARS*) 136P
Measurement techniques, voltammetry, Actions of tramadol, its enantiomers and principal metabolite, O-desmethyltramadol, on serotonin (5-HT) efflux and uptake in the rat dorsal raphe nucleus, BAMIGBADE, T. A., *et al.* 352–356
Medico-legal, consent, Ethical aspects of resuscitation, MOHR, M., *et al.* 253–259
——, The future of ethical treatment, MOHR, M., *et al.*, (*C*) 817
——, The future of ethical treatment, SHIRLEY, P. J., (*C*) 817
Memory, Absence of memory for intraoperative information, HOOPER, M. B., (*C*) 143
——, Absence of memory for intraoperative information, WANG, M., *et al.*, (*C*) 143
Metabolism, Changes in human coronary sinus blood flow and myocardial metabolism induced by ventricular fibrillation and defibrillation, RUNSIÖ, M., *et al.*, (*EACTA*) A.20
——, Comparison of midazolam and propofol effects on cerebral metabolism during cardiopulmonary bypass, SÜZER, A., *et al.*, (*EACTA*) A.52
——, Effect of intravascular volume load after induction of anaesthesia on oxygen consumption in cardiac surgery patients, BALLESTEROS, M., *et al.*, (*EACTA*) A.19
——, Influence of sevoflurane on cerebral metabolism, blood flow and CO_2-reactivity, MIELCK, F., *et al.*, (*EACTA*) A.6
——, Myocardial circulatory and metabolic effects of clevidipine after coronary artery bypass grafting (CABG), KIELER-JENSEN, N., *et al.*, (*EACTA*) A.12
——, Significance of regional cerebral oxygen saturation (rSO_2) during open heart surgery, PAPADIMITRIOU, L., *et al.*, (*EACTA*) A.51
——, The effects of sevoflurane on regional myocardial blood flow and metabolism, when used to control intraoperative hypertension in patients undergoing coronary artery bypass grafting, KIRNÖ, K., *et al.*, (*EACTA*) A.5
Methods in Molecular Biology, volume 83: Receptor Signal Transduction Protocols, CHALLIS, R. A. J., (editor), (*R*) 818
Model, burn injury, Effect of systemic N-methyl-D-aspartate receptor antagonist (dextromethorphan) on primary and secondary hyperalgesia in humans, ILKJÆR, S., *et al.* 600–605
Model, computer simulation, Epiglottis modelling in a computer simulation of difficult laryngoscopy, HAWKINS, M., *et al.*, (*ARS*) 136–137P
——, Simulated anaesthetic emergencies, BYRNE, A. J., *et al.*, (*C*) 690–691
——, Simulated anaesthetic emergencies, GABA, D. M., *et al.*, (*C*) 689–690
——, Simulated anaesthetic emergencies, KURREK, M., *et al.*, (*C*) 689
——, The expanding role of simulators in risk management, BYRNE, A. J., *et al.*, (*C*) 411
Model, mathematical, Effect of haemoglobin concentration on brain oxygenation in focal stoke: a mathematical modelling study, DEXTER, F., *et al.* 346–351
Model, mouse, Dystrophin deficient *mdx* muscle is not prone to MH susceptibility: an *in vitro* study, MADER, N., *et al.* 125–127
Model, neuroblastoma cells, Effect of halothane on K^+ and carbachol stimulated noradrenaline release and increased $_i$ in SH-SY5Y human neuroblastoma cells, ATCHESON, R., *et al.* 78–83
Model, pharmacokinetic, Plasma dilution and the rate of infusion of Ringer's solution, HAHN, R. G., *et al.* 64–67
Model, physiological, A physiological model of induction of anaesthesia with propofol in sheep. 1. Structure and estimation of variables, UPTON, R. N., *et al.* 497–504
——, A physiological model of induction of anaesthesia with propofol in sheep. 2. Model analysis and implications for dose requirements, LUDBROOK, G. L., *et al.* 505–513
——, Repeated enflurane anaesthetics and model predictions: a study of the variability in the predictive performance measures, VERMEULEN, P. M., *et al.* 488–496
Model, pig, Efficacy of a vital capacity manœuvre to prevent post-cardiopulmonary bypass atelectasis: An experimental study, MAGNUSSON, L., *et al.*, (*EACTA*) A.57
——, Pigs are not human, LENTSCHENER, C., *et al.*, (*C*) 691–692
——, Pigs are not humans, BAZIN, J. E., *et al.*, (*C*) 691
Model, rabbit, Halothane reduces reperfusion injury after regional ischaemia in the rabbit heart *in vivo*, SCHLACK, W., *et al.* 88–96
Model, rat, Actions of tramadol, its enantiomers and principal metabolite, O-desmethyltramadol, on serotonin (5-HT) efflux and uptake in the rat dorsal raphe nucleus, BAMIGBADE, T. A., *et al.* 352–356

——, Comparison of midazolam and thiopental on arrhythmias in ischaemia and reperfusion conditions in isolated perfused rat hearts, SÜZER, Ö., *et al.*, (*EACTA*) A.1
——, Halothane decreases K^+ evoked glutamate release from rat cerebrocortical slices, NICOL, B., *et al.*, (*ARS*) 140P
——, No direct effects of dopexamine on the isolated perfused rat kidney, LEUWER, M., *et al.*, (*ARS*) 132P
——, Opioid systems and the newborn, MARSH, D. F., *et al.* 787–795
——, Reperfusion after supracoeliac aortic cross-clamping in a rat model: Effects of dopexamine on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, WU, X., *et al.*, (*EACTA*) A.49
——, Reperfusion after supracoeliac aortic cross-clamping in a rat model: effects of fluid-loading on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, WU, X., *et al.*, (*EACTA*) A.48
——, Studies on the binding of amethocaine to rat cerebrocortical membranes, KUDO, T., *et al.* 521–524
Model, sheep, Change in extravascular lung water after re-expansion of the collapsed lung in sheep measured by the thermo-saline dilution method, NAKATSUKA, M., *et al.*, (*EACTA*) A.76
——, Imipramine poisoning in an animal model-treatment with single cardiopulmonary bypass support or additional rein-haemoperfusion? SCHMIDT, W., *et al.*, (*EACTA*) A.64
Model, simulation, Accurate measurement of "true glottic view", GROOM, P., *et al.*, (*ARS*) 680–681P
——, Modelling the photographic "restricted window" to derive "true glottic view", GROOM, P., *et al.*, (*ARS*) 136P
Monitoring, Awake or asleep pulmonary artery catheter insertion? A comparison of catecholamine and haemodynamic responses, O'CONNOR, P. J., *et al.*, (*EACTA*) A.31
——, Echocardiographic and haemodynamic differences among patients undergoing the MAZE procedure, BAKOLA, A. A., *et al.*, (*EACTA*) A.44
——, Quality control of carotid artery thrombendarterectomy by intraoperative transit time flow and resistance measurements, WALPOTH, B. H., *et al.*, (*EACTA*) A.37
Monitoring, blood gases, Continuous intra-arterial blood-gas monitoring in infants and children with cyanotic heart disease, HATHERILL, M., *et al.* 665–667
——, Cutaneous blood gas monitoring during rigid bronchoscopy with high frequency Jet ventilation (HFJV), AUSSEUR, A., *et al.*, (*EACTA*) A.74
Monitoring, cardiac output, Estimation of cardiac output using the Maxima breathing system, MILLER, D. M., *et al.*, (*ARS*) 682–683P
Monitoring, colour kinesis, Validity of acoustic quantification colour kinesis for detection of left ventricular regional wall motion abnormalites: a transoesophageal echocardiographic study, HARTMANN, T., *et al.* 482–487
Monitoring, echocardiography, Validity of acoustic quantification colour kinesis for detection of left ventricular regional wall motion abnormalites: a transoesophageal echocardiographic study, HARTMANN, T., *et al.* 482–487
Monitoring, electrocardiography, Cardioventilatory coupling during anaesthesia, GALLETLY, D. C., *et al.* 35–40
Monitoring, electroencephalography, Effect of extradural analgesia on the paradoxical arousal response of the electroencephalogram, KIYAMA, S., *et al.* 750–753
——, Pharmacodynamics of thiopentone: nocifensive reflex threshold changes correlate with hippocampal electroencephalography, ARCHER, D. P., *et al.* 744–749
——, Pharmacokinetic–pharmacodynamic modelling of the EEG effects of Ro 48-6791, a new short-acting benzodiazepine, in young and elderly subjects, DINGEMANSE, J., *et al.* 567–574
Monitoring, evoked potentials, Bolus doses of alfentanil prevent the increase in Pa amplitude associated with intubation in a dose-dependent manner, SHINNER, G., *et al.*, (*ARS*) 137–138P
——, Differential effects of nitrous oxide and propofol on myogenic transcranial motor evoked responses during sufentanil anaesthesia, UBAGS, L. H., *et al.* 590–594
——, Midlatency auditory evoked potentials and motor signs of wakefulness during anaesthesia with midazolam, SCHWENDER, D., *et al.* 53–58
Monitoring, neuromuscular function, Assessment of neuromuscular monitoring by intensive care nurses: comparison of the TOF-watch and tactile assessment, GREER, R., *et al.*, (*ARS*) 138–139P
Monitoring, temperature, Heat retention using passive systems during anaesthesia: comparison of two plastic wraps, one with reflective properties, DEACOCK, S., *et al.* 766–769
Monitoring, transoesophageal echocardiography, Assessment of a new ventricular contractile index obtained with transoesophageal echocardiography before and after cardiopulmonary bypass in cardiac surgical patients, KIKURA, M., *et al.* 759–765
Monitoring, ventilation, Cardioventilatory coupling during anaesthesia, GALLETLY, D. C., *et al.* 35–40
Muscle skeletal, Blood flow and mivacurium-induced neuromuscular block at the orbicularis oculi and adductor pollicis muscles, ABDULATIF, M., *et al.* 24–28
Muscle skeletal, blood flow, Blood flow and mivacurium-induced neuromuscular block at the orbicularis oculi and adductor pollicis muscles, ABDULATIF, M., *et al.* 24–28
Muscle skeletal, diaphragm, Effects of temperature on phrenic nerve and diaphragmatic function during cardiac surgery, MILLS, G. H., *et al.* 726–732
Muscle vascular, responses, Role of endothelium in the modulation of isoflurane-induced vasodilatation in rat thoracic aorta, KIRSTETTER, P., *et al.* 84–87
Muscles, skinned fibres, Is there a difference in myofilament calcium sensitivity between malignant hyperthermia susceptible and normal skeletal muscle? ENRIGHT, S. M., *et al.*, (*ARS*) 685P

Neonates, Opioid systems and the newborn, MARSH, D. F., *et al.* 787–795
Nerve, damage (postoperative), Prognosis of intraoperative brachial plexus injury: a review of 22 cases, BEN-DAVID, B., *et al.* 440–445
Nerve, neurotransmitters, Effects of ketamine and pentobarbitone on acetylcholine release from the rat frontal cortex *in vivo*, KIKUCHI, T., *et al.* 128–130
——, Enhanced choline acetyltransferase activity does not explain the action of inhaled convulsants, GRIFFITHS, R., *et al.* 389–391
Nerve, somatic, Dissociation between the effect of nitrous oxide on spontaneous and reflexly evoked sympathetic activity in dogs, MA, D., *et al.* 525–529
Neuromuscular block, atracurium, Comparison of neuromuscular blocking effects and train-of-four fade of cisatracurium with other blocking agents, CARROLL, M. T., *et al.*, (*ARS*) 683P
Neuromuscular block, cisatracurium, Cardiovascular effects and time-course of action of cisatracurium in infants and children during thiopentone–alfentanil–nitrous oxide–oxygen anaesthesia, MERETOJA, O. A., *et al.*, (*ARS*) 683–684P
——, Comparison of neuromuscular blocking effects and train-of-four fade of cisatracurium with other blocking agents, CARROLL, M. T., *et al.*, (*ARS*) 683P
Neuromuscular block, measurement of response, Administration of magnesium sulphate before rocuronium: effects on speed of onset and duration of neuromuscular block, KUSSMAN, B., *et al.* 122–124
——, Assessment of neuromuscular monitoring by intensive care nurses: comparison of the TOF-watch and tactile assessment, GREER, R., *et al.*, (*ARS*) 138–139P
——, Blood flow and mivacurium-induced neuromuscular block at the orbicularis oculi and adductor pollicis muscles, ABDULATIF, M., *et al.* 24–28
——, Interactions between mivacurium and pancuronium, KIM, K. S., *et al.* 19–23
——, Twitch augmentation and train-of-four fade during onset of neuromuscular block after subclinical doses of suxamethonium, KIM, S. Y., *et al.* 379–381
Neuromuscular block, mivacurium, Blood flow and mivacurium-induced neuromuscular block at the orbicularis oculi and adductor pollicis muscles, ABDULATIF, M., *et al.* 24–28
——, Comparison of neuromuscular blocking effects and train-of-four fade of cisatracurium with other blocking agents, CARROLL, M. T., *et al.*, (*ARS*) 683P
——, Comparison of suxamethonium and different combinations of rocuronium and mivacurium for rapid tracheal intubation in children, NAGUIB, M., *et al.* 450–455
——, Interactions between mivacurium and pancuronium, KIM, K. S., *et al.* 19–23
——, Interactions between mivacurium and prilocaine, TORRANCE, J. McK., *et al.*, (*C*) 262
——, Interactions between mivacurium and prilocaine, WILDSMITH, J. A. W., (*C*) 262
Neuromuscular block, pancuronium, Interactions between mivacurium and pancuronium, KIM, K. S., *et al.* 19–23
Neuromuscular block, rocuronium, Administration of magnesium sulphate before rocuronium: effects on speed of onset and duration of neuromuscular block, KUSSMAN, B., *et al.* 122–124
——, Comparison of neuromuscular blocking effects and train-of-four fade of cisatracurium with other blocking agents, CARROLL, M. T., *et al.*, (*ARS*) 683P
——, Comparison of rocuronium and suxamethonium for use

during rapid sequence induction of anaesthesia, McCourt, K. C., *et al.*, (*ARS*) 134P
——, Comparison of suxamethonium and different combinations of rocuronium and mivacurium for rapid tracheal intubation in children, Naguib, M., *et al.* 450–455
——, Spontaneous movements associated with rocuronium: is pain on injection the cause? Borgeat, A., *et al.* 382–383
Neuromuscular block, suxamethonium, Comparison of rocuronium and suxamethonium for use during rapid sequence induction of anaesthesia, McCourt, K. C., *et al.*, (*ARS*) 134P
——, Comparison of suxamethonium and different combinations of rocuronium and mivacurium for rapid tracheal intubation in children, Naguib, M., *et al.* 450–455
——, Intraocular pressure and suxamethonium, Edmondson, L., (*C*) 146
——, Twitch augmentation and train-of-four fade during onset of neuromuscular block after subclinical doses of suxamethonium, Kim, S. Y., *et al.* 379–381
Neuromuscular block, vecuronium, Comparison of neuromuscular blocking effects and train-of-four fade of cisatracurium with other blocking agents, Carroll, M. T., *et al.*, (*ARS*) 683P
——, Effect of neuromuscular block using vecuronium on oxygen consumption in critically ill adults, Loan, P. B., *et al.*, (*ARS*) 684P
——, Rapid tracheal intubation with propofol, alfentanil and a standard dose of vecuronium, Groener, R., *et al.* 384–385
Neuromuscular relaxants, cisatracurium, Cisatracurium vs pancuronium for neuromuscular blockade in patients undergoing coronary revascularisation, Rauch, H., *et al.*, (*EACTA*) A.2
Neuromuscular relaxants, pancuronium, Cisatracurium vs pancuronium for neuromuscular blockade in patients undergoing coronary revascularisation, Rauch, H., *et al.*, (*EACTA*) A.2
Non-steroidal anti-inflammatory drugs, Pain after laparoscopy, Alexander, J. I. 369–378

Operating rooms, contamination, Environmental monitoring during gaseous induction with sevoflurane, Hall, J. E., *et al.* 342–345
Oxygen, brain, Significance of regional cerebral oxygen saturation (rSO_2) during open heart surgery, Papadimitriou, L., *et al.*, (*EACTA*) A.51
Oxygen, consumption, Comparison between reverse Fick and indirect calorimeter measurements of oxygen consumption in patients with fulminant hepatic failure, Walsh, T. S., *et al.*, (*ARS*) 131–132P
——, Effect of intravascular volume load after induction of anaesthesia on oxygen consumption in cardiac surgery patients, Ballesteros, M., *et al.*, (*EACTA*) A.19
——, Effect of neuromuscular block using vecuronium on oxygen consumption in critically ill adults, Loan, P. B., *et al.*, (*ARS*) 684P
——, Relationship between aortic cross clamp time and myocardial oxygen consumption during coronary artery bypass surgery (CABG), Langenberg, C. J. M., *et al.*, (*EACTA*) A.50
Oxygen, delivery, Effect of neuromuscular block using vecuronium on oxygen consumption in critically ill adults, Loan, P. B., *et al.*, (*ARS*) 684P
Oxygen, gradients, Effect of assuming a fixed ($Ca_{O_2} - C\bar{v}_{O_2}$) on shunt calculations, Nirmalan, M., *et al.*, (*ARS*) 135P
Oxygen, saturation, Influence of pulse oximeter lower alarm limit on the incidence of hypoxaemia in the recovery room, Rheineck-Leyssius, A. T., *et al.* 460–464
Oxygen, therapy, Lanz tube as alternative for ICU hyperbaric oxygen therapy, Molnar, Z., *et al.*, (*ARS*) 679–680P

Pain, chronic, Local anaesthetic agents inhibit [^{3}H]noradrenaline uptake into SH–SY5Y human neuroblastoma cells, Joyce, P. I., *et al.*, (*ARS*) 677P
Pain, injection, Spontaneous movements associated with rocuronium: is pain on injection the cause? Borgeat, A., *et al.* 382–383
Pain Management for the Practising Physician, Irving, G. A., *et al.*, (*R*) 265–266
Pain, measurement, Pre-emptive analgesia using local anaesthesia: a study in bilaterally symmetrical surgery, Campbell, W. I., *et al.* 657–659
Pain, mechanism, Effect of systemic N-methyl-D-aspartate receptor antagonist (dextromethorphan) on primary and secondary hyperalgesia in humans, Ilkjær, S., *et al.* 600–605
Pain, postoperative, Buscopan does not improve pain after laparoscopic sterilization, Wilson, C. M., *et al.*, (*ARS*) 139–140P
——, Caudal tramadol for postoperative analgesia in paediatric hypospadias surgery, Prosser, D. P., *et al.* 293–296
——, Does the addition of clonidine affect duration of analgesia of bupivacaine wound infiltration in inguinal hernia surgery? Elliott, S., *et al.* 446–449
——, Effect of systemic N-methyl-D-aspartate receptor antagonist (dextromethorphan) on primary and secondary hyperalgesia in humans, Ilkjær, S., *et al.* 600–605
——, Extradural buprenorphine suppresses breast feeding after Caesarean section, Hirose, M., *et al.* 120–121
——, Pain after laparoscopy, Alexander, J. I. 369–378
——, Pre-emptive analgesia using local anaesthesia: a study in bilaterally symmetrical surgery, Campbell, W. I., *et al.* 657–659
——, Preoperative education reduces side effects when patient-controlled analgesia is used, Griffin, M. J., *et al.*, (*ARS*) 138P
——, Serum concentrations of bupivacaine during prolonged continuous paravertebral infusion in young infants, Cheung, S. L. W., *et al.* 9–13
Pharmacodynamics, A physiological model of induction of anaesthesia with propofol in sheep. 1. Structure and estimation of variables, Upton, R. N., *et al.* 497–504
——, A physiological model of induction of anaesthesia with propofol in sheep. 2. Model analysis and implications for dose requirements, Ludbrook, G. L., *et al.* 505–513
——, Comparison of neuromuscular blocking effects and train-of-four fade of cisatracurium with other blocking agents, Carroll, M. T., *et al.*, (*ARS*) 683P
——, Computer-controlled infusion of ORG 21465, a water soluble steroid i.v. anaesthetic agent, into human volunteers, Sneyd, J. R., *et al.* 433–439
Pharmacodynamics, Ro 48-6791, Pharmacokinetic–pharmacodynamic modelling of the EEG effects of Ro 48-6791, a new short-acting benzodiazepine, in young and elderly subjects, Dingemanse, J., *et al.* 567–574
Pharmacodynamics, thiopentone, Pharmacodynamics of thiopentone: nocifensive reflex threshold changes correlate with hippocampal electroencephalography, Archer, D. P., *et al.* 744–749
Pharmacokinetics, bupivacaine, Pharmacokinetic and clinical study of ropivacaine and bupivacaine in women receiving extradural analgesia in labour, McCrae, A. F., *et al.* 558–562
Pharmacokinetics, fentanyl, I.v. fentanyl decreases the clearance of midazolam, Hase, I., *et al.* 740–743
Pharmacokinetics, isoflurane, Magnetic resonance spectroscopy of isoflurane kinetics in humans. Part I: elimination from the head, Lockwood, G. G., *et al.* 581–585
——, Magnetic resonance spectroscopy of isoflurane kinetics in humans. Part II: functional localization, Lockwood, G. G., *et al.* 586–589
Pharmacokinetics, midazolam, I.v. fentanyl decreases the clearance of midazolam, Hase, I., *et al.* 740–743
——, Pharmacokinetics of midazolam given as an intranasal spray to adult surgical patients, Björkman, S., *et al.* 575–580
Pharmacokinetics, models, Repeated enflurane anaesthetics and model predictions: a study of the variability in the predictive performance measures, Vermeulen, P. M., *et al.* 488–496
Pharmacokinetics, morphine, Pharmacokinetics of controlled release morphine (MST) in patients with liver cirrhosis, Kotb, H. I. M., *et al.* 804–806
Pharmacokinetics, ORG 21465, Administration to humans of ORG 21465, a water soluble steroid i.v. anaesthetic agent, Sneyd, J. R., *et al.* 427–432
Pharmacokinetics, propofol, A physiological model of induction of anaesthesia with propofol in sheep. 1. Structure and estimation of variables, Upton, R. N., *et al.* 497–504
——, A physiological model of induction of anaesthesia with propofol in sheep. 2. Model analysis and implications for dose requirements, Ludbrook, G. L., *et al.* 505–513
Pharmacokinetics, remifentanil, Effect of temperature and cardiopulmonary bypass on the pharmacokinetics of remifentanil, Russell, D., *et al.* 456–459
Pharmacokinetics, Ro 48-6791, Pharmacokinetic–pharmacodynamic modelling of the EEG effects of Ro 48-6791, a new short-acting benzodiazepine, in young and elderly subjects, Dingemanse, J., *et al.* 567–574
Pharmacokinetics, ropivacaine, Pharmacokinetic and clinical study of ropivacaine and bupivacaine in women receiving extradural analgesia in labour, McCrae, A. F., *et al.* 558–562
——, Ropivacaine 0.75% for extradural anaesthesia in elective

Caesarean section: an open clinical and pharmacokinetic study in mother and neonate, MORTON, C. P. J., *et al.* 3–8
——, Ropivacaine test dose in extradural anaesthesia, DRESNER, M., *et al.*, (*C*) 813
——, Ropivacaine test dose in extradural anaesthesia, MORTON, C. P. J., *et al.*, (*C*) 813
Pharmacology, buscopan, Buscopan does not improve pain after laparoscopic sterilization, WILSON, C. M., *et al.*, (*ARS*) 139–140P
Pharmacology, captopril, Gut mucosal perfusion in infants undergoing cardiopulmonary bypass: effect of preoperative captopril, BOOKER, P. D., *et al.* 14–18
Pharmacology, dextromethorphan, Effect of systemic N-methyl-D-aspartate receptor antagonist (dextromethorphan) on primary and secondary hyperalgesia in humans, ILKJÆR, S., *et al.* 600–605
Pharmacology, domperidone, Effect of domperidone on the ventilatory response to transient hyperoxia in patients anaesthetized with isoflurane, FOO, I. T., *et al.* 41–46
Pharmacology, dopamine, Low-dose dopamine: there is a scientific rationale, GELMAN, S., (*C*) 546
——, "Renal" dopamine, GIRBES, A. R. J., *et al.*, (*C*) 263–264
——, "Renal" dopamine, INGLIS, A., *et al.*, (*C*) 263
Pharmacology, "ecstacy", "Ecstacy" and the anaesthetist, HALL, A. P., (*E*) 697–698
Pharmacology, granisetron, Granisetron reduces the incidence of nausea and vomiting after middle ear surgery, FUJII, Y., *et al.* 539–540
Pharmacology, magnesium sulphate, Administration of magnesium sulphate before rocuronium: effects on speed of onset and duration of neuromuscular block, KUSSMAN, B., *et al.* 122–124
——, Effects of magnesium sulphate on the cardiovascular system, coronary circulation and myocardial metabolism in anaesthetized dogs, NAKAIGAWA, Y., *et al.* 363–368
Pharmacology, *N*-acetylcysteine, *N*-acetylcysteine in multisystem organ failure, MOLNAR, Z., *et al.*, (*ARS*) 678P
Pharmacology, naloxone, Naloxone inhibits gastric emptying but not gastrointestinal transit in the rat, ASAI, T., *et al.*, (*ARS*) 133P
Pharmacology, nicorandil, Beneficial effect of concomitant administration of isoflurane and nicorandil, PIRIOU, V., *et al.* 68–77
Pharmacology, niroglycerin, Platelet function is inhibited by nitric oxide liberation during nitroglycerin-induced hypotension anaesthesia, AOKI, H., *et al.* 476–481
Pharmacology, nitric oxide, Extra-pulmonary effects of inhaled nitric oxide in swine with and without phenylephrine, TRONCY, E., *et al.* 631–640
——, Inhaled nitric oxide, YOUNG, J. D., *et al.*, (*C*) 547
——, Inhaled nitric oxide in acute respiratory failure, YOUNG, J. D., (*E*) 695–696
——, Laboratory evaluation of the I-NOvent nitric oxide delivery device, YOUNG, J. D., *et al.* 398–401
——, Reduction in nitrogen dioxide concentration by soda lime preparations during simulated nitric oxide inhalation, WEIMANN, J., *et al.* 641–644
——, Role of endothelium in the modulation of isoflurane-induced vasodilatation in rat thoracic aorta, KIRSTETTER, P., *et al.* 84–87
——, Use of inhaled nitric oxide in the critically ill, CUTHBERTSON, B. H., *et al.*, (*C*) 814
——, Use of inhaled nitric oxide in the critically ill, WHITEHEAD, C. F., *et al.*, (*C*) 813–814
Pharmacology, nitroglycerin, Extra-pulmonary effects of inhaled nitric oxide in swine with and without phenylephrine, TRONCY, E., *et al.* 631–640
Pharmacology, ORG 21465, Administration to humans of ORG 21465, a water soluble steroid i.v. anaesthetic agent, SNEYD, J. R., *et al.* 427–432
——, Computer-controlled infusion of ORG 21465, a water soluble steroid i.v. anaesthetic agent, into human volunteers, SNEYD, J. R., *et al.* 433–439
——, ORG 21465, a new water-soluble steroid hypnotic: more of the same or something different? SEAR, J. W., (*E*) 417–419
Pig, Comparison of the accuracy of the lithium dilution technique with the thermodilution technique for measurement of cardiac output, KURITA, T., *et al.* 770–775
——, Dopamine and intestinal mucosal tissue oxygenation in a porcine model of haemorrhage, GERMANN, R., *et al.* 357–362
——, Extra-pulmonary effects of inhaled nitric oxide in swine with and without phenylephrine, TRONCY, E., *et al.* 631–640
Polypeptides, angiotensin, Effects of antiotensin on renal function in cardiac surgical patients, BENNETT, S. R., *et al.*, (*EACTA*) A.18
——, Haemodynamic response to angiotensin in patients treated with angiotensin converting enzyme inhibitors, BENNETT, S. R., *et al.*, (*EACTA*) A.13
Polypeptides, bradykinin, Plasma bradykinin during cardiopulmonary bypass and the effect of angiotensin converting enzyme inhibition, MACLAREN, A. J., *et al.*, (*EACTA*) A.17
Polypeptides, cytokines, Changes in inflammatory mediators during orthotopic liver transplantation, BELLAMY, M. C., *et al.* 338–341
——, Midazolam and propofol affect interleukin-8 release from human neutrophils at the post-translational level, GALLEY, H. F., *et al.*, (*ARS*) 678–679P
——, Relations between the phosphodiesterase III inhibitors and cytokines in open heart surgery, TAÇ, T., *et al.*, (*EACTA*) A.25
Polypeptides, cytokines, interleukin-8, The proinflammatory cytokine IL-8 is increased after intubation, LA†NIGG, A., *et al.*, (*EACTA*) A.21
Position, effects, Knee–chest *vs* horizontal side position during induction of spinal anaesthesia in patients undergoing lumbar disc surgery, LAAKSO, E., *et al.* 609–611
——, Lateral positioning for regional analgesia during labour, KINSELLA, S. M., (*C*) 260–261
——, Lateral positioning for regional analgesia during labour, RICHARDSON, M. G., *et al.*, (*C*) 261–262
Positioning in Anesthesia and Surgery, 3rd Edn, MARTIN, J. T., *et al.*, (editors), (*R*) 693
Potency, anaesthetic, ED_{50}, Interactions between mivacurium and pancuronium, KIM, K. S., *et al.* 19–23
Potency, anaesthetic, MAC, Does nitrous oxide antagonize sevoflurane-induced hypnosis? KATOH, T., *et al.* 465–468
——, MAC values of mixtures, FASSOULAKI, A., (*C*) 410
——, MAC values of mixtures, SHARPE, R. M., *et al.*, (*C*) 410–411
Practical Anaesthesia and Analgesia for Day Surgery, MILLAR, J. M., *et al.*, (*R*) 818
Practical Obstetric Anesthesia, DEWAN, D. M., *et al.*, (editors), (*R*) 147
Principles and Practice of Pharmacology for Anaesthetists, 3rd Edn, CALVEY, T. N., *et al.*, (*R*) 549
Protein, Thrombin generation and protein C activation in cardiac surgery patients, WELTERS, I., *et al.*, (*EACTA*) A.22
Protein, albumin, Can albumin reduce platelet damage during extracorporeal circulation? WELTERS, I., *et al.*, (*EACTA*) A.71
Psychometric tests, Effects of low-dose isoflurane on contrast-sensitivity in volunteers, TAYLOR, S. R. J., *et al.*, (*ARS*) 674–675P
——, Effects of low-dose isoflurane on inhibition of saccadic eye movement, KHAN, O. A., *et al.*, (*ARS*) 675P
Publications, *British Journal of Anaesthesia*, Personal reflections, SMITH, G., (*E*) 1–2

Rabbit, Beneficial effect of concomitant administration of isoflurane and nicorandil, PIRIOU, V., *et al.* 68–77
——, Effect of sevoflurane on spontaneous sympathetic activity and baroreflexes in rabbits, MA, D., *et al.*, (*ARS*) 141–142P
——, Halothane reduces reperfusion injury after regional ischaemia in the rabbit heart *in vivo*, SCHLACK, W., *et al.* 88–96
——, Synergistic effect of fentanyl and midazolam on phrenic nerve activity in rabbits, MA, D., *et al.*, (*ARS*) 686–687P
Rapid Sequence Review of Anaesthesiology with Time-limited Pressure, CHEE, W. K., (*R*) 820
Rat, Dose-dependent effects of halothane on contraction of rat ventricular myocytes, DAVIES, L. A., *et al.*, (*ARS*) 135P
——, Effects of alfentanil on cerebral haemodynamics in an experimental model of traumatic brain injury, SOUTER, M. J., *et al.* 97–102
——, Effects of ketamine and pentobarbitone on acetylcholine release from the rat frontal cortex *in vivo*, KIKUCHI, T., *et al.* 128–130
——, Halothane decreases K^+ evoked glutamate release from rat cerebrocortical slices, NICOL, B., *et al.*, (*ARS*) 140P
——, No direct effects of dopexamine on the isolated perfused rat kidney, LEUWER, M., *et al.*, (*ARS*) 132P
——, Pharmacodynamics of thiopentone: nocifensive reflex threshold changes correlate with hippocampal electroencephalography, ARCHER, D. P., *et al.* 744–749
——, Role of endothelium in the modulation of isoflurane-induced vasodilatation in rat thoracic aorta, KIRSTETTER, P., *et al.* 84–87
Receptors, baroceptors, Effect of sevoflurane on spontaneous sympathetic activity and baroreflexes in rabbits, MA, D., *et al.*, (*ARS*) 141–142P

Receptors, opioid, Effects of ketamine on cAMP formation in Chinese hamster ovary cells expressing recombinant opioid receptors, HIROTA, K., *et al.*, (*ARS*) 141P
Receptors, ryanodine, Detection of a novel mutation at amino acid position 614 in the ryanodine receptor in malignant hyperthermia, QUANE, K. A., *et al.* 332–337
Records, Utstein template, Uniform reporting in resuscitation, DICK, W. F. 241–252
Recovery, Effects of low-dose isoflurane on contrast-sensitivity in volunteers, TAYLOR, S. R. J., *et al.*, (*ARS*) 674–675P
——, Effects of low-dose isoflurane on inhibition of saccadic eye movement, KHAN, O. A., *et al.*, (*ARS*) 675P
Recovery, postoperative, Emergence times from xenon anaesthesia are independent of the duration of anaesthesia, GOTO, T., *et al.* 595–599
Reflexes, chemoreceptors, Effect of domperidone on the ventilatory response to transient hyperoxia in patients anaesthetized with isoflurane, FOO, I. T., *et al.* 41–46
Reflexes, sympathetic, Dissociation between the effect of nitrous oxide on spontaneous and reflexly evoked sympathetic activity in dogs, MA, D., *et al.* 525–529

Sedation, Administration to humans of ORG 21465, a water soluble steroid i.v. anaesthetic agent, SNEYD, J. R., *et al.* 427–432
——, Computer-controlled infusion of ORG 21465, a water soluble steroid i.v. anaesthetic agent, into human volunteers, SNEYD, J. R., *et al.* 433–439
——, Metabolic, biochemical and haemodynamic effects of infusion of propofol for long-term sedation of children undergoing intensive care, MARTIN, P. H., *et al.* 276–279
——, ORG 21465, a new water-soluble steroid hypnotic: more of the same or something different? SEAR, J. W., (*E*) 417–419
——, Propofol in paediatric intensive care, HATCH, D. J., (*E*) 274–275
Serotonin (5-hydroxytryptamine), Actions of tramadol, its enantiomers and principal metabolite, O-desmethyltramadol, on serotonin (5-HT) efflux and uptake in the rat dorsal raphe nucleus, BAMIGBADE, T. A., *et al.* 352–356
Sheep, A physiological model of induction of anaesthesia with propofol in sheep. 1. Structure and estimation of variables, UPTON, R. N., *et al.* 497–504
——, A physiological model of induction of anaesthesia with propofol in sheep. 2. Model analysis and implications for dose requirements, LUDBROOK, G. L., *et al.* 505–513
——, An experimental model of chronic myocardial hibernation in sheep, RAEZ, R., *et al.*, (*EACTA*) A.47
Skin, blood flow, Skin vasomotor reflex induced by laryngoscopy: comparison of the McCoy and Macintosh blades, SHIMODA, O., *et al.* 714–718
Skin, tests, Intradermal compared with prick testing in the diagnosis of anaesthetic allergy, FISHER, M. McD, *et al.* 59–63
Solubility, temperature, Effect of temperature on the solubility of desflurane, sevoflurane, enflurane and halothane in blood, LOCKWOOD, G. G., *et al.* 517–520
Spinal cord, evoked potentials, Differential effects of nitrous oxide and propofol on myogenic transcranial motor evoked responses during sufentanil anaesthesia, UBAGS, L. H., *et al.* 590–594
Stabilisation and Transport of the Critically Ill, MORTON, N. S., *et al.*, (editors), (*R*) 267
Statistics, meta-analysis, Meta-analysis: greater than the sum of its parts? SOUTER, M. J., *et al.*, (*E*) 420–421
Surgery, abdominal, Prevention of hypothermia by cutaneous warming with new electric blankets during abdominal surgery, CAMUS, Y., *et al.* 796–797
Surgery, cardiovascular, A method for cost containment in cardiac surgical ICU, SALVI, L., *et al.*, (*EACTA*) A.95
——, A single dose of aprotinin or tranexamic acid in CPB priming reduces blood loss in primary cardiac surgery for coronary disease, RUSCHI, S., *et al.*, (*EACTA*) A.67
——, Acute effect of mitral valve replacement on extravascular lung water in patients receiving colloid or crystalloid priming of cardiopulmonary bypass, BUHRE, W., *et al.* 311–316
——, Analysis of fibrinolysis during coronary artery surgery, DECOENE, C., *et al.*, (*EACTA*) A.66
——, Antibiotic prophylaxis with cefodizime in patients with CABG-operations, BARTUNEK, A., *et al.*, (*EACTA*) A.62
——, Arterial switch for transposition of great arteries anaesthesia & postoperative care, AOUIFI, A., *et al.*, (*EACTA*) A.91
——, Assessment of a new ventricular contractile index obtained with transoesophageal echocardiography before and after cardiopulmonary bypass in cardiac surgical patients, KIKURA, M., *et al.* 759–765
——, Awake or asleep pulmonary artery catheter insertion? A comparison of catecholamine and haemodynamic responses, O'CONNOR, P. J., *et al.*, (*EACTA*) A.31
——, Can albumin reduce platelet damage during extracorporeal circulation? WELTERS, I., *et al.*, (*EACTA*) A.71
——, Cardiac troponin I release using different myocardial management strategies, BARANKAY, A., *et al.*, (*EACTA*) A.27
——, Cardiopulmonary bypass in a patient with Moyamoya disease, WANG, N., *et al.*, (*EACTA*) A.63
——, Comparison of midazolam and propofol effects on cerebral metabolism during cardiopulmonary bypass, SÜZER, A., *et al.*, (*EACTA*) A.52
——, Comparison of propofol and isoflurane ameliorating effects during rewarming period in paediatric cardiac surgery, ÇAMCÝ, E., *et al.*, (*EACTA*) A.58
——, Comparison of propofol-fentanyl and isoflurane-fentanyl anaesthesia with transoesophageal echocardiography for coronary artery bypass graft surgery, NICOLAIDES, A., *et al.*, (*EACTA*) A.45
——, Crystalloid vs. blood cardioplegia: a comparison of myocardial markers, BALOGH, D., *et al.*, (*EACTA*) A.26
——, Different influences of long-term ace inhibitor treatment for norepinephrine support during cardiac surgery, SZEKELY, A., *et al.*, (*EACTA*) A.15
——, Doppler monitoring of diastolic left ventricular function does not increase the sensitivity of dobutamine stress echocardiography for detecting inducible demand ischaemia in anaesthetized patients, SEEBERGER, M. D., *et al.*, (*EACTA*) A.40
——, Echocardiographic and haemodynamic differences among patients undergoing the MAZE procedure, BAKOLA, A. A., *et al.*, (*EACTA*) A.44
——, Effect of dexamethasone on oedema formation in patients undergoing coronary bypass surgery, GIANNARIS, S., *et al.*, (*EACTA*) A.23
——, Effect of intravascular volume load after induction of anaesthesia on oxygen consumption in cardiac surgery patients, BALLESTEROS, M., *et al.*, (*EACTA*) A.19
——, Effect of temperature and cardiopulmonary bypass on the pharmacokinetics of remifentanil, RUSSELL, D., *et al.* 456–459
——, Effects of antiotensin on renal function in cardiac surgical patients, BENNETT, S. R., *et al.*, (*EACTA*) A.18
——, Effects of chronic angiotensin converting enzyme inhibition on renal function during cardiac surgery: the role of atrionatriuretic factor and prostanoids, SCHWEIZER, A., *et al.*, (*EACTA*) A.16
——, Effects of dexamethasone on release of endotoxin and cytokines during hypothermic cardiopulmonary bypass, HÖCHE, A., *et al.*, (*EACTA*) A.24
——, Effects of nicardipine on gastric mucosal perfusion during cardiopulmonary bypass, LEMOINE, E., *et al.*, (*EACTA*) A.54
——, Effects of preoperative i.v. heparin in coronary artery bypass grafting, COLLARD, E., *et al.*, (*EACTA*) A.65
——, Effects of R97399, a new PDE III inhibitor in patients with ischaemic heart disease, VERBORGH, C., *et al.*, (*EACTA*) A.10
——, Effects of temperature on phrenic nerve and diaphragmatic function during cardiac surgery, MILLS, G. H., *et al.* 726–732
——, Effects of ventilation during cardiopulmonary bypass on pulmonary shunt, compliance and structure, ERHAN, E., *et al.*, (*EACTA*) A.56
——, Efficacy of a vital capacity manœuvre to prevent post-cardiopulmonary bypass atelectasis: An experimental study, MAGNUSSON, L., *et al.*, (*EACTA*) A.57
——, Evaluation of left ventricular function by load independent indicators, JOVIC, M., *et al.*, (*EACTA*) A.35
——, Evaluation of the effects of diltiazem on myocardial protection with troponin T in coronary artery bypass graft surgery, APKAR, F. Z., *et al.*, (*EACTA*) A.28
——, Gut mucosal perfusion in infants undergoing cardiopulmonary bypass: effect of preoperative captopril, BOOKER, P. D., *et al.* 14–18
——, Haemodynamic effects of celiprolol and sotalol after coronary artery bypass grafting, FOUBERT, L., *et al.*, (*EACTA*) A.90
——, Haemodynamic response to angiotensin in patients treated with angiotensin converting enzyme inhibitors, BENNETT, S. R., *et al.*, (*EACTA*) A.13
——, Hepatic venous blood flow measured with retrograde thermodilution technique, CHRISTIANSEN, C. L., *et al.*, (*EACTA*) A.55
——, Imipramine poisoning in an animal model-treatment with single cardiopulmonary bypass support or additional rein-haemoperfusion? SCHMIDT, W., *et al.*, (*EACTA*) A.64

——, Impact of preoperative pulmonary vascular resistance and ischaemic time on the cardiovascular function after orthotopic heart transplantation, BERTOLISSI, M., *et al.*, (*EACTA*) A.61
——, Improved intraoperative assessment of aortic stentless valves using transoesophageal echocardiography, MORRIS, M. J., (*EACTA*) A.43
——, Influence of postoperative activated clotting time (ACT) on re-operations for bleeding after cardiac surgery, SZABO, Z., *et al.*, (*EACTA*) A.72
——, Influence of sevoflurane on cerebral metabolism, blood flow and CO_2-reactivity, MIELCK, F., *et al.*, (*EACTA*) A.6
——, Influence of ventilation modes on analgesic and sedative demand and pulmonary gas exchange in patients after CABG-surgery, KAZMAIER, S., *et al.*, (*EACTA*) A.88
——, Intravenous clonidine administration during CPB: effects on haemodynamic parameters and extubation time, ABAY, G., *et al.*, (*EACTA*) A.8
——, Is severe obesity a risk factor for coronary surgery? RANUCCI, M., *et al.*, (*EACTA*) A.84
——, Left ventricular remodelling (Battista procedure): early postoperative care, VUK, LJ., *et al.*, (*EACTA*) A.96
——, Methaemoglobin (MetHb) production during nitric oxide (NO) inhalation, AOUIFI, A., *et al.*, (*EACTA*) A.93
——, Normothermic perfusion: effects on postoperative multi-organ dysfunction, RANUCCI, M., *et al.*, (*EACTA*) A.85
——, Perioperative transoesophageal echocardiography with low dose dobutamine: A feasible test for viability? PALMGREN, I., *et al.*, (*EACTA*) A.41
——, Plasma antifibrinolytic activity after injections of two dosages of tranexamic acid, ISETTA, C., *et al.*, (*EACTA*) A.69
——, Plasma bradykinin during cardiopulmonary bypass and the effect of angiotensin converting enzyme inhibition, MACLAREN, A. J., *et al.*, (*EACTA*) A.17
——, Platelet effects of aprotinin and tranexamic acid, AMMAR, T., *et al.*, (*EACTA*) A.68
——, Platelet-rich plasmapheresis reduces allogeneic platelet transfusions and cost in complex cardiac surgery, PRICE STOVER, E., *et al.*, (*EACTA*) A.70
——, Postoperative morbidity after coronary artery bypass graft surgery without cardiopulmonary bypass, COLLARD, E., *et al.*, (*EACTA*) A.86
——, Postoperative myocardial ischaemia and changes in indices of myocardial oxygen balance in patients undergoing CABG surgery, TUPPER-CAREY, D. A., *et al.*, (*EACTA*) A.36
——, Predictors of atrial fibrillation in CABG surgery, SVEDJEHOLM, R., *et al.*, (*EACTA*) A.83
——, Preoperative ACE inhibition and vasoconstrictor requirements post cardiopulmonary bypass, MANJI, M., *et al.*, (*EACTA*) A.14
——, Quality control of carotid artery thrombendarterectomy by intraoperative transit time flow and resistance measurements, WALPOTH, B. H., *et al.*, (*EACTA*) A.37
——, Rebound pulmonary vasoconstriction and desaturation on withdrawal of nitric oxide in infants after cardiac surgery, KNAPIK, P., *et al.*, (*EACTA*) A.94
——, Relations between the phosphodiesterase III inhibitors and cytokines in open heart surgery, TAÇ, T., *et al.*, (*EACTA*) A.25
——, Relationship between aortic cross clamp time and myocardial oxygen consumption during coronary artery bypass surgery (CABG), LANGENBERG, C. J. M., *et al.*, (*EACTA*) A.50
——, Significance of regional cerebral oxygen saturation (rSO_2) during open heart surgery, PAPADIMITRIOU, L., *et al.*, (*EACTA*) A.51
——, The effects of remifentanil on systemic and cerebral haemodynamics in patients undergoing cardiac surgery, SCHOLZ, J., *et al.*, (*EACTA*) A.7
——, The effects of sevoflurane on regional myocardial blood flow and metabolism, when used to control intraoperative hypertension in patients undergoing coronary artery bypass grafting, KIRNÖ, K., *et al.*, (*EACTA*) A.5
——, Thrombin generation and protein C activation in cardiac surgery patients, WELTERS, I., *et al.*, (*EACTA*) A.22
——, Tramadol for post operative analgesia in coronary artery bypass graft surgery, MANJI, M., *et al.*, (*EACTA*) A.87
——, Transoesophageal echocardiography in cardiac and vascular surgery: therapeutic implications and inter-observer differences, SCHMIDLIN, D., *et al.*, (*EACTA*) A.38
——, Transoesophageal echocardiography of mitral and pulmonary venous flow as estimation of diastolic function, PITTARELLO, D., *et al.*, (*EACTA*) A.42
——, Transport and surgical ischaemic times: Can they have a different influence on the cardiovascular function after orthotopic heart transplantation? BERTOLISSI, M., *et al.*, (*EACTA*) A.60
Surgery, dental, Comparison of sevoflurane and halothane for outpatient dental anaesthesia in children, PARIS, S. T., *et al.* 280–284
——, Pre-emptive analgesia using local anaesthesia: a study in bilaterally symmetrical surgery, CAMPBELL, W. I., *et al.* 657–659
Surgery, endoscopy, Sevoflurane or halothane for paediatric endoscopy, PLOWMAN, A., *et al.*, (*C*) 143–144
——, Thorascopic sympathectomy, FREDMAN, B., *et al.*, (*C*) 688
——, Thorascopic sympathectomy, PARRY-JONES, A. J. D., (*C*) 688
——, Thorascopic sympathectomy in the treatment of palmar hyperhidrosis: anaesthetic implications, FREDMAN, B., *et al.* 113–119
Surgery, gynaecological, Buscopan does not improve pain after laparoscopic sterilization, WILSON, C. M., *et al.*, (*ARS*) 139–140P
——, Postoperative spirometry after laparoscopy for lower abdominal or upper abdominal surgical procedures, JORIS, J., *et al.* 422–426
Surgery, laparoscopy, Anaesthesia for laparoscopic cholecystectomy in a patient with Eisenmenger's syndrome, SAMMUT, M. S., *et al.* 810–812
——, Pain after laparoscopy, ALEXANDER, J. I. 369–378
——, Pigs are not human, LENTSCHENER, C., *et al.*, (*C*) 691–692
——, Pigs are not humans, BAZIN, J. E., *et al.*, (*C*) 691
——, Postoperative respiratory dysfunction: is the site of surgery crucial? MCKEAGUE, H., *et al.*, (*E*) 415–416
——, Postoperative spirometry after laparoscopy for lower abdominal or upper abdominal surgical procedures, JORIS, J., *et al.* 422–426
Surgery, orthopaedic, Acute normovolaemic haemodilution decreases postoperative allogeneic blood transfusion after total knee replacement, OLSFANGER, D., *et al.* 317–321
——, Autotransfusion in major orthopaedic surgery: experience with 1785 patients, BORGHI, B., *et al.* 662–664
——, Comparison of extradural and general anaesthesia on the fibrinolytic response to total knee arthroplasty, SHARROCK, N. E., *et al.* 29–34
——, Detection of arrhythmogenic cellular magnesium depletion in hip surgery patients, ZUCCALA, G., *et al.* 776–781
Surgery, otolaryngological, Comparison of perioperative ketoprofen 2.0 mg kg^{-1} with 0.5 mg kg^{-1} i.v. in small children during adenoidectomy, NIKANNE, E., *et al.* 606–608
——, Granisetron reduces the incidence of nausea and vomiting after middle ear surgery, FUJII, Y., *et al.* 539–540
Surgery, paediatrics, Arterial switch for transposition of great arteries anaesthesia & postoperative care, AOUIFI, A., *et al.*, (*EACTA*) A.91
——, Comparison of propofol and isoflurane ameliorating effects during rewarming period in paediatric cardiac surgery, ÇAMCÝ, E., *et al.*, (*EACTA*) A.58
——, The laryngeal mask for fibreoptic bronchoscopy in children, MIZIKOV, V., *et al.*, (*EACTA*) A.73
Surgery, spinal, Knee–chest *vs* horizontal side position during induction of spinal anaesthesia in patients undergoing lumbar disc surgery, LAAKSO, E., *et al.* 609–611
Surgery, thoracic, Accuracy and clinical performance of a continuous intra-arterial blood-gas monitoring system during thoracoscopic surgery, ZOLLINGER, A., *et al.* 47–52
——, Anaesthesia for the surgery of emphysema, CONACHER, I. D. 530–538
——, Changes in regulators of the circulation in patients undergoing lung surgery, BOLDT, J., *et al.* 733–739
——, Clonidine and neuroendocrine stress response during lung surgery, NOVAK-JANKOVIÈ, V., *et al.*, (*EACTA*) A.9
——, Continuous intra-arterial blood-gas monitoring, GRAYSTONE, S. J., (*C*) 815–816
——, Continuous intra-arterial blood-gas monitoring, VENKATESH, B., (*C*) 815
——, Continuous intra-arterial blood-gas monitoring, ZOLLINGER, A., *et al.*, (*C*) 816–817
——, Cutaneous blood gas monitoring during rigid bronchoscopy with high frequency Jet ventilation (HFJV), AUSSEUR, A., *et al.*, (*EACTA*) A.74
——, Inhaled nitric oxide during anaesthesia for lung transplant, DELLA ROCCA, G., *et al.*, (*EACTA*) A.77
——, Lung transplant oedema: Clinical characteristics and radiological assessment? KELLNER, J., *et al.*, (*EACTA*) A.81
——, Perioperagive medical care of patients undergoing bilateral lung volume reduction for severe emphysema, VASSALLI, F., *et al.*, (*EACTA*) A.79

——, Perioperative management for lung volume reduction surgery for severe emphysema, GRESSIER, M., *et al.*, (*EACTA*) A.78
——, Results in five patients undergoing pulmonary thromboendarterectomy, MARCOS, R. C., *et al.*, (*EACTA*) A.80
——, Serum concentrations of bupivacaine during prolonged continuous paravertebral infusion in young infants, CHEUNG, S. L. W., *et al.* 9–13
——, The laryngeal mask for fibreoptic bronchoscopy in children, MIZIKOV, V., *et al.*, (*EACTA*) A.73
——, The use of thoracic epidural analgesia after lung transplantation, WESTERLIND, A., *et al.*, (*EACTA*) A.82
——, Thorascopic sympathectomy, FREDMAN, B., *et al.*, (*C*) 688
——, Thorascopic sympathectomy, PARRY-JONES, A. J. D., (*C*) 688
——, Thorascopic sympathectomy in the treatment of palmar hyperhidrosis: anaesthetic implications, FREDMAN, B., *et al.* 113–119
——, Transoesophageal echocardiography of the right ventricle in thoracic patients, MCMAHON, C. C., *et al.*, (*EACTA*) A.75
Surgery, urological, Caudal tramadol for postoperative analgesia in paediatric hypospadias surgery, PROSSER, D. P., *et al.* 293–296
Surgery, vascular, Effect of felodipine on renal function and vasoactive hormones in infrarenal aortic surgery, DE LASSON, L., *et al.* 719–725
——, "Renal" dopamine, GIRBES, A. R. J., *et al.*, (*C*) 263–264
——, "Renal" dopamine, INGLIS, A., *et al.*, (*C*) 263
Sympathetic nervous system, Changes in regulators of the circulation in patients undergoing lung surgery, BOLDT, J., *et al.* 733–739
——, Dissociation between the effect of nitrous oxide on spontaneous and reflexly evoked sympathetic activity in dogs, MA, D., *et al.* 525–529
Sympathetic nervous system, adrenergic block, Haemodynamic effects of celiprolol and sotalol after coronary artery bypass grafting, FOUBERT, L., *et al.*, (*EACTA*) A.90
Sympathetic nervous system, catecholamines, Changes in regulators of the circulation in patients undergoing lung surgery, BOLDT, J., *et al.* 733–739
——, Local anaesthetic agents inhibit [^{3}H]noradrenaline uptake into SH-SY5Y human neuroblastoma cells, JOYCE, P. I., *et al.*, (*ARS*) 677P
Sympathetic nervous system, clonidine, Does the addition of clonidine affect duration of analgesia of bupivacaine wound infiltration in inguinal hernia surgery? ELLIOTT, S., *et al.* 446–449
——, Intra-articular morphine and clonidine produce comparable analgesia but the combination is not more effective, GENTILI, M., *et al.* 660–661
Sympathetic nervous system, dopamine, Dopamine and intestinal mucosal tissue oxygenation in a porcine model of haemorrhage, GERMANN, R., *et al.* 357–362
Sympathetic nervous system, dopexamine, No direct effects of dopexamine on the isolated perfused rat kidney, LEUWER, M., *et al.*, (*ARS*) 132P
——, Reperfusion after supracoeliac aortic cross-clamping in a rat model: Effects of dopexamine on mesenteric oxygen transport, lactate flux and jejunal luminal PCO_2, WU, X., *et al.*, (*EACTA*) A.49
Sympathetic nervous system, noradrenaline, Effect of halothane on K^+ and carbachol stimulated noradrenaline release and increased $_i$ in SH-SY5Y human neuroblastoma cells, ATCHESON, R., *et al.* 78–83
Sympathetic nervous system, pharmacology, clonidine, Clonidine and neuroendocrine stress response during lung surgery, NOVAK-JANKOVIĖ, V., *et al.*, (*EACTA*) A.9
——, Intravenous clonidine administration during CPB: effects on haemodynamic parameters and extubation time, ABAY, G., *et al.*, (*EACTA*) A.8
Sympathetic nervous system, phenylephrine, Extra-pulmonary effects of inhaled nitric oxide in swine with and without phenylephrine, TRONCY, E., *et al.* 631–640
Sympathetic nervous system, sympathomimetic agents, Different influences of long-term ace inhibitor treatment for norepinephrine support during cardiac surgery, SZEKELY, A., *et al.*, (*EACTA*) A.15
——, Preoperative ACE inhibition and vasoconstrictor requirements post cardiopulmonary bypass, MANJI, M., *et al.*, (*EACTA*) A.14

Temperature, body, Heat retention using passive systems during anaesthesia: comparison of two plastic wraps, one with reflective properties, DEACOCK, S., *et al.* 766–769
Temperature, effect, Effect of temperature and cardiopulmonary bypass on the pharmacokinetics of remifentanil, RUSSELL, D., *et al.* 456–459
——, Effects of temperature on phrenic nerve and diaphragmatic function during cardiac surgery, MILLS, G. H., *et al.* 726–732
Temperature, metabolism, External cooling in critically ill febrile ICU patients, MORLEY, A. P., (*C*) 546–547
Temperature, monitoring, External cooling in critically ill febrile ICU patients, MORLEY, A. P., (*C*) 546–547
——, Heat retention using passive systems during anaesthesia: comparison of two plastic wraps, one with reflective properties, DEACOCK, S., *et al.* 766–769
——, Prevention of hypothermia by cutaneous warming with new electric blankets during abdominal surgery, CAMUS, Y., *et al.* 796–797
Temperature, solubility, Effect of temperature on the solubility of desflurane, sevoflurane, enflurane and halothane in blood, LOCKWOOD, G. G., *et al.* 517–520
Textbook of Neuroanesthesia with Neurosurgical and Neuroscience Perspectives, ALBIN, M. S., (editor), (*R*) 412
The Pulmonary Artery Catheter in Critical Care—A Concise Handbook, PERRET, C., *et al.*, (*R*) 266
The Pulmonary Circulation: Moving From Passive to Active Control, PINSKY, M. R., *et al.*, (editors), (*R*) 266
Theories of anaesthetic action, Meyer–Overton, Effects of volatile anaesthetics on spontaneous action potential firing of cerebellar Purkinje cells *in vitro* do not follow the Meyer–Overton rule, ANTKOWIAK, B., *et al.* 617–624
Theories of anaesthetic action, molecular, Effect of halothane on K^+ and carbachol stimulated noradrenaline release and increased $_i$ in SH-SY5Y human neuroblastoma cells, ATCHESON, R., *et al.* 78–83
Thrombopoiesis and Thrombopoietins: Molecular, Cellular, Preclinical and Clinical Biology, KUTER, D. J., *et al.*, (editors), (*R*) 413
Toxicity, Methaemoglobin (MetHb) production during nitric oxide (NO) inhalation, AOUIFI, A., *et al.*, (*EACTA*) A.93
Transfusion, Platelet-rich plasmapheresis reduces allogeneic platelet transfusions and cost in complex cardiac surgery, PRICE STOVER, E., *et al.*, (*EACTA*) A.70
Transfusion, autotransfusion, Acute normovolaemic haemodilution decreases postoperative allogeneic blood transfusion after total knee replacement, OLSFANGER, D., *et al.* 317–321
——, Autotransfusion in major orthopaedic surgery: experience with 1785 patients, BORGHI, B., *et al.* 662–664

Ventilation, Effects of ventilation during cardiopulmonary bypass on pulmonary shunt, compliance and structure, ERHAN, E., *et al.*, (*EACTA*) A.56
——, Influence of ventilation modes on analgesic and sedative demand and pulmonary gas exchange in patients after CABG-surgery, KAZMAIER, S., *et al.*, (*EACTA*) A.88
——, Transoesophageal echocardiography in the I.C.U. setting: luxury or necessity? LAGONIDIS, D., *et al.*, (*EACTA*) A.46
——, Transoesophageal echocardiography of the right ventricle in thoracic patients, MCMAHON, C. C., *et al.*, (*EACTA*) A.75
Ventilation, anaesthetics, effects of, Comparison between halothane and sevoflurane for adult vital capacity induction, HALL, J. E., *et al.* 285–288
Ventilation, frequency, Cardioventilatory coupling during anaesthesia, GALLETLY, D. C., *et al.* 35–40
Ventilation, hypoxic response, Effect of domperidone on the ventilatory response to transient hyperoxia in patients anaesthetized with isoflurane, FOO, I. T., *et al.* 41–46
Ventilation, mechanical, Cuff deflation for easier weaning from ventilation, BAPAT, P., *et al.*, (*C*) 145
——, Cuff deflation for easier weaning from ventilation, SHNEERSON, J., (*C*) 145
——, Weaning: is the work of breathing via a tracheostomy tube similar to that via a tracheal tube? BAPAT, P. P., *et al.*, (*C*) 815
——, Weaning: is the work of breathing via a tracheostomy tube similar to that via a tracheal tube? KODAKAT, S. K., (*C*) 814–815
Ventilation, one-lung, Accuracy and clinical performance of a continuous intra-arterial blood-gas monitoring system during thoracoscopic surgery, ZOLLINGER, A., *et al.* 47–52
——, Changes in regulators of the circulation in patients undergoing lung surgery, BOLDT, J., *et al.* 733–739
——, Comparison of volume controlled with pressure controlled ventilation during one-lung anaesthesia, TUĞRUL, E., *et al.* 306–310
Ventilation, pattern, Artificial neural networks for distinguishing disturbed from undisturbed breathing, CALEB, P., *et al.*, (*ARS*) 682P
Ventilation, positive end-expiratory pressure, Laryngeal mask airway and uncuffed trachael tubes are equally

effective for low flow or closed system anaesthesia in children, FRÖHLICH, D., *et al.* 289–292
Ventilation, pressure controlled, Comparison of volume controlled with pressure controlled ventilation during one-lung anaesthesia, TUĞRUL, E., *et al.* 306–310
Ventilation, resuscitation, Management of the airway and ventilation during resuscitation, GABBOTT, D. A., *et al.* 159–171
——, Management of the airway and ventilation during resuscitation, RICHARDSON, C., (*C*) 814
Ventilation, spontaneous, Effect of domperidone on the ventilatory response to transient hyperoxia in patients anaesthetized with isoflurane, FOO, I. T., *et al.* 41–46
Ventilation, volume controlled, Comparison of volume controlled with pressure controlled ventilation during one-lung anaesthesia, TUĞRUL, E., *et al.* 306–310
Vomiting, antiemetics, Granisetron reduces the incidence of nausea and vomiting after middle ear surgery, FUJII, Y., *et al.* 539–540
——, Ondansetron compared with metoclopramide in the treatment of established postoperative nausea and vomiting, DIEMUNSCH, P., *et al.* 322–326
Vomiting, incidence, Ondansetron compared with metoclopramide in the treatment of established postoperative nausea and vomiting, DIEMUNSCH, P., *et al.* 322–326
Vomiting, nausea, Granisetron reduces the incidence of nausea and vomiting after middle ear surgery, FUJII, Y., *et al.* 539–540
——, Ondansetron compared with metoclopramide in the treatment of established postoperative nausea and vomiting, DIEMUNSCH, P., *et al.* 322–326
Vomiting, nausea, surgical factors, Granisetron reduces the incidence of nausea and vomiting after middle ear surgery, FUJII, Y., *et al.* 539–540
——, Ondansetron compared with metoclopramide in the treatment of established postoperative nausea and vomiting, DIEMUNSCH, P., *et al.* 322–326